Appendix A

Comparison of international Montreal Process indicators with Australia's national indicators

In reporting on the state of its forests, Australia uses the seven criteria developed in 1995 by the international-level Montreal Process Working Group on Criteria and Indicators for the Conservation and Sustainable Management of Temperate and Boreal Forests (Montreal Process Working Group 2009a, 2009b). Indicators are nested under each of these criteria.

In 1998, the national-level Montreal Process Implementation Group for Australia (MIG), which comprises representatives of the Australian Government and state and territory governments, adapted the Montreal Process set of indicators to better suit reporting on Australia's unique forests. However, some of Australia's original set of indicators proved difficult to measure, and some overlapped. In 2006, MIG reviewed the indicators and reduced the list used in Australia to 44 (Commonwealth of Australia 2008). This set of 44 national indicators underpinned SOFR 2008 and again underpins SOFR 2013.

Table A1 shows the alignment of Australia's 44 national indicators with the 54 international indicators of the Montreal Process.

Table A1: Alignment of the international Montreal Process indicators with Australia's national indicators used in SOFR 2013

	Australian indicator(s) with which each International Montreal Process Montreal Process criteria and indicators indicator aligns			Aus	stralia's criteria and indicators	Montreal Process indicator(s) with which each Australian indicator aligns	
Indicator number	r Indicator name	Strong alignment	Partial alignment	Indicator number	Indicator name	Strong alignment	Partial alignment
Criterio	n 1 Conservation of biological diversity						
1.1	Ecosystem diversity			1.1	Ecosystem diversity		
1.1.a	Area and percent of forest by forest ecosystem type, successional stage, age class, and forest ownership or tenure	1.1a	1.1b	1.1a	Area of forest by forest type and tenure	1.1.a	-
1.1.b	Area and percent of forest in protected areas by forest ecosystem type, and by age class or successional stage	1.1c	1.1b	1.1b	Area of forest by growth stage	_	1.1.a 1.1.b
1.1.c	Fragmentation of forests	1.1d	-	1.1c	Area of forest in protected area categories	1.1.b	-
				1.1d	Fragmentation of forest cover	1.1.c	_
1.2	Species diversity			1.2	Species diversity		
1.2.a	Number of native forest associated species	=	1.2a	1.2a	Forest dwelling species for which ecological information is available	-	1.2.a
1.2.b	Number and status of native forest associated species at risk, as determined by legislation or scientific assessment	1.2b	-	1.2b	The status of forest dwelling species at risk of not maintaining viable breeding populations, as determined by legislation or scientific assessment	1.2.b	-
1.2.c	Status of on site and off site efforts focused on conservation of species diversity	-	-	1.2c	Representative species from a range of habitats monitored at scales relevant to regional forest management	-	1.3.b
1.3	Genetic diversity			1.3	Genetic diversity		
1.3.a	Number and geographic distribution of forest associated species at risk of losing genetic variation and locally adapted genotypes	1.3a	-	1.3a	Forest associated species at risk from isolation and the loss of genetic variation, and conservation efforts for those species	1.3.a	1.3.c
1.3.b	Population levels of selected representative forest associated species to describe genetic diversity	-	1.2c	1.3b	Native forest and plantations of indigenous timber species which have genetic resource conservation mechanisms in place	-	1.3.c
1.3c	Status of on site and off site efforts focused on conservation of genetic diversity	-	1.3a 1.3b				

 $Table \ A1: A lignment \ of the international \ Montreal \ Process \ indicators \ with \ Australia's \ national \ indicators \ used \ in \ SOFR \ 2013 \ continued$

	International Montreal Process criteria and indicators	Australian ir with whic Montreal indicator	:h each Process	Aus	stralia's criteria and indicators	Montreal indicator which each indicato	r(s) with Australian
Indicator number	Indicator name	Strong alignment	Partial alignment	Indicator number	Indicator name	Strong alignment	Partia alignment
Criterio	n 2 Maintenance of productive capacity	of forest ecos	ystems				
2.α	Area and percent of forest land and net areas of forest land available for wood production	2.1a	-	2.1a	Native forest available for wood production, area harvested, and growing stock of merchantable and non-merchantable tree species	2.a 2.b	-
2.b	Total growing stock and annual increment of both merchantable and non-merchantable tree species in forests available for wood production	2.1a	_	2.1b	Age class and growing stock of plantations	2.c	-
2.c	Area, percent, and growing stock of plantations of native and exotic species	2.1b	-	2.1c	Annual removal of wood products compared to the volume determined to be sustainable for native forests and future yields for plantations	2.d	_
2.d	Annual harvest of wood products by volume and as a percentage of net growth or sustained yield	2.1c	-	2.1d	Annual removal of non-wood forest products compared to the level determined to be sustainable	2.e	-
2.e	Annual harvest of non-wood forest products	2.1d	-	2.1e	The area of native forest harvested and the proportion of that effectively regenerated, and the area of plantation harvested and the proportion of that effectively re-established	-	-
Criterio	n 3 Maintenance of ecosystem health ar	d vitality					
3.α	Area and percent of forest affected by biotic processes and agents (e.g. disease, insects, invasive species) beyond reference conditions	3.1a	-	3.1a	Scale and impact of agents and processes affecting forest health and vitality	3.a 3.b	_
3.b	Area and percent of forest affected by abiotic agents (e.g. fire, storm, land clearance) beyond reference conditions	3.1a 3.1b	-	3.1b	Area of forest burnt by planned and unplanned fire	3.b	-
Criterio	n 4 Conservation and maintenance of so	il and water re	esources				
4.1	Protective function						
4.1.a	Area and percent of forest whose designation or land management focus is the protection of soil or water resources	4.1a	-	4.1a	Area of forest land managed primarily for protective functions	4.1.a	-
4.2	Soil						
4.2.a	Proportion of forest management activities that meet best management practices or other relevant legislation to protect soil resources	4.1b 4.1c	=	4.1b	Management of the risk of soil erosion in forests	4.2.a	_
4.2.b	Area and percent of forest land with significant soil degradation	-	-	4.1c	Management of the risks to soil physical properties in forests	4.2.a	-
4.3	Water						
4.3.a	Proportion of forest management activities that meet best management practices, or other relevant legislation, to protect water related resources	4.1d 4.1e	-	4.1d	Management of the risks to water quantity from forests	4.3.a	-
4.3.b	Area and percent of water bodies, or stream length, in forest areas with significant change in physical, chemical or biological properties from reference conditions	-	-	4.1e	Management of the risks to water quality in forests	4.3.a	_
Criterio	n 5 Maintenance of forest contribution t	o global carbo	n cycles				
5.a	Total forest ecosystem carbon pools and fluxes	5.1a	-	5.1a	Contribution of forest ecosystems and forest industries to the global greenhouse gas balance	5.a 5.b	5.c
5.b	Total forest product carbon pools and fluxes	5.1a	_				
5.c	Avoided fossil fuel carbon emissions by using forest biomass for energy	_	5.1a				

 $Table \ A1: A lignment \ of the international \ Montreal \ Process \ indicators \ with \ Australia's \ national \ indicators \ used \ in \ SOFR \ 2013 \ continued$

Iı	nternational Montreal Process criteria and indicators	Australian i with whi Montreal indicato	ch each Process	Aus	stralia's criteria and indicators	Montreal indicator which each indicato	r(s) with Australian
Indicator number	Indicator name	Strong alignment	Partial alignment	Indicator number	Indicator name	Strong alignment	Partial alignment
Criterion	6 Maintenance and enhancement of la	ng-term mult	iple socio-ec	onomic bene	efits to meet the needs of societies		
6.1	Production and consumption			6.1	Production and consumption		
6.1.a	Value and volume of wood and wood products production, including primary and secondary processing	6.1a	-	6.1a	Value and volume of wood and wood products	6.1.a	-
6.1.b	Value of non-wood forest products produced or collected	6.1b	-	6.1b	Values, quantities and use of non- wood forest products	6.1.b	-
6.1.c	Revenue from forest based environmental services	6.1c	-	6.1c	Value of forest based services	6.1.c	-
6.1.d	Total and per capita consumption of wood and wood products in round wood equivalents	6.1d	-	6.1d	Production and consumption and import/export of wood, wood products and non-wood products	6.1.d 6.1.e 6.1.f 6.1.g	6.1.h
6.1.e	Total and per capita consumption of non-wood products	6.1d	-	6.1e	Degree of recycling of forest products	6.1.i	-
6.1.f	Value and volume in round wood equivalents of exports and imports of wood products	6.1d	_				
6.1.g	Value of exports and imports of non- wood products	6.1d	-				
6.1.h	Exports as a share of wood and wood products production and imports as a share of wood and wood products consumption	-	6.1d				
6.1.i	Recovery or recycling of forest products as a percent of total forest products consumption	6.1e	-				
6.2	Investment in the forest sector			6.2	Investment in the forest sector		
6.2.a	Value of capital investment and annual expenditure in forest management, wood and non-wood product industries, forest-based environmental services, recreation and tourism	ual expenditure in forest forest management agement, wood and non-wood uct industries, forest-based ronmental services, recreation		6.2.a	-		
6.2.b	Annual investment and expenditure in forest-related research, extension and development, and education	6.2b	-	6.2b	Investment in research, development, extension and use of new and improved technologies	6.2.b	-
6.3	Employment and community needs			6.5	Employment and community need	ls	
6.3.a	Employment in the forest sector	6.5a	_	6.5α	Direct and indirect employment in the forest sector	6.3.a	-
6.3.b	Average wage rates, annual average income and annual injury rates in major forest employment categories	6.5b	-	6.5b	Wage rates and injury rates within the forest sector	6.3.b	-
6.3.c	Resilience of forest-dependent communities	6.5c	_	6.5c	Resilience of forest dependent communities to changing social and economic conditions	6.3.c	-
6.3.d	Area and percent of forests used for subsistence purposes	_	6.5d	6.5d	Resilience of forest dependent Indigenous communities to changing social and economic conditions	-	6.3.d
6.3.e	Distribution of revenues derived from forest management	-	_				
6.4	Recreation and tourism		6.3	Recreation and tourism			
6.4.a	Area and percent of forests available and/or managed for public recreation and tourism	6.3a		6.3a	Area of forest available for public recreation/ tourism	6.4.a	
6.4.b	Number, type, and geographic distribution of visits attributed to recreation and tourism and related to facilities available	6.3b		6.3b	Range and use of recreation/ tourism activities available	6.4.b	-

 $Table \ A1: A lignment \ of the international \ Montreal \ Process \ indicators \ with \ Australia's \ national \ indicators \ used \ in \ SOFR \ 2013 \ continued$

	Australian indicator(s) with which each International Montreal Process criteria and indicators indicator aligns			Aus	Montreal Pro indicator(s) which each Aus Australia's criteria and indicators indicator ali		
Indicator number	Indicator name	Strong alignment	Partial alignment	Indicator number	Indicator name	Strong alignment	Partial alignment
Criterio	n 6 Maintenance and enhancement of lo	ng-term mult	iple socio-ec	onomic bene	efits to meet the needs of societies c	ontinued	
6.5	Cultural, social and spiritual needs an	d values		6.4	Cultural, social and spiritual needs	and values	
6.5.α	Area and percent of forests managed primarily to protect the range of cultural, social and spiritual needs and values	6.4a 6.4b 6.4c	-	6.4a	Area of forest to which Indigenous people have use and rights that protect their special values and are recognised through formal and informal management regimes	6.5.a	_
6.5.b	The importance of forests to people	6.4d	-	6.4b	Registered places of non- Indigenous cultural value in forests that are formally managed to protect those values	6.5.a	-
				6.4c	The extent to which Indigenous values are protected, maintained and enhanced through Indigenous participation in forest management	6.5.a	-
				6.4d	The importance of forests to people	6.5.b	-
Criterio	n 7 Legal, institutional and economic fra	mework for f	orest conserv	ation and su	ustainable management		
7.1.a	Legislation and policies supporting the sustainable management of forests	7.1a	7.1b	7.1a	Extent to which the legal framework supports the conservation and sustainable management of forests	7.1.a	7.3.a 7.3.b
7.1.b	Cross-sectoral policy and programme coordination	-	7.1a 7.1b	7.1b	Extent to which the institutional framework supports the conservation and sustainable management of forests	-	7.1.a 7.4.a 7.5.b
7.2.a	Taxation and other economic strategies that affect the sustainable management of forests	7.1c	-	7.1c	Extent to which the economic framework supports the conservation and sustainable management of forests	7.2.a	-
7.3.a	Clarity and security of land and resource tenure and property rights	-	7.1a	7.1d	Capacity to measure and monitor changes in the conservation and sustainable management of forests	7.5.c	-
7.3b	Enforcement of laws related to forests	-	7.1a	7.1e	Capacity to conduct and apply research and development aimed at improving forest management and delivery of forest goods and services	7.4.b	-
7.4.a	Programmes, services and other resources supporting the sustainable management of forests	-	7.1b				
7.4.b	Development and application of research and technologies for the sustainable management of forests	7.1e	-				
7.5.a	Partnerships to support the sustainable management of forests	-	-				
7.5.b	Public participation and conflict resolution in forest-related decision making	-	7.1b				
7.5.c	Monitoring, assessment and reporting on progress towards sustainable management of forests	7.1d	-				

^{- =} no such alignment

Glossary

Numbers separate alternative definitions or uses.

Term	Definition and use in SOFR 2013
Abiotic	Used in reference to the non-biological components of the environment (e.g. climate, soil and water).
Above-ground biomass	All living biomass above the soil, including stump, stem, bark, branches, foliage and seeds, and attached material such as dead branches. See Below ground biomass, Biomass.
Acacia	As a national forest type, forest dominated by trees of the genus <i>Acacia</i> .
Acidification	Increasing levels of acidity—for example, in soil—that can damage soil and vegetation.
Adaptive capacity (human)	Ability, or potential, of a community or individual to modify or change their characteristics or behaviour to cope better with change or stresses.
Afforestation	Establishment of forest on land not previously forested. The Kyoto Protocol and initiatives such as the Carbon Farming Initiative use specific definitions of afforestation. See Deforestation, Forest, Reforestation.
Age class	Group of trees of a similar age; for example, plantations established between 1990 and 1994 are in a five-year age class.
Aggregated retention	A silvicultural system in which clumps or clusters of trees are retained in forest stands harvested for wood. A form of variable retention. See Silvicultural practices / systems, Variable retention.
Agroforestry	See Farm forestry.
Amortisation	Allocation of the cost of an intangible asset (such as goodwill) over its service life.
Apical dominance	Growth habit of a shoot whereby growth and development of lateral buds are suppressed.
Arboretum	A collection of living trees brought together at a single site at least partly for observation and scientific study. Plural: arboreta.
Below-ground biomass	All biomass of live roots in the soil. (Fine roots are often excluded from measurement because it is difficult to separate these from soil organic matter.)
	See Above ground biomass, Biomass.
Biodiversity; Biological diversity	The variety of all life forms, plants, animals and microorganisms, their genes and the ecosystems they inhabit.
	See Ecosystem diversity, Genetic diversity, Species diversity.
Bioenergy	A form of energy derived from biomass, when biomass is used to generate electricity or heat or to produce liquid fuels for transport.
	See Biofuel, Biomass.
Biofuel	An energy source based on organisms and their products such as wood and plant matter, algae, or animal fats.
	See Bioenergy.
Biogeographic	Relating to the study of the distribution of living things.
Biological diversity	See Biodiversity.
Biomass	 Material of biological origin (plant and other). Organic material located both above-ground and below-ground, and both living and dead—for example, trees, grasses, litter, roots and soil organic matter (for purposes of carbon accounting).
Biome	A large, regional ecological unit, usually defined by some dominant vegetative pattern.
Bioregion	A large, geographically distinct area that has a common climate, geology, landform, and vegetation and animal communities. See IBRA.
Biotic	Used in reference to the biological components of the environment (e.g. plants, animals and other organisms).

Term	Definition and use in SOFR 2013
Broadscale clearing	Clearing of large tracts of native vegetation.
	See Forest clearing, Land clearing.
Bushfire	Fire started naturally (such as by lightning), accidentally or deliberately (such as by arson), but not in accordance with planned fire management prescriptions. See Unplanned fire, Wildfire
Bushland	A general term in Australia for natural vegetation, covering any kind of habitat from open, shrubby country with scattered trees, to tall, closed forests.
Callitris	As a national forest type, forest dominated by trees of the genus Callitris.
Canopy	Uppermost layer of a forest comprising tree crowns, branches and leaves.
CAR reserve system	A reserve system based on the three principles of Comprehensiveness, Adequacy and Representativeness, and which include: the full range of vegetation communities (comprehensive); ensuring that the level of reservation is large enough to maintain species diversity, as well as community interaction and evolution (adequate); and conserving the diversity within each vegetation community, including genetic diversity (representative). The CAR reserve system is made up of dedicated reserves, informal reserves and areas where values are protected by prescription. Dedicated, or formal, reserves are set aside for conservation through areas such as national parks. Informal forest reserves are areas set aside for conservation purposes in forests that are otherwise production forests, such as special protection zones in state forests. Areas where values are protected by prescription within production forests are those that cannot be practically protected by formal or informal reservation (e.g. riparian vegetation or rare and dispersed values). See Vegetation community.
Carbon accounting	Estimation of the amount of carbon stored in an ecosystem and changes in this amount.
Carbon credit	A tradable certificate, permit or legal instrument, deriving from a verified reduction of one unit (one tonne) of carbon dioxide emissions (or equivalent), and tradable to offset one unit (one tonne) of carbon dioxide emissions (or equivalent).
Carbon sequestration	Removal of carbon from the atmosphere and its storage in vegetation, soils or elsewhere.
Carbon sink	A carbon reservoir or pool that has the capacity to accumulate carbon.
Carbon source	A carbon reservoir or pool that has the capacity to release carbon.
Carbon stock	Quantity of carbon in a carbon reservoir or pool.
Carbon store	A carbon reservoir or pool.
Casuarina	As a national forest type, forest dominated by any of four genera in the family Casuarinaceae; in practice, forest dominated by trees of the genera <i>Allocasuarina</i> or <i>Casuarina</i> .
Certification	See Forest certification.
Certified forest	A forest that has been certified by a third party to comply with the requirements of a credible and recognised forest management standard. See Forest certification.
Chain of custody	A process of verifying the origin and supply of wood or timber product through the supply chain to a point of market. Generally, this applies to products from forests with forest certification or where products are legally harvested. See Forest certification.
Chlorosis	Yellowing or whitening of leaf tissue due to a lack of chlorophyll, typically caused by disease, changed drainage, plant nutrient deficiencies, or damage to or compaction of roots.
Clearfelling	A silvicultural system in which all (or nearly all) trees in an area are harvested in one operation, such that more than half of the harvested area is greater than one tree height from a retained forest edge.
	See Silvicultural practices / systems.
Clone	Identical copies of a plant produced by tissue culture or vegetative reproduction.
Closed forest	Forest in which the tree crown cover ranges from 80% to 100%. See Crown cover.
CO ₂ -equivalent (CO ₂ -e)	Measurement unit for the effect in the atmosphere of greenhouse gases relative to the effect of a unit of carbon dioxide (CO_2).
Code of forest practice	A set of principles, procedures, guidelines and standards that defines and prescribes minimum acceptable practices in harvesting and associated forestry operations.
Commerciality	The expected volume yield of commercial sawlog or veneer log (or high-value equivalents) that is available over the long term, based on good silvicultural practices. Derives from the combination of merchantability and productivity.

Term	Definition and use in SOFR 2013
Community	 Biological: a naturally occurring group of species inhabiting a particular area and interacting with each other, especially through biological relationships, relatively independently of other communities.
	2. Human: a group of people associated with a particular place.
Community adaptive capacity (human)	See Adaptive capacity, Community (definition 2).
Community resilience (human)	The capacity of an individual, community or human system to absorb and respond to shocks while sustaining an acceptable level of function, structure, and identity. See Community (definition 2).
Compaction	See Soil compaction.
Compliance audit	An audit of compliance to an environmental standard, silvicultural practice, or code of practice prescriptions. See Code of forest practice, Forest certification.
Conifer	Taxon in the order Pinales (formerly Coniferales), a group of gymnosperms with characteristic reproductive structures called cones; includes Araucariaceae (araucaria family), Cupressaceae (cypress family), Pinaceae (pine family) and Podocarpaceae (podocarp family). See <i>Pine</i> , <i>Softwood</i> .
Connectivity	The degree of vegetation structural links between forest patches in a landscape, which facilitate or impede species movement across habitat within the landscape context.
Conservation reserve	Area of land specially set aside to protect some inherent environmental value. Development in, and use of, conservation reserves is usually restricted to activities that are compatible with conservation of the environmental values for which the reserve was declared. Conservation reserves include national parks, conservation parks and nature reserves, and informal reserves.
G D: T L (CDT)	See Nature conservation reserve (Public).
Consumer Price Index (CPI)	Index that measures changes in the price of a 'basket' of goods and services that account for a high proportion of expenditure by a CPI population group (e.g. metropolitan households).
Consumption	Production plus imports minus exports of a commodity or group of commodities.
Cording	The practice of placing large (5–30 centimetre diameter) woody material on extraction tracks before harvesting, to minimise soil erosion. See Matting.
Criterion	A category of conditions or processes by which sustainable forest management may be assessed. A criterion is characterised by a set of related indicators that are monitored periodically to assess change. Plural: criteria. See Indicator, Montreal Process.
Critically endangered species / ecological community	Native species / ecological community facing an extremely high risk of extinction in the wild in the immediate future. One of the categories of threatened species / ecological communities defined in sections 179 and 182 of the Environment Protection and Biological Conservation Act 1999. See Ecological community, Endangered species / ecological community, Extinct, Extinct in the wild, Threatened ecological community, Threatened species, Vulnerable species / ecological community.
Crown cover	The area of ground covered by tree canopies, ignoring overlaps and gaps within individual canopies.
Crown density	Measure of crown cover.
Crown land	Land belonging to the Crown, being a national, state or territory government, including Crown land under private leasehold title. See Leasehold land, Other Crown land, Public land.
Deforestation	 A type of land clearing involving the permanent removal of tree cover. The direct, human-induced removal of forest cover and replacement with pasture, crops or other uses on land that was forest on 01 January 1990 (relates to the Kyoto Protocol).
Degradation	 Destruction of specific aspects of a forest ecosystem, such as a decrease in tree cover, changes in structure, a reduction in the number of species, or the loss of habitat characteristics that support the requirements of species or communities, short of being defined as deforestation. Reduction in the capacity of a forest to provide a range of goods and services.
Dieback	A symptom of disease agents or environmental factors in which foliage dies progressively from the extremities and trees exhibit loss of vigour; commonly used in reference to native forests affected by cinnamon fungus (<i>Phytophthora cinnamomi</i>), woodland forests affected by salinity, forest affected by drought or changed nutrient or water regimes or fire regimes, or trees subjected to overgrazing.

Term	Definition and use in SOFR 2013
Direct employment	The number of jobs in public and private agencies and firms relating to the process of producing a good or service. Any secondary economic activity resulting from the primary activity is included in indirect employment. See Indirect employment.
Dry forest / dry sclerophyll forest	Typically, eucalypt-dominated sclerophyll forest associated with water-limited or nutrient-limited conditions, and with an understorey (if present) of sclerophyll trees or shrubs. Ground cover can be bare, litter, grassy or heathy.
	See Eucalypt, Sclerophyll, Wet forest / wet sclerophyll forest.
Ecological community	A group of plants, animals and other organisms that are interacting in a habitat. See Community (definition 1).
Ecological and/or ecosystem resilience	See Resilience.
Ecologically mature	Displaying a range of structural, function and compositional attributes associated with the ecological processes characteristic of forests in their mature or senescent growth stages. See Mature, Old-growth.
Ecologically sustainable forest management	The integration of commercial and non-commercial values of forests so that the welfare of society (both material and non-material) is improved, while ensuring that the values of forests, both as a resource for commercial use and for conservation, are not lost or degraded for current and future generations. See Sustainable forest management.
Ecologically sustainable use	Use of natural resources within their capacity to sustain natural processes, while maintaining the life-support systems of nature and ensuring that the benefit of the use to the present generation does not diminish the potential to meet the needs and aspirations of future generations.
Ecosystem	A dynamic complex of plant, animal and microorganism communities and their non-living environment, interacting as a functional unit.
Ecosystem diversity	The diversity of different ecological communities formed by living organisms and the relations among them. See Biodiversity, Genetic diversity, Species diversity.
Ecosystem services	The provision of benefits (goods and services) that society obtains from ecosystems, and the contributions that ecosystems make to human well being, arising from both biotic and abiotic processes and their interaction.
Ecotourism	Tourism that features places of ecological interest, such as forests, and experience of the environment.
Edge effect	1. The effect of non-forest environmental influences on adjoining forest land.
-	2. The effect of forest environmental influences on adjoining non-forested land.
Endangered species / ecological community	Native species / ecological community facing a very high risk of extinction in the wild in the near future. One of the categories of threatened species/ ecological communities defined in sections 179 and 182 of the Environment Protection and Biological Conservation Act 1999.
	See Critically endangered species / ecological community, Ecological community, Extinct, Extinct in the wild, Threatened ecological community, Threatened species, Vulnerable species / ecological community.
Endemic	Species of plant or animal that occurs naturally only in a specified region or country. See Exotic, Indigenous (of species), Introduced species.
End-use market	The final market in which a product or service is ultimately consumed.
Environmental asset	A part or feature of the natural environment that provides environmental or ecosystem functions or services.
	 In Australia's System of National Accounts, one of four environmental assets (land, significant subsoil assets, plantation timber, or native standing timber available for exploitation) that are under the control of an economic agent, and measurable (valued in monetary terms).
	See Ecosystem services.
Environmental compliance	Conforming to specified requirements in environmental laws, regulations, environmental management systems, management plans, planning specifications, codes of practice, standards and prescription guidelines. See Code of forest practice, Environmental management system.
Environmental management system	A framework for the systematic management of an organisation's environmental obligations and objectives.

Term	Definition and use in SOFR 2013					
Environmental planting	In a forest context, trees established for environmental benefit (not industrial benefit) by direct seeding or planting that have the potential to attain a crown cover of at least 20% and a height of at least 2 metres. See Industrial plantation, Other forest, Plantation.					
Environmental service	See Ecosystem services.					
Eucalypt	Any member of three genera (Angophora, Corymbia and Eucalyptus) of trees or large shrubs in the family Myrtaceae, mostly native to Australia.					
	As a national forest type, forest dominated by any of the three genera Angophora, Corymbia and Eucalyptus.					
Even-aged forest	Forest in which all trees are about the same age or of the same age class, even though they may vary in size because of their different rates of growth. See Uneven-aged forest.					
Exclusion zone	Forest excluded from harvest or management operations as a result of the application of a prescription in a code of practice (for fire, forest or reserve management).					
Exotic	Species of plant or animal that does not occur naturally in a region or country. See Indigenous (of species), Introduced species.					
Ex-situ conservation	The conservation of species and genetic components of biological diversity outside their natural habitats. See In-situ conservation.					
Extinct	A species for which there is no reasonable doubt that the last individual has died, or for which exhaustive surveys in known or expected habitats throughout its historical range have failed to record an individual over a timeframe appropriate to its lifecycle and form. One of the categories of threatened species defined by sections 179 of the <i>Environment Protection and Biological Conservation Act 1999</i> .					
Extinct in the wild	A species known to survive in only cultivation, in captivity or as a naturalised population well outside its past range, and that has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, despite exhaustive surveys over a time frame appropriate to its life cycle and form. One of the categories of threatened species defined by sections 179 of the <i>Environment Protection and Biological Conservation Act</i> 1999.					
Farm forestry	Establishment and/or management of trees or forests on agricultural landscapes for commercial, aesthetic and/or environmental reasons. Also known as agroforestry.					
Fibreboard	A category of reconstituted wood-panel products made from pulpwood and/or wood-processing residues such as woodchips, sawmill shavings and sawdust plus a resin or binder, pressed into panels. Types of fibreboard (in order of increasing density) include particleboard, medium-density fibreboard (MDF), high-density fibreboard and hardboard.					
Fire regime	The frequency, intensity, seasonality and scale of burning of an area or vegetation type over a period of time. The history or forecast of fire events or fire use in a particular area or vegetation type.					
Firewood	Wood used for residential heating.					
	See Fuelwood.					
Floriculture	Cultivation of flowering and ornamental plants.					
Floristics	Study of the distribution and relationships of plants over a geographic area.					
Forest	An area, incorporating all living and non-living components, that is dominated by trees having usually a single stem and a mature or potentially mature stand height exceeding 2 metres and with existing or potential crown cover of overstorey strata about equal to or greater than 20%. This includes Australia's diverse native forests and plantations, regardless of age. It is also sufficiently broad to encompass areas of trees that are sometimes described as woodlands.					
Forest certification	A process whereby the quality of sustainable forest management is assessed and certified by a third party, against the criteria of a credible and recognised forest management standard. See Certified forest.					
Forest clearing	Conversion of forested land to agricultural, urban or other non-forest land uses. See Broadscale clearing, Land clearing.					
Forest-dependent community (human)	A community having an identified dependence on the forest and wood products industries. See Community (definition 2).					
Forest-dependent species	A species that requires a forest habitat for at least part of its lifecycle, and that could not survive or reproduce in the absence of this habitat.					
Forest-dwelling species	A species that may use a forest habitat for at least part of its lifecycle.					
Forest health	The sum of the ecosystem processes (energy, nutrient, hydrological and biological processes) that together maintain the vitality of a forest ecosystem.					

Term	Definition and use in SOFR 2013
Forest land	Land carrying forest. See Forest.
Forest management	A system of practices for conservation, stewardship and productive use of forest land, aimed at fulfilling relevant ecological, economic and social functions and objectives of the forest.
Forest management plan	A long-term, documented plan for a forest area that contains defined management goals, objectives and outcomes, which are monitored and periodically reviewed, and that expressly includes the management of forest. Management plans can take many forms, including forest management plans; natural resource, environment and water catchment management plans that cover and include a focus on forests; and strategic management planning systems required for forest certification.
Forest operations	Operational forest management activities, independent of forest type or tenure.
Forestry operations	Operational forest management activities related to wood production.
Formal reserve	See CAR reserve system.
Fragmentation	 The degree of loss of spatial connectivity between forest areas. The process of loss of spatial connectivity between forest areas. See Connectivity.
Free-on-board value	The value of goods to the seller at the point of loading goods onto transport to overseas markets, excluding transport and insurance costs.
Fuel load	The total amount of combustible material in a defined area.
Fuelwood	Wood or wood products used as industrial fuel or for bioenergy production. See Bioenergy, Firewood.
Gall	A proliferation of modified plant tissue caused by various parasites, from fungi and bacteria to insects and mites.
Genetic diversity	The diversity of genetic information within and between individual species. See Biodiversity, Ecosystem diversity, Species diversity.
Genetic resources	Material of plant, animal, microbial or other origin that contains functional units of heredity and that has actual or potential value for humanity.
Genotype	The genetic constitution or makeup of an organism.
Geographic information system (GIS)	A system for capturing, storing, analysing and managing data and associated attributes that are spatially referenced to the surface of the Earth.
Geospatial	Relating to the relative position of features on the surface of the Earth.
Girder	A specialised, large-dimensioned timber product, usually in squared-end form, that is used in building bridges, wharves and the framework of large buildings.
Global carbon cycle	The movement of carbon between different parts of the Earth and its atmosphere, including the storage of carbon in those parts.
Graft	A method of plant propagation, whereby a bud, shoot or tissue of one plant is joined with another plant.
Greenhouse gas	Gas that affects the temperature of the Earth's surface and climate, including water vapour, ozone, chlorofluorocarbons, carbon dioxide, methane and nitrous oxide. National inventories report anthropogenic emissions and removals of greenhouse gases not controlled by the Montreal Protocol on Substances that Deplete the Ozone Layer.
Green Triangle	A region comprising in whole or in part 17 local government areas straddling the state border in south-west Victoria and south-east South Australia, and containing significant areas of plantation and dependent wood-processing facilities.
Greenwood	1. Wood freshly harvested that has not been dried.
	2. Wood from live sandalwood that meets a specified quality standard and size.
Gross domestic product	The total market value of goods and services produced in a country in a given period, after deducting the cost of intermediate goods and services used in production (but not deducting allowances for the consumption of fixed capital, or depreciation).
	'Gross domestic product' is the sum of the value added by each industry across the economy. 'Industry value added' is the value added by a particular sector.
	See Industry value added.
Gross value of production	Value placed on production at the wholesale prices realised in the marketplace (where the marketplace refers to local consumption, export, or a point before value-adding by a secondary industry). Gross value of production provides a value for products that do not have a final market price.

Term	Definition and use in SOFR 2013
Group selection	A silvicultural system in which groups (small patches or stands) of trees are harvested, allowing for subsequent regeneration and leading to a forest comprising patches of differently aged trees.
	See Selection logging, Silvicultural practices / systems.
Growing stock	The living tree component of the standing volume in a forest at a given time. See Standing volume.
Gymnosperm	A plant, such as a cycad or conifer, the seeds of which are not enclosed within an ovary. See <i>Conifer</i> .
Habitat	The environment where a plant, animal or ecological community normally lives or occurs. See Ecological community.
Hardwood	Wood or wood products from flowering trees (broadleaved tree species), such as eucalypts, irrespective of the physical hardness of the wood; also used to refer to the trees that have such wood, and plantations of such trees.
Harvested wood products	Wood products originating from harvested trees and removed from harvest areas for use or further processing.
Harvesting	 As part of forest management, cutting (felling) of trees to produce wood products. Collection (gathering) of non-wood forest products.
Heathland	A shrubland habitat found mainly on low-quality acidic soils and characterised by open low-growing woody vegetation. It forms extensive and highly diverse communities across Australia in humid and sub-humid areas. Heathland above 2 metres tall can also be classified as other woody vegetation. See Other woody vegetation, Shrubland.
Hybridisation	The process of crossing different breeds or cultivars of a single plant species, or crossing plants of different taxa (subspecies, species or genera). Hybridisation can occur naturally between closely related species.
IBRA (Interim Biogeographic Regionalisation for Australia)	A set of 85 bioregions within the Australian landmass, used as the basis for the National Reserve System's planning framework and some state-based reporting.
Indicator	A measure or measurement of an aspect of a criterion. A quantitative or qualitative variable that can be measured or described and that, when observed periodically, demonstrates trends. See <i>Criterion, Montreal Process</i> .
Indigenous (of people)	Of Aboriginal or Torres Strait Islander descent.
Indigenous (of species)	Species of plant or animal that occurs naturally in a specified region or country. See Endemic, Exotic.
Indigenous co-managed (of lands)	Lands that are owned and managed by non-Indigenous parties, but have formal, legally binding agreements in place to include Indigenous people in the process of developing and implementing management plans.
	See Indigenous managed (of lands), Indigenous owned and managed (of lands), Other special rights (of lands).
Indigenous estate (land or forest)	Land or forest that is Indigenous owned and managed, Indigenous managed, Indigenous co-managed, or subject to Other special rights.
Indigenous Land Use Agreement	A voluntary agreement between Native Title parties and other people.
Indigenous managed (of lands)	Lands that are managed but not owned by Indigenous communities (e.g. Crown reserves and leases), and lands that are owned by Indigenous people, but have formal shared management agreements with Australian or state and territory government agencies.
	See Indigenous co-managed (of lands), Indigenous owned and managed (of lands), Other special rights (of lands).
Indigenous owned and	Freehold lands that are both owned and managed by Indigenous communities.
managed (of lands)	See Indigenous co-managed (of lands), Indigenous managed (of lands), Other special rights (of lands).
Indigenous Protected Area	An area of Indigenous-owned land or sea where traditional owners have entered into an agreement with the Australian Government to promote biodiversity and cultural resource conservation. See Protected area.
Indirect employment	The number of jobs in secondary economic activity resulting directly from a primary economic activity, in provision of materials, supplies, goods and services to support the primary activity, and generated or supported in retail and service sectors by the spending of salaries and wages of individuals and families included in direct employment.
Industrial plantation	See Direct employment. Hardwood or softwood plantation supplying log resources to the wood-processing industries as reported through the National Plantation Inventory. See Other forest, Plantation.

	Definition and use in SOFR 2013
Industry value added	The value added by an industry to the inputs used by that industry; the contribution of that industry to Gross domestic product. For SOFR 2013, 'Industry value added' excludes some downstream parts of the forestry, wood and paper products industries, particularly wholesaling, retailing and value-adding (including the manufacturing of some commodities). See Gross domestic product.
Informal reserve	Reserve on public land protected through an administrative instrument by a public agency. See <i>CAR reserve system</i> .
In-situ conservation	The conservation of species and genetic components of biological diversity in their natural habitats. See Ex-situ conservation.
Integrated pest management	A pest control strategy that uses an array of complementary methods, such as natural predators and parasites, pest-resistant varieties, cultural practices, biological controls, various physical techniques and chemicals.
Introduced species	A species of plant or animal occurring outside its natural range (past or present) and dispersal potential—that is, outside the range it occupies naturally or could occupy without direct or indirect introduction or care by humans.
	See Exotic, Indigenous (of species)
Introgression	The movement of a gene or genes from the gene pool of one species into the gene pool of another by hybridisation or cross-breeding. See <i>Hybridisation</i> .
Jurisdictions	The Commonwealth, states and territories of Australia, in each of which its own system of laws has authority.
Key threatening process	A threatening process listed under the Environment Protection and Biodiversity Conservation Act 1999.
	See Threatening process.
Land clearing	Removal of vegetation to convert land to another land use. See Broadscale clearing, Forest clearing.
Land tenure	Formal title, ownership or occupancy of land.
	See Crown land, Leasehold forest, Multiple-use public forest, Nature conservation reserve, Other Crown land, Private forest, Unresolved tenure.
Leasehold forest	Forest on Crown land held under leasehold title for a specific term and purpose and generally regarded as privately managed, including land held under leasehold title with special conditions attached for designated Indigenous communities.
	See Crown land, Leasehold land, Leasehold title.
Leasehold land	Crown land held under leasehold title for a specific term and purpose and generally regarded as privately managed, including land held under leasehold title with special conditions attached for designated Indigenous communities. See Crown land, Leasehold title.
Leasehold title	Land title held under a contract by which one party conveys the land to another for a specified time and purpose, usually in return for a periodic payment.
LiDAR (Light Detection and Ranging)	A technology that uses laser (light) pulses from (most commonly) an aircraft to collect information on terrain and vegetation features (such as tree height), based on the return time of pulses back to the sensor.
Litter	The uppermost layer of the forest floor consisting chiefly of fallen leaves, wooden debris and other decaying organic matter.
Log landing	A cleared area where harvested logs are laid or piled in stacks after being gathered from the site or sites of felling, and before transport to the wood processing facility.
Mallee	 A woody plant, usually a eucalypt, that is multi-stemmed from ground level, and without a prescribed upper or lower height limit. A forest dominated by mallee species.
Managed investment scheme (MIS)	Scheme associated with primary production (e.g. plantation forestry) that satisfies the definition of 'managed investment scheme' in s. 9 of the Corporations Act 2001 and fulfils associated regulatory requirements.
Managed losses	Losses of carbon directly from forests to the atmosphere that are associated with the management of forests—for example, prescribed burns, post-harvest burnings, and burning of debris associated with land-clearing.
Management effectiveness	A measure of how well a protected area, or system of protected areas, is being managed in terms of protecting values and achieving goals and objectives, based on an audit process or evaluation.

Term	Definition and use in SOFR 2013
Mangrove	1. A tree, shrub, palm or ground fern that normally grows above mean sea level in the intertidal zone of coastal environments and estuarine margins.
	2. The tidal habitat comprising mangrove trees and shrubs.
	3. A national forest type comprising mangroves.
Matting	The practice of placing small (less than 5 centimetre diameter) woody material on extraction tracks before harvesting to protect soil against heavy vehicle traffic and minimise soil erosion. See <i>Cording</i> .
Mature	1. A native forest growth stage in which trees are at maximum height and the crowns at full lateral development.
	2. A native forest growth stage, generally taken as 80 or more years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees. See Apical dominance, Ecologically mature, Regrowth, Senescent.
Marathura describe	
Medium-density fibreboard (MDF)	See Fibreboard.
Melaleuca	As a national forest type, forest dominated by trees of the genus <i>Melaleuca</i> .
Merchantability	The suitability of a tree species for pulp, sawlog, or speciality wood products. An emphasis is placed on commercial production of sawlogs or high-value equivalents.
Merchantable tree species	A tree species or provenance with known commercial uses for wood products, based on standards, technology or market conditions. See Non-merchantable tree species.
MODIS (Moderate-resolution Imaging Spectroradiometer)	A remote-sensing technology carried on two Earth Observing System satellites, capturing data covering the visual and infrared spectrum and imaging the entire Earth every 1–2 days.
Monitoring	The periodic and systematic measurement and assessment of a value, attribute or indicator.
Montane	Ecosystems associated with mountain landscapes, alpine environments or higher elevations.
Montreal Process (the Montreal Process Working Group on Criteria and Indicators for the	An initiative by the Montreal Process Working Group of (currently 12) countries, which has developed and is implementing a comprehensive set of criteria and indicators for the conservation and sustainable management of temperate and boreal forests. Australia is a member of the working group.
Conservation and Sustainable Management of Temperate and Boreal Forests)	See Criterion, Indicator.
Mosaic (of vegetation)	Vegetation composed of patches of different types, perhaps arising from periodic disturbance (such as fire or wood harvesting) or related to differences in soil or landform.
Multi-leaders (of trees)	A condition in trees where the apical dominance of the shoot at the top of the plant is lost, allowing lateral buds to grow into two or more stems or leaders. See Apical dominance.
Multiple Lines of Evidence approach	Compilation of data from a range of different sources, followed by assessment and validation to arrive at a best-possible dataset.
Multiple-use public forest	Publicly owned state forest, timber reserves and other forest areas on which a range of forest values—including provision of wood for harvest, water supply, conservation of biodiversity, recreation and environmental protection—are managed by state and territory government agencies in accordance with relevant Acts and regulations.
National forest type	Any one of eight broad forest types in which Australia's forests are categorised in the National Forest Inventory for the purpose of reporting and analysis (Acacia, Callitris, Casuarina, Eucalypt, Mangrove, Melaleuca, Rainforest, and Other native forest).
Native	Of a species, located within its natural range. See Non-native.
Native forest	Forest that is dominated by the suite of native tree species naturally associated with forest in that location and located within their natural range, and that is not a plantation.
Nature conservation reserve (Public)	Crown land that is formally reserved for environmental, conservation and recreational purposes, including national parks, nature reserves, state and territory recreation and conservation areas, and formal reserves in state forests. It does not include informal reserves and those pending gazettal. The commercial harvesting of wood and non-wood forest products is generally not permitted.
Non-forest	See Conservation reserve, Crown land. Vegetation communities and habitats that are not forest, including marine environments, alpine
	meadows, other woody vegetation (including open woodland, heathland and shrubland), grassland non-forest waterways and wetlands, rock outcrops, mudflats and farmland.

Term	Definition and use in SOFR 2013
Non-forest land	Land that does not carry forest.
	See Forest land.
Non-merchantable tree species	A tree species or provenance with no currently known commercial uses for wood products, based on standards, technology or market conditions. See Merchantable tree species.
Non-native	Of a species, located outside its natural range.
	See Native.
Non-production native forest	Native forest that is not managed for commercial wood production.
Non-vascular plant	A plant without a water-conducting system, including algae, liverworts and mosses.
Non-wood forest product	A product of biological origin, other than wood, derived from forests, including game animals, seeds berries, chemical products, mushrooms, oils, foliage, medicinal plants, flowers, fodder, and wood and non-wood Indigenous artefacts.
Old-growth forest	Ecologically mature forest where the effects of disturbances are now negligible. See Ecologically mature, Mature.
Open forest	Forest in which tree crown cover ranges from 50% to less than 80%. See <i>Crown cover</i> .
Other Crown land	Crown land reserved for a variety of purposes, including utilities, scientific research, education, stock routes, mining, water-supply catchments, and use by Indigenous communities. Excludes Leasehold Forest, Nature Conservation Reserve, and Multiple-Use Forest. See Crown land.
Other forest	Non-industrial plantations and planted forests that are not reported through the National Plantation Inventory but satisfy the definition of forest; it includes farm forestry and agroforestry plantations, sandalwood plantations, environmental plantings, plantations within the reserve system, and plantations regarded as not commercially viable. Non-planted forests dominated by introduced species are also included in this category. See Forest, Industrial plantation, Plantation.
Other native forest	A national native forest type comprising forest types of minor extent such as Agonis, Atalaya, Banksia, Hakea, Grevillea, Heterodendron, Leptospermum, Lophostemon and Syncarpia (named after their dominant genera), as well as native forests where the type is unknown. See Forest, Native forest.
Other special rights (of lands)	Lands subject to Native Title determinations and active Indigenous Land Use Agreements. These are independent of tenure and, in most cases, do not grant ownership or management rights of land to Indigenous communities. They can provide for the right to access areas of cultural significance, or a legal requirement for consultation with the local Indigenous community before any major development activities take place.
	See Indigenous co-managed (of lands), Indigenous managed (of lands), Indigenous owned and managed (of lands).
Other woody vegetation	A non-forest vegetation type: open woodland, heathland or shrubland generally containing a tree component with actual or potential tree height greater than 2 metres, but <i>either</i> actual or potential tree canopy crown cover of 5–20% <i>or</i> combined cover of shrubs and trees greater than 10% but cover of trees less than 20%.
	See Crown cover, Heathland, Shrubland.
Overstorey	1. The uppermost layer of foliage in a forest.
Davasikaid	2. Trees occupying the uppermost layer in a forest of more than one layer (storey).
Parasitoid	An organism that spends a significant proportion of its life attached to or within a single host organism, which it ultimately kills (and often consumes).
Particleboard	A panel product made by compressing wood particles (usually from softwood) and resin under heat and pressure, commonly used in flooring and joinery. See Fibreboard.
Patch	Basic unit of a landscape mosaic.
Pattern	The spatial arrangement or configuration of forest across the landscape.
Peeler log	A pulpwood or low-quality sawlog meeting specifications for peeling—that is, suitable for rotary peeling to produce veneer for structural-grade plywood.
Photosynthesis	A process in plants in which energy from sunlight and carbon dioxide from the air are used to produce plant matter, releasing oxygen.
	r r =

Term	Definition and use in SOFR 2013
Pine	1. A tree of the genus <i>Pinus</i> in the family Pinaceae.
	2. Also refers to a tree of other conifer families, e.g. Araucariaceae, Cupressaceae and
	Podocarpaceae.
	See Conifer, Softwood.
Planned fire	Fire started in accordance with a fire management plan or planned burning program, such as
	fuel-reduction burning.
	See Prescribed burn.
Plantation	Intensively managed stand of trees of either native or exotic species, created by the regular
	placement of seedlings or seeds.
	See Environmental planting, Industrial plantation, Other forest.
Plant community	See Community (definition 1), Vegetation community.
Planted forest	Forest comprising planted trees. The 'Industrial plantation' and 'Other forest' categories
	(excluding forests of naturalised exotic species) comprise Australian 'planted forest'.
Plywood	A panel product made by gluing together veneers of wood under heat and pressure, commonly
	used in construction and joinery.
	See Veneer.
Pole	A specialised round wood product generally treated with preservatives that is used to support
	transmission lines or as structural members in pole-frame building construction.
Post	A specialised wood product from durable hardwood or treated softwood species that is used in
	an upright support role and meeting specifications for a range of functions.
Prescribed burn	Fire started in accordance with a fire management plan or planned burning program, such as
	fuel-reduction burning.
	See Planned fire.
Private forest	Forest on land held under freehold title and typically under private ownership. It excludes leased
	Crown land, and includes land held under freehold title with special conditions attached for
	designated Indigenous communities.
Privately managed forest	Forest that is managed under private ownership (including private land managed by the Crown),
	as well as privately managed leasehold forest and Indigenous managed forests.
Productivity	1. Capacity of an ecosystem to grow, produce or yield products.
	2. Amount of growth or product yield per unit area per unit time.
	3. Potential annual volume growth of trees per unit area at peak mean annual increment in fully
	stocked forest stands.
Protected area	1. General definition: a geographically defined area that is designated or regulated and managed to achieve specific conservation objectives (Article 2, Convention on Biological Diversity).
	2. Specific definitions for reserve system: an area of land and/or sea especially dedicated to the
	protection and maintenance of biological diversity, and of natural and associated cultural
	resources, and managed through legal or other effective means (IUCN definition); a clearly
	defined geographical space, recognised, dedicated and managed, through legal or other
	effective means, to achieve the long-term conservation of nature with associated ecosystem services and cultural values (revised IUCN definition).
	See Indigenous Protected Area.
D	
Provenance	1. The place of origin of a plant or animal.
	2. A set of individuals of a plant or animal species that originate from a particular location.
Public forest	See Publicly managed forest.
Public land	Land belonging to the Crown, i.e. a government, but excluding leasehold Crown land.
	See Crown land, Leasehold land.
Publicly managed forest	1. Forest on public land for which management responsibility has generally been delegated to
r ability managea refese	government agencies, including multiple-use forests, nature conservation reserves and other
	Crown land, but excluding leasehold forest.
	2. Any forest on Crown land for which management responsibility has been delegated to
	government agencies, local governments or other instrumentalities.
	See Crown land, Public land.
Pulplog	A log harvested from a plantation or native forest stand that does not meet sawlog quality
- 	specifications and is designated to produce pulpwood.
Pulpwood	Wood used to manufacture pulp or paper products.
Rainforest	A national forest type that is dominated by rainforest species, typically in moist to wet or sheltered
	environments, and with broad-leaved species. Can include areas with up to 30% cover of non-
	rainforest species, typically as emergents, but where rainforest species dominate the character
	of the site.

Term	Definition and use in SOFR 2013
Reconstituted wood products	Products manufactured from reconstituted wood fibres or flakes, originating from sources such as woodchips, sawdust, wood shavings or sawmill off-cuts. Includes fibreboard (particleboard, medium-density fibreboard, high-density fibreboard and hardboard) and laminated products (but not laminated veneer).
Recycling	The collection, separation and processing of previously used and recovered wood fibre and wood and paper products for manufacture into raw materials or new products.
Reforestation	Establishment of forest on land that historically contained forest but was converted to some other use, such as agriculture. The Kyoto Protocol and initiatives such as the Carbon Farming Initiative use specific definitions of reforestation. See Forest.
Regeneration	 A native forest growth stage that includes juvenile and sapling stages, where trees are very small and crowns exhibit apical dominance. A native forest growth stage generally taken as less than 20 years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees. New trees arising naturally or with human assistance after harvesting, fire or other causes have removed all or some of the overstorey. See Apical dominance, Mature, Regrowth, Senescent.
Regional Forest Agreement	An agreement between the Australian Government and a state government about the long-term management and use of forests in a region that meets the requirements now listed in the <i>Regional Forest Agreements Act 2002</i> .
Regrowth	 A native forest growth stage in which trees generally have well-developed stems with crowns of small branches and are actively growing in height and diameter, but are below mature stand height. Apical dominance is apparent in vigorous trees. A native forest growth stage generally taken as 20-80 years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees. See Apical dominance, Mature, Regeneration, Senescent.
Remote sensing	Practice of acquiring and using data from satellites or aircraft to infer or measure land cover, land use and vegetation parameters. May be used in combination with ground surveys to check the accuracy of interpretation.
Re-sawing	Cutting timber along the grain to reduce larger boards into smaller sections.
Research and development	Investigative work conducted to acquire knowledge, apply knowledge, develop or implement new products or procedures, or make significant improvements to existing products or procedures.
Resilience (ecological and ecosystem)	The capacity of an ecological system to absorb and respond to shocks while retaining essentially the same function, structure and feedbacks, and therefore identity.
Resilience (human-community)	See Community resilience (human).
Resolution (image)	Measurement of the output quality or detail of an image, usually given as pixel size (the size of the square areas recorded). Higher resolution means more image detail and smaller pixels; for example, an image with 1 m \times 1 m pixels is of higher resolution than an image with 1,000 m \times 1,000 m pixels
Riparian zone	The interface between land and a flowing water body such as a stream or river. Plant communities along perennial watercourses are called 'riparian vegetation'. See Community (definition 1), Vegetation community.
River regulation	The control or modification of the natural flow of a river or stream, most commonly by the use
Tiver regulation	of dams.
Rotation	The planned number of years between regeneration or establishment of a stand of trees, and final harvesting. Rotation length is used in forest management planning to determine sustainable yield.
	See Harvesting, Regeneration.
Roundwood	Wood in round form, e.g. sawlogs, pulplogs, poles, piles, girders and posts.
Rural dieback	See Dieback.
Rut	A depression or groove worn into a snig track, path or road by machinery or erosion by water. Typically, rutting is reported in terms of rut depth. See Snig Track.
Salinity / salinisation	The amount of salt in water or soil. Salinisation is the process of increasing salinity levels, such as occurs in soils and streams when saline groundwater rises towards the surface following clearing of forests for farmland.
Salvage harvesting	The harvest of trees that are dead or dying as a result of insect attack, disease, drought, fire or other factors.
Sandalwood	A native tree (e.g. Santalum spicatum, S. lanceolatum) or exotic tree (e.g. S. album) in the family Santalaceae, which yields fragrant timber and oil.

grade specifications (including amount of permissible defect). Low quality savologs are sowlogs not meeting high-quality savolog specifications. Sown mill A wood processing facility in which logs are sawn by specialised machinery into timber such as boards. Sown wood See Sown Imber Timber produced by sawing logs into particular sizes; also called 'sawn wood'. Sown wood See Sown Imber A see Sown Imber A see Sown Imber A stand planted on monaged especially for the production of abundant superior seeds. Seed orchard A stand planted and monaged especially for the production of abundant superior seeds. Seed tree A tree left standing in a horvested area for the purpose of providing seed for regeneration. See Silvicultural system in which trees are retained in a harvested area to provide seed for natural regeneration. See Silvicultural system in which trees, typically above a certain specified size or growth stage, are removed shally or in groups, white regrowth, pole timber or habitat trees are retained to maintain an unover-aged forces. See Graph selection, Silvicultural practices / systems, Single tree/small group selection. Senescent 1. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage older than mature, when irregular crowns form. Senescent 1. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage older than mature, when irregular crowns form. Senescent 3. In the broad sense (of a toxon). See Toxon. See Jack and Marker (Marker, Regeneration, Regrowth). See Toxon. A silvicultural practices / systems, sense disturbance, One of four growth stages used at the national level to describe the age of trees and stands of trees. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominient of woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall ca	Term	Definition and use in SOFR 2013
sown timber Timber produced by saving logs into porticular sizes; also called 'sown wood'. See Sawn timber Scherophyll A description of plants or vegetation that have tough leaves, such as eucalypts and acadias, adapted to day or nutrient; poor conditions. Seed archard A stand planted and managed especially for the production of abundant superior seeds. Seed tree A tree left standing in a harvested area for the purpose of providing seed for regeneration. Seed-tree silviculture A silvicultural system in which trees are retained in a harvested area to provide seed for natural regeneration. See Silvicultural practices / systems. Selection logging A silvicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven aged forest. See Group selection, Silvicultural practices / systems, Single-tree/smail group selection. Sensescent 1. A native forest growth stage at various ages after 80 years since disturbance. One of four growth stage uses of the national level to describe the age of trees and stands of trees. See Africal dominance, Mature, Regeneration, Regrowth. In the broad sense (of a toxon). See itaxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to ollow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as fother woody vegetation. Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Silvicultural practices / systems Shrubland provides of single refersions and proup selection, Veriable retention. Behavioral provides and technology of managing forest establishment, comp	Sawlog	
Scienciphyll A description of plants or vegetation that have tough leaves, such as eucolypts and acadias, addrested and yor mutrient-poor conditions. Seed orchard A stand planted and managed especially for the production of abundant superior seeds. Seed tree A tree left standing in a horsested area for the purpose of providing seed for regeneration. Seed-tree silviculture A silvicultural system in which trees are retained in a horvested area to provide seed for natural regeneration. See Silvicultural system in which trees are retained in a horvested size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. See Silvicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. See In a native forest growth stage at various ages after 80 years since disturbance. One of four growth stages used at the notional level to describe the age of trees and stands of trees. See Apical dominance, Mature, Regeneration, Regrowth. Sensu lato (s.l.) In the broad sense (of a toxon). See Toxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to accupy the site. See Silvicultural practices / systems. Shrubland A non-fortewer practices / systems. Shrubland A non-fortewer practice of systems. Shrubland A non-fortewer practice of systems. Shrubland A procedural of the describation systems of the seed of the degradation of watercourses due to soil erasion. Silvicultural practices / systems See Aggregated treation, Clearfelling, Group s	Sawmill	
A description of plants or vegetation that have tough leaves, such as eucolypts and acacias, adapted to dry or nutrient-poor conditions. Seed orchard A stand planted and managed especially for the production of abundant superior seeds. Seed tree A tree left standing in a harvested area for the purpose of providing seed for regeneration. A stivicultural system in which trees are retained in a harvested area to provide seed for natural regeneration. See Stivicultural practices / systems. Seelection logging A slivicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or hobitat trees are retained to maintain an uneven-aged forest. See Group selection, Stivicultural practices / systems, Single tree/small group selection. Senescent 1. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage older than mature, when irregular crowns form. 3. A native forest growth stage older than mature, when irregular crowns form. 3. A native forest growth stage older than mature, when irregular crowns form. 3. A native forest growth stage older than mature, when irregular crowns form. 3. A slivicultural practices / See Aprical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a taxon). Sheltenwood A slivicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Slivicultural practices / See Identification of the promotion of the securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Slivicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and y	Sawn timber	Timber produced by sawing logs into particular sizes; also called 'sawn wood'.
adopted to dry or nutrient poor conditions. Seed orchard A stand planted and managed especially for the production of abundant superior seeds. Seed tree A tree left standing in a harvested area for the purpose of providing seed for regeneration. A slivicultural system in which trees are retained in a harvested area to provide seed for natural regeneration. See Sivicultural practices / systems. Selection logging A slivicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. Sensescent 1. A notive forest growth stage older than mature, when irregular crowns form. 2. A notive forest growth stage at various ages after 80 years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees. See Apical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a taxon). See Toxon. Shelterwood A slivicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to accupy the site. See Silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to accupy the site. See Silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to accupy the site. See Silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to accupy the site. See Silvicultural system of secur	Sawn wood	See Sawn timber.
Seed tree A tree left standing in a harvested area for the purpose of providing seed for regeneration. Seed-tree silvicultural system in which trees are retained in a harvested area to provide seed for natural regeneration. See Silvicultural practices / systems. Selection logging A silvicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. Senescent 1. A native forest growth stage alder than mature, when irregular crowns form. 2. A native forest growth stage at various ages after 80 years since disturbance. One of four growth stage sust on the national level to describe the age of trees and stands of trees. See Apical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a taxon). See Taxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as other woody vegetation. See Heathland, Other woody vegetation. See Heathland, Other woody vegetation. Silvicultural proctices / Systems See Agergated referention, Clenfelling, Group selection, Seed tree silviculture, Selection logging, Sheltzewood, Silviculture, Single tree / small groups selection, words reversion, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. See Selection logging regeneration of shode-tolerant species, or growth of preferred species or individual trees. Single tree / small groups of trees of various ages are harvested; an earth of	Sclerophyll	
A silvicultural system in which trees are retained in a harvested area to provide seed for natural regeneration. See Silvicultural practices / systems. Seelection logging A silvicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. 1. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage older than mature, when irregular crowns form. 3. A native forest growth stage older than mature, when irregular crowns form. 3. A native forest growth stage older than mature, when irregular crowns form. 3. In the broad sense (of a taxon). See Jaxon. See Jaxon. See Jaxon. See Jaxon. Sheltenwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type deminiated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See Hearthland, Other woody vegetation. Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Silvicultural practices / Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Variable retention. The ort, Seinec and technology of managing forest establishment, composition, health, wood quality and growth, wildlife hobitat and water quantity to achieve specified forest management objectives. See Selection logging, Silvicultural practices / systems. Skeletal soils Shalow soils, soully on ridges or steep slopes. Tree debris left on sit	Seed orchard	A stand planted and managed especially for the production of abundant superior seeds.
regeneration. See Silvicultural practices / systems. A silvicultural system in which trees, typically above a certain specified size or growth stage, are removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. 1. A notive forest growth stage at various ages after 80 years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees. See Apical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a toxon). See Taxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See Heathland, Other woody vegetation. Silvicultural practices / Systems See Aggregated retention, Clearfelling, Group selection, Variable retention. Silviculture practices / Systems See Aggregated retention, Clearfelling, Group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. See Selection longging, Silvicultural practices / systems. Skelection see for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection longging, Silvicultural practices of systems. Shallow soils, usuall	Seed tree	A tree left standing in a harvested area for the purpose of providing seed for regeneration.
removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest. See Group selection, Silvicultural practices / systems, Single-tree/small group selection. 1. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage older than mature, when irregular crowns form. 3. A native forest growth stage older than mature, when irregular crowns form. 3. Even Spical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a taxon). See Taxon. Sensu lato (s.l.) In the broad sense (of a taxon). See Taxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as other woody vegetation. See Heathland, Other woody vegetation. Silvicultural practices / See Haggregated retention, Clearfelling, Group selection, Composition and growth. See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, was developed. A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Tree debris left on site following harvesting events. A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from co	Seed-tree silviculture	regeneration.
Senescent 1. A native forest growth stage older than mature, when irregular crowns form. 2. A native forest growth stage at various ages after 80 years since disturbance. One of four growth stage at various ages after 80 years since disturbance. One of four growth stage at various ages after 80 years since disturbance. One of four growth stage at various ages after 80 years since disturbance. One of four growth stages up the stage support of the stage of trees and stands of trees. See Apical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a taxon). See Taxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See Heathland, Other woody vegetation. See Heathland, Other woody vegetation. Silvicultural practices / Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, Variable retention. The art, science and technology of managing forest establishment, composition, health, wood quality and growth, willdile habitat and water quantity to achieve specified forest management objectives. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, willdile habitat and water quantity to achieve specified forest management objectives. See Jection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Signing track A track along which logs are pulled or conveyed from the felling point (place	Selection logging	removed singly or in groups, while regrowth, pole timber or habitat trees are retained to maintain an uneven-aged forest.
2. A native forest growth stage at various ages after 80 years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees. See Aplical dominance, Mature, Regeneration, Regrowth. In the broad sense (of a toxon). See Taxon. Shelterwood A silvicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See Heathland, Other woody vegetation. Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group sefection, Seed-tree shiviculture, Selection lagging, Shelterwood, Shiviculture, Single tree / small group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group selection A silvicultural system in which single trees or small groups election sages are harvested, a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection lagging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Sing track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from confiers, irrespective of the physical softness o	Senescent	
Sensu lato (s.l.) In the broad sense (of a taxon). See Taxon. A slivicultural system of securing natural tree regeneration under a partially harvested overstorey, which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See Silvicultural practices / systems. Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See Heathland, Other woody vegetation. Silitation Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, Voriable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. The debris left on site following harvesting events. A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading		2. A native forest growth stage at various ages after 80 years since disturbance. One of four growth stages used at the national level to describe the age of trees and stands of trees.
which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site. See <i>Slivicultural practices / systems</i> . Shrubland A non-forest vegetation type dominated by woody plants that are multi-stemmed or single-stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See <i>Heathland, Other woody vegetation</i> . Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Silvicultural practices / Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group a silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Skeletal soils Shallow soils, usually on ridges or steep slopes. Sing track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil degradation A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Any phenomenon that lowers the current and/or future ca	Sensu lato (s.l.)	In the broad sense (of a taxon).
stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'. See Heathland, Other woody vegetation. Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Silvicultural practices / Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Stash Tree debris left on site following harvesting events. A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems.	Shelterwood	which is subsequently removed by successive harvest(s) to allow seedlings and young regeneration to occupy the site.
Deposition of silt (fine soil and mineral matter), usually related to the degradation of watercourses due to soil erosion. Methods used in managing forest establishment, composition and growth. See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, Variable retention. The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group selection A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Slash Tree debris left on site following harvesting events. Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Shrubland	stemmed. Shrubland above 2 metres tall can also be classified as 'other woody vegetation'.
See Aggregated retention, Clearfelling, Group selection, Seed-tree silviculture, Selection logging, Shelterwood, Silviculture, Single tree / small group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Slash Tree debris left on site following harvesting events. Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Siltation	
Shelterwood, Silviculture, Single tree / small group selection, Variable retention. Silviculture The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives. Single tree/small group A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Sing track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Silvicultural practices /	
and growth, wildlife habitat and water quantity to achieve specified forest management objectives. A silvicultural system in which single trees or small groups of trees of various ages are harvested; a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Slash Tree debris left on site following harvesting events. Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	systems	
selection a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees. See Selection logging, Silvicultural practices / systems. Skeletal soils Shallow soils, usually on ridges or steep slopes. Slash Tree debris left on site following harvesting events. Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Silviculture	The art, science and technology of managing forest establishment, composition, health, wood quality and growth, wildlife habitat and water quantity to achieve specified forest management objectives.
Slash Tree debris left on site following harvesting events. Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Single tree/small group selection	a method suitable for promoting regeneration of shade-tolerant species, or growth of preferred species or individual trees.
Slash Tree debris left on site following harvesting events. Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Skeletal soils	
Snig track A track along which logs are pulled or conveyed from the felling point (place where the tree is felled to a nearby log landing or point of loading. Also known as an extraction track. Softwood Wood or wood products from conifers, irrespective of the physical softness of the timber; also used to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Slash	· · · · · ·
to refer to the trees that have such wood, and plantations of such trees. See Conifer. Soil compaction A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Snig track	A track along which logs are pulled or conveyed from the felling point (place where the tree is felled)
deformation. Soil degradation Any phenomenon that lowers the current and/or future capacity of the soil to support existing forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Softwood	to refer to the trees that have such wood, and plantations of such trees.
forest vegetation and ecosystems. Soil erosion hazard The susceptibility of soil to erosion, combining soil properties, site and climate factors, and management practices. Site factors can include slope, aspect, vegetation and drainage.	Soil compaction	A reduction in soil volume without loss of soil, leading to poor soil aeration, reduced drainage and root deformation.
management practices. Site factors can include slope, aspect, vegetation and drainage.	Soil degradation	
Soil moisture regime The spatial distribution and annual variation in water availability in a soil profile	Soil erosion hazard	
	Soil moisture regime	The spatial distribution and annual variation in water availability in a soil profile

Term	Definition and use in SOFR 2013
Species diversity	The variety of species in an ecosystem.
	See Biodiversity, Ecosystem diversity, Genetic diversity.
Standing volume	The volume (excluding branches) above stump height of living or dead standing trees.
Statistical local area (SLA)	Base spatial unit at which the Australian Bureau of Statistics collects statistics across Australia.
Stocking	Stand density measured in a number of ways: number of trees, basal area, volume, or percentage of crown closure. Can apply to stocking of retained trees after harvest, or to adequacy of seedlings, regeneration or planted stock to establish stands of trees.
Streamflow	Movement of water along streams, rivers and other watercourses, especially expressed as volume of flow.
Subspecies	A taxonomically recognised subdivision of a species.
Sustainable development	Development that meets current needs without compromising the ability of future generations to meet their own needs.
Sustainable forest management	1. A set of objectives, activities and outcomes consistent with maintaining or improving the forest's ecological integrity and contributing to people's wellbeing now and in the future.
	2. The practice of stewardship and use of forests and forest lands in such a way, and at a rate, that maintains their biodiversity, productivity, regeneration capacity and vitality, and their potential to fulfil, now and in the future, relevant ecological, economic and social functions at local, national and global levels, and that does not cause damage to other ecosystems. See Ecologically sustainable forest management.
Sustainable yield	Yield of forest products (e.g. wood, water) that ensures that the functioning of the forest ecosystem as a whole is maintained and the flow of products continues indefinitely under a given management strategy and suite of sustainable-use objectives.
Taxon	A taxonomic unit in the classification of plants or animals (e.g. a subspecies, species or genus). Plural: taxa.
Tenure	Title to land as controlled by legislation. See Land tenure.
Threat	A natural, human-induced or human-exacerbated factor or process that increases the risk to a species of population reduction or extinction, or that creates a significant risk to the persistence or integrity of an ecological community.
	See Ecological community, Threatening process.
Threatened ecological community	An ecological community listed in any one of the following categories defined in section 182 of the <i>Environment Protection and Biodiversity Conservation Act 1999</i> : critically endangered, endangered or vulnerable.
	See Critically endangered species / ecological community, Ecological community, Endangered species / ecological community, Vulnerable species / ecological community.
Threatened species	A species of native flora or fauna that is listed in any one of the following categories defined in section 179 of the <i>Environment Protection and Biodiversity Conservation Act 1999</i> : extinct, extinct in the wild, critically endangered, endangered or vulnerable.
	See Critically endangered species / ecological community, Endangered species / ecological community, Extinct, Extinct in the wild, Vulnerable species / ecological community.
Threatening process	1. A process that threatens, or may threaten, the survival, abundance or evolutionary development of a native species or ecological community (section 188 of the <i>Environment Protection and Biodiversity Conservation Act 1999</i>).
	A natural, human-induced or human-exacerbated process that increases the risk to a species of population reduction or extinction, or is a significant risk to the persistence or integrity of an ecological community.
	 A process identified as a historical, current or future threat in listing or conservation advice of a threatened ecological community or species.
	See Ecological community, Key threatening process, Threat.
Timber	Products square or rectangular in cross-section that are sawn from logs of variable lengths, and conform to industry grades, standards or specifications.
Translocation	The deliberate transfer of plant material from one area to another for the purpose of conservation. The plant material may be in the form of plants, seeds, cuttings or propagated seedlings.
Turbidity	The degree to which the clarity of water is reduced by suspended solids, silt, sediments or organic matter.
Turnover	Sales and service income: the total value of sales of all goods and services, whether or not manufactured by the business (exclusive of goods and services tax, and not deducting the costs of inputs or intermediate goods and services).
Understorey	Layer or layers of vegetation beneath the main canopy of a forest.

Term	Definition and use in SOFR 2013
Uneven-aged forest	Forest with trees of more than one age or age class present on the same site. See Even-aged forest.
Unplanned fire	Fire started naturally (such as by lightning), accidentally or deliberately (such as by arson), but not in accordance with planned fire management prescriptions. See Bushfire, Wildfire.
Unresolved tenure	Areas where tenure is unknown or for which there are no tenure data.
Value-adding	The process of converting timber or forest products into one or more higher-valued products.
Variable retention	Retention of trees in a harvested area in forests harvested for wood, with the amount and configuration of retention dependent upon silvicultural objectives; an alternative to clearfelling. See Aggregated retention, Clearfelling, Silvicultural practices / systems.
Vascular plant	A plant with conducting tissue that transports water, mineral salts and sugars; includes clubmosses, horsetails, ferns, gymnosperms (including conifers) and angiosperms (flowering plants).
Vegetation community	A naturally occurring group of plant species inhabiting a particular area and interacting with each other, especially through biotic relationships, relatively independently of other plant communities. See Community (definition 1).
Veneer	Thin slices of wood, usually thinner than 3 millimetres, which can be glued and pressed to make plywood, or glued and pressed onto core panels (typically wood, particleboard or medium-density fibreboard) to produce flat panels.
Veneer logs	Logs used to produce sliced veneers or plywood. Excludes peeler logs used to produce rotary-peeled veneer.
Vulnerable species / ecological community	Native species / ecological community facing a high risk of extinction in the wild in the medium-term future. One of the categories of threatened species / ecological communities defined in sections 179 and 182 of the Environment Protection and Biological Conservation Act 1999.
	See Critically endangered species / ecological community, Ecological community, Endangered species / ecological community, Extinct, Extinct in the wild, Threatened ecological community, Threatened species.
Water yield	The amount of water that flows out of a catchment (drainage basin).
Watershed	The dividing line between two catchments (drainage basins).
Watertable	The underground level at which the ground is saturated with water, where the water pressure is equal to atmospheric pressure.
Wet forest / wet sclerophyll forest	Typically, eucalypt-dominated forest (not dry forest or rainforest) associated with moist conditions, and with an understorey (if present) dominated or co-dominated by rainforest species or non-sclerophyll shrubs.
	See Dry forest / dry sclerophyll forest, Eucalypt, Rainforest, Sclerophyll.
Wetland	Land consisting of swamps, marshes or mangroves. Forest wetlands are wetland ecosystems where forests are present. See Mangroves.
Wild harvest	Commodity harvested from the wild, including farming of wildlife and feral animals.
Wilderness	Land that, together with its plant and animal communities, has not been substantially modified by, and is remote from, the influences of European settlement, or is capable of being restored to such a state; is of sufficient size to make its maintenance in such a state feasible; and can provide opportunities for solitude and self-reliant recreation.
Wildfire	1. A large destructive forest fire that spreads rapidly.
	2. Fire started naturally (such as by lightning), accidentally or deliberately (such as by arson), but not in accordance with planned fire management prescriptions.
AND HIS	See Bushfire, Unplanned fire.
Wildlife corridor	An area or strip of suitable habitat design to connect or reconnect wildlife populations that have been separated by human activities.
Wildling	A wild plant of a tree species that has escaped from plantations.
Windthrow	Trees uprooted or broken as a result of severe wind associated with storms.
Wood	The hard, fibrous, underbark component of the stem and/or branches of a tree, often suitable for conversion into products.
Woodchips	Wood converted from logs into small chips for use in fibre products or conversion to pulp for paper manufacture.
Woodland forest	Forest in which the tree crown cover ranges from 20% to less than 50%. See Crown cover, Other woody vegetation.

References

- ABARE–BRS (Australian Bureau of Agricultural and Resource Economics – Bureau of Rural Sciences) (2010). Indicators of Community Vulnerability and Adaptive Capacity across the Murray–Darling Basin—A Focus on Irrigation in Agriculture, report to the Murray–Darling Basin Authority, ABARE-BRS, Canberra.
- ABARES (Australian Bureau of Agricultural and Resource Economics and Sciences) (2011a). Potential effects of climate change on forests and forestry in Australia, ABARES, Canberra.
- ——(2011b). Australian Forest and Wood Products Statistics: March and June Quarters 2011, ABARES, Canberra.
- ——(2012a). Potential effects of climate change on forests and forestry in Australia: Technical Report for Green Triangle, ABARES, Canberra.
- ——(2012b). Potential effects of climate change on forests and forestry in Australia: Technical Report for North-eastern New South Wales – South-eastern Queensland, ABARES, Canberra.
- ——(2012c). Potential effects of climate change on forests and forestry in Australia: Technical Report for Northern Australia, ABARES, Canberra.
- ——(2012d). Potential effects of climate change on forests and forestry in Australia: Technical Report for South-eastern New South Wales – Eastern Victoria, ABARES, Canberra.
- ——(2012e). Potential effects of climate change on forests and forestry in Australia: Technical Report for South-western Western Australia, ABARES, Canberra.
- ——(2012f). Potential effects of climate change on forests and forestry in Australia: Technical Report for Tasmania, ABARES, Canberra.
- ——(2012g). Australian Forest and Wood Products Statistics: March and June Quarters 2012, ABARES, Canberra.
- ——(2012h). Australian Forest and Wood Products Statistics: September and December Quarters 2011, ABARES, Canberra.
- ——(2013a). Australian Forest and Wood Products Statistics: September and December Quarters 2012, ABARES, Canberra.
- ——(2013b). Agricultural Commodities: March Quarter 2013, ABARES, Canberra.
- ——(2013c). Australian Forest and Wood Products Statistics: March and June Quarters 2013, ABARES, Canberra.
- ABS (Australian Bureau of Statistics) (2001). 2001 Census, ABS, Canberra.
- ——(2006). 2006 Census of Population and Housing, ABS, Canberra.
- ——(2007). Australian Industry, 2005–06, cat. no. 8155.0, ABS,
- ——(2009). Environmental Issues: Waste Management and Transport Use, cat. no. 4602.0.55.002, ABS, Canberra. www.abs. gov.au/AUSSTATS/abs@.nsf/DetailsPage/4602.0.55.002Mar%20 2009?OpenDocument (Accessed 23 February 2012)
- ——(2011a). Australian Industry, 2009–10, cat. no. 155.0, ABS, Canberra.

- ——(2011b). Research and Experimental Development, Businesses, Australia, 2009–10, cat. no. 8104.0, ABS, Canberra.
- ——(2011c). Land Management and Farming in Australia 2009–10, cat. no. 4627.0, ABS, Canberra.
- ——(2011d). Labour Force, Australia, Nov 2011, cat. no. 6202.0, ABS, Canberra. www.abs.gov.au/AUSSTATS/abs@.nsf/ allprimarymainfeatures/E026FE49EC537965CA257989000BFB3 A?opendocument (Accessed 12 August 2013)
- ——(2011e). Census of Population and Housing, ABS, Canberra.
- ——(2012a). Consumer Price Index, Australia, Jun 2012, cat. no. 6401.0, ABS, Canberra.
- ——(2012b). Australian Industry, 2010–11, cat. no. 8155.0, ABS, Canberra.
- ——(2012c). Year Book Australia, 2012, cat. no. 1301.0, ABS, Canberra.
- ——(2012d). Research and Experimental Development, Businesses, Australia, 2010–11, cat. no. 8104.0, ABS, Canberra.
- ——(2012e). 2012 Census of Population and Housing, ABS, Canberra.
- ——(2012f). Labour Force, Australia, Detailed, Quarterly, Nov 2011, cat. no. 6291.0.55.003, ABS, Canberra. www.abs.gov.au/ AUSSTATS/abs@.nsf/allprimarymainfeatures/E78E95184C9D43E FCA2579C100132AB3?opendocument (Accessed 19 Oct 2012)
- ——(2012g). Australian System of National Accounts, 2011–12, cat. no. 5204.0, ABS, Canberra.
- ——(2013). International Trade, Australia, cat. no. 5465.0, ABS, Canberra.
- ACTEW Water (2011). The Water Network, ACTEW Water, Canberra. www.actew.com.au/Water%20and%20Sewerage%20 Systems/ACT%20Water%20Supply%20System/The%20 Water%20Network.aspx (Accessed 12 August 2013)
- ALT (Aboriginal Lands Trust Western Australia) (2009). Land Use and Development Policy, ALT, Perth. www.dia.wa.gov.au/Documents/Land%20Use%20and%20Development%20 Policy%202009.pdf (Accessed 14 June 2013)
- ANZECC (Australian and New Zealand Environment and Conservation Council) (2001). A National Approach to Firewood Collection and Use in Australia, ANZECC, Canberra.
- ANZECC and MCFFA (1997). Nationally Agreed Criteria for the Establishment of a Comprehensive, Adequate and Representative Reserve System of Forests in Australia, report by the Joint Australian and New Zealand Environment and Conservation Council/Ministerial Council on Forestry, Fisheries and Aquaculture National Forest Policy Statement Implementation Sub-committee, Australian Government,
- Attiwill P and Binkley D (2013). Exploring the mega-fire reality: a 'forest ecology and management conference'. Forest Ecology Management 294: 1–3.
- AUSLIG (Australian Surveying and Land Information Group) (1990). Atlas of Australian Resources, vol. 6, Vegetation, Australian Government Publishing Service, Canberra.

- Australia21 (2012). Discussion Paper on Ecosystem Services for the Department of Agriculture, Fisheries and Forestry, final report, Australia21, Canberra.
- Australian Social Inclusion Board (2009). Building Inclusive and Resilient Communities, Australian Government, Canberra. www.socialinclusion.gov.au/publications/building-inclusive-and-resilient-communities (Accessed 12 August 2013)
- Bartlett T, Leonard M and Morgan G (2007). The mega-fire phenomenon: some Australian perspectives. In: *The 2007 Institute of Foresters of Australia and New Zealand Institute of Forestry Conference: Programme*, Abstracts and Papers, Coffs Harbour, 3–7 June 2007, Institute of Foresters of Australia, Canberra.
- Bayne K and Page I (2009). New Applications of Timber in Non-traditional Market Segments: High Rise Residential and Non-residential (Commercial) Buildings, PRA013-0708, Forest & Wood Products Australia, Melbourne.
- Benecke FS (2007). Commercial Bee-keeping in Australia, 2nd edition, Rural Industries Research and Development Corporation, Canberra.
- Benyon RG, Doody TM, Theiveyanathan S and Koul V (2009). Plantation Forest Water Use in Southwest Victoria, Forest & Wood Products Australia, Melbourne.
- Boer MM, Sadler RJ, Wittkuhn RS, McCaw L and Grierson PF (2009). Long-term impacts of prescribed burning on regional extent and incidence of wildfires—evidence from 50 years of active fire management in SW Australian forests. Forest Ecology and Management 259:132–142.
- BREE (Bureau of Resources and Energy Economics) (2012).

 Australian Energy Statistics, BREE, Canberra. http://
 bree.gov.au/sites/default/files/files//publications/aes/
 bre0133energyupdate2012.pdf (Accessed 14 June 2013)
- Bren LJ (2009). Native forest management in silvicultural systems and impacts on catchment water yields, Part 2, A critique of the ACF document 'WoodChipping our water', MDBA Publication 132/11, Murray–Darling Basin Authority, Canberra.
- ——, Davey S and Jeyasingham J (2011). Native Forest Management in Silvicultural Systems and Impacts on Catchment Water Yields. Part 1: An Analysis of Hydrologic Impacts of Native Forest Management in The Murray–Darling System, Murray–Darling Basin Authority, Canberra.
- Brown PB (1989). The Swift Parrot Lathamus discolor (White):
 A Report of its Ecology, Distribution and Status, Including
 Management Considerations, report prepared for the Australian
 Heritage Commission, Department of Lands, Parks and Wildlife,
 Hobart
- Burke B and Townsend P (2011). Forestry—sawnwood. *Agricultural Commodities* 1:108–113.
- Burns K and Burke B (2012). ABARES National Wood Processing Survey 2010–11, ABARES research report 12.4, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra
- Burrows N, Dell B, Neyland M and Ruprecht J (2011). Review of Silviculture in Forests of South-west Western Australia, report to Department of Environment and Conservation, Conservation Commission of Western Australia, Perth.
- Byrne M, Prober S, McLean E, Steane D, Stock W, Potts B and Vaillancourt R (2013). *Adaptation to Climate in Widespread Eucalypt Species*, National Climate Change Adaptation Research Facility, Gold Coast.
- CALM (Western Australian Department of Conservation and Land Management) (2006). *Draft Policy Statement No. 41:* Beekeeping on Public Land, CALM, Perth.
- Cameron M (2007). Cockatoos, CSIRO Publishing, Melbourne.

- Carnegie AJ (2008). Guest editorial and introduction to this special issue. A decade of forest health surveillance in Australia: an overview. Australian Forestry 71:161–163.
- ——and Cooper K (2011). Emergency response to the incursion of an exotic myrtaceous rust. Australasian Plant Pathology 40:346–359.
- ——, Lidbetter JR, Walker J, Horwood MA, Tesoriero L, Glen M and Priest MJ (2010). *Uredo rangelii*, a taxon in the guava rust complex, newly recorded on Myrtaceae in Australia. *Australasian Plant Pathology* 39:463–466.
- CCWA (Conservation Commission of Western Australia) (2004). Forest Management Plan 2004–2013, CCWA, Perth.
- ——(2012a). Draft Forest Management Plan 2014–2023, CCWA, Perth.
- ——(2012b). Forest Management Plan 2004–2013: End-of-term Audit of Performance Report, CCWA, Perth
- Central Land Council (2007). *The Land Rights Act + Changes Made Simple*, Central Land Council, Alice Springs. www.clc.org.au/files/pdf/alra.pdf (Accessed 14 June 2013)
- Chang D and Song Y (2009). Comparison of L3JRc and MODIS global burned area products from 2000 to 2007. *Journal of Geophysical Research:* Atmospheres 114(D16):1984–2012.
- Chapman AD (2009). Numbers of Living Species in Australia and the World, 2nd edition, report for the Australian Biological Resources Study, Australian Government Department of the Environment, Water, Heritage and the Arts, Canberra.
- Clarke HG, Smith PL and Pitman AJ (2011). Regional signatures of future fire weather over eastern Australia from global climate models. *International Journal of Wildland Fire* 20:550–562.
- COAG Standing Council on Environment and Water (2012).

 Australia's Native Vegetation Framework, Australian
 Government Department of Sustainability, Environment,
 Water, Population and Communities, Canberra.
- Commonwealth of Australia (1992). National Forest Policy Statement: A New Focus for Australia's Forests, 2nd edition, Commonwealth of Australia, Canberra.
- Commonwealth of Australia (2008). Australia's Sustainable Forest Management Framework of Criteria and Indicators 2008: Policy Guidelines, Commonwealth of Australia, Canberra.
- Connolly E and Orsmond D (2011). The mining industry: from bust to boom. Paper presented to *The Australian Economy in the 2000s* conference, Sydney, 15–16 August 2011.
- Coutinho TA, Wingfield MJ, Alfenas AC and Crous PW (1998). Eucalyptus rust: a disease with the potential for serious international implications. *Plant Disease* 82:819–825.
- CRC for Forestry (Cooperative Research Centre for Forestry) (2012). Ideas to Impact: 21 Years of Forestry Innovation, CRC for Forestry, Hobart.
- CSIRO, Australian Bureau of Meteorology (2007). *Climate Change in Australia*, CSIRO, Melbourne.
- CUAD (Clean Up Australia Day) (2011). Rubbish Report 2011, Clean Up Australia, Sydney. www.cleanup.org.au/au/RubbishReport2/rubbish-report2010.html (Accessed 17 October 2012)
- DAFF (Australian Government Department of Agriculture, Fisheries and Forestry) (2004). Opportunities and Barriers for Greater Indigenous Involvement in Australia's Forestry Industry: A Scoping Report Addressing Indigenous Involvement in the Forestry and Associated Sectors for the National Indigenous Forestry Strategy Steering Committee, prepared by BDO Consulting (SA) Pty Ltd, DAFF, Canberra. www.daff.gov.au/data/assets/pdf file/0020/37604/nifs_scoping_report.pdf (Accessed 14 May 2012)

- ——(2005). The National Indigenous Forestry Strategy, DAFF, Canberra. www.daff.gov.au/ data/assets/pdf file/0006/37608/nifs_strategy.pdf (Accessed 15 August 2012)
- ——(2011a). Tasmanian Forest Contractors Exit Assistance Program, DAFF, Canberra. www.daff.gov.au/forestry/national/tfceap (Accessed 12 August 2013)
- ——(2011b). Forest Industries Development Fund, DAFF, Canberra. www.daff.gov.au/forestry/national/fidf (Accessed 12 August 2013)
- ——(2012a). Taxation Incentives to Establish Forests, DAFF, Canberra. www.daff.gov.au/forestry/australias-forests/ plantation-farm-forestry/taxation (Accessed 12 August 2013)
- ——(2012b). Tasmanian Forests Intergovernmental Agreement, DAFF, Canberra. www.daff.gov.au/forestry/national/aus-govttas-forests (Accessed 13 August 2013)
- Davey S and Dunn G (in preparation). Australian Native Forest Commerciality, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- Davidson J, Davey S, Singh S, Parsons M, Stokes B and Gerrand A (2008). *The Changing Face of Australia's Forests*, Bureau of Rural Sciences, Canberra.
- Davies PE, Stewardson MJ, Hillman TJ, Roberts JR and Thoms MC (2012). Sustainable Rivers Audit 2: The ecological health of rivers in the Murray–Darling Basin at the end of the Millennium Drought (2008–2010), vol. 1, The Independent Sustainable Rivers Audit Group for the Murray–Darling Basin (ISRAG), MDBA Publication no. 72/12, Murray–Darling Basin Authority, Canberra.
- DCCEE (Australian Government Department of Climate Change and Energy Efficiency) (2012a). *Australian National Greenhouse Accounts Report 2010*, DCCEE, Canberra.
- ——(2012b). *National Inventory Report 2010*, vol. 2, DCCEE,
- Dear SE, Moore NG, Dobos SK, Watling KM and Ahern CR (2002). Soil management guidelines. In: *Queensland Acid Sulfate Soil Technical Manual*, Department of Natural Resources and Mines, Indooroopilly.
- DEC (Western Australian Department of Environment and Conservation) (2004a). Silvicultural Practice in the Jarrah Forest, Sustainable Forest Management Guideline no. 1, Sustainable Forest Management Series, DEC, Perth.
- ——(2004b). Silvicultural Practice in Wandoo Forest and Woodland, Sustainable Forest Management Guideline no. 2, Sustainable Forest Management Series, DEC, Perth.
- ——(2005). Silvicultural Practice in the Karri Forest, Sustainable Forest Management Guideline no. 3, Sustainable Forest Management Series, DEC, Perth.
- ——(2007). 2006-07 Annual Report, DEC, Perth.
- ——(2008a). Management of Commercial Harvesting of Protected Flora in Western Australia, 1 July 2008 – 30 June 2013, DEC, Perth.
- ——(2008b). 2007-08 Annual Report, DEC, Perth.
- ——(2009a). Soil and Water Conservation Guideline, Sustainable Forest Management Guideline no. 5, Sustainable Forest Management Series, DEC, Perth.
- ——(2009b). 2008-09 Annual Report, DEC, Perth.
- ——(2010a). Manual of Procedures for the Management of Soils Associated with Timber Harvesting in Native Forests, DEC, Perth.
- ——(2010b). 2009-10 Annual Report, DEC, Perth.
- ——(2011). 2010-11 Annual Report, DEC, Perth.

- ——(2012a). Sustained yield information sheet series, DEC, Perth.
- ——(2012b). Science Division Annual Research Activity Report and Management Implications 2011–2012, DEC, Perth.
- de Fégely R (2010). Review of Australian Forestry and Wood Products Education and Training Needs, Forest and Wood Products Australia, Melbourne.
- DERM (Queensland Department of Environment and Resource Management) (2008). Leasing Aboriginal Deed of Grant in Trust Land in Local Government Areas—Private Residential Purposes, a Manual for Trustees, DERM, Brisbane.
- ——(2009). South East Queensland Natural Resource Management Plan 2009–2031, DERM, Brisbane.
- ——(2011). Native Forest Practice Survey, DERM, Brisbane.
- DEWHA (Australian Government Department of the Environment, Water, Heritage and the Arts) (2008). Energy Use in the Australian Residential Sector 1986–2020, DEWHA, Canberra.
- ——(2009a). Ecosystem Services: Key Concepts and Applications, Occasional paper no. 1, DEWHA, Canberra.
- ——(2009b). The Indigenous Protected Area Program: Background Information and Advice to Applicants, DEWHA, Canberra.
- ——(2009c). The Australian Environment Act—Report of the Independent Review of the Environment Protection and Biodiversity Conservation Act 1999: Final Report, Commonwealth of Australia, Canberra.
- DEWR (Australian Government Department of Environment and Water Resources) (2006). Background and Implementation Information for the South–eastern Red-tailed Black-Cockatoo, Calyptorhynchus banksii graptogyne Recovery Plan, DEWR, Canberra.
- DFAT (Australian Government Department of Foreign Affairs and Trade) (2011). *Trade at a Glance 2011*, DFAT, Canberra.
- DIA (Western Australian Department of Indigenous Affairs) (2002).

 Fact Sheet, DIA, Perth. www.daa.wa.gov.au/Documents/Land/
 LandFactSheets.pdf (Accessed 14 June 2013)
- ——(2005). Overcoming Indigenous Disadvantage in Western Australia Report 2005, DIA, Perth.
- Director of National Parks (2011). State of the Parks Report: Annual Report 2010–11, Director of National Parks, Australian Government, Canberra.
- DNRE (Northern Territory Department of Natural Resources, Environment, the Arts and Sport) (2010). *Land Clearing Guidelines*, DNRE, Darwin.
- DNRW (Queensland Department of Natural Resources and Water) (2007). Field Guide. Code Applying to a Native Forest Practice on Freehold Land, version 2, DNRW, Brisbane.
- Doley D (2010). The response of forests to climate change: the role of silviculture in conserving threatened species. *Australian Forestry* 73:115–125.
- DPIPWE (Tasmanian Department of Primary Industries, Parks, Water and Environment) (2010). Management Plan for the Commercial Harvest and Export of Brushtail Possums 2010–2015, DPIPWE, Hobart.
- Driscoll DA, Milkovits G and Freudenberger D (2000). *Impact and Use of Firewood in Australia*, CSIRO Sustainable Ecosystems report to Environment Australia, Canberra.
- DSE (Victorian Department of Sustainability and Environment) (2003). Victoria's State of the Forests Report 2003, DSE, Melbourne.
- —(2007a). Code of Practice for Timber Production 2007, DSE, Melbourne.

- ——(2007b). Criteria and Indicators for Sustainable Forest Management in Victoria, DSE, Melbourne.
- ——(2008). Victoria's State of the Forests Report 2008, DSE, Melbourne.
- ——(2010). Annual Report 2010, DSE, Melbourne.
- ——(2011). Annual Report 2011, DSE, Melbourne.
- ——(2012). Code of Practice for Bushfire Management on Public Land, DSE, Melbourne.
- DSEWPaC (Australian Government Department of Sustainability, Environment, Water, Population and Communities) (2011). Australian Government Response to the Report of the Independent Review of the EPBC Act, Commonwealth of Australia, Canberra.
- ——(2012a). Commercial Kangaroo Harvesting, fact sheet, DSEWPaC, Canberra.
- ——(2012b). Kangaroo Population, Quota and Harvest Statistics, DSEWPaC, Canberra.
- Dudley N (2008). *Guidelines for Appling Protected Areas Management Categories*, International Union for Conservation of Nature, Gland, Switzerland.
- ——and Phillips A (2006). Forests and Protected Areas: Guidance on the Use of the IUCN Protected Area Management Categories, Best Practice Protected Area Guidelines Series no. 12, International Union for Conservation of Nature, Gland, Switzerland, and Cambridge, UK.
- Ehmke G (2011). Analysis of Biodiversity Corridor Bird Monitoring Data 2006–2010, for PIRSA Forestry, Birds Australia, Melbourne.
- England JR, May B, Raison RJ and Paul KI (2013). Cradle-to-gate inventory of wood production from Australian softwood plantations and native hardwood forests: carbon sequestration in wood and greenhouse gas emissions. Forest Ecology and Management 302:295–307.
- Environment ACT (2005). ACT Code of Forest Practice, version 1, Environment ACT, Canberra. www.actpla.act.gov.au/_data/assets/pdf file/0011/20801/Att8 Code Practice.pdf (Accessed 12 August 2013)
- ——(2006). Soil Erodibility and Maintenance Manual, version 3, Environment ACT, Canberra.
- EPA (Queensland Environmental Protection Agency) (2007). Code of Practice for Native Forest Timber Production on State Lands, EPA, Brisbane.
- EPHC (Environment Protection and Heritage Council) (2010). National Waste Report 2010, EPHC, Canberra.
- FAO (Food and Agriculture Organization of the United Nations) (2010). Global Forest Resources Assessment 2010: Main Report, FAO Forestry paper 163, FAO, Rome.
- ——(2013). FAOSTAT database, FAO, Rome, http://faostat3.fao.org/ home/index.html (Accessed 15 January 2013)
- Feary S (2007). Forests to forestry: an overview of Indigenous involvement in forest management in Australia. In: Forestry for Indigenous Peoples: Learning from Experiences with Forest Industries, Feary S (ed.), papers from Technical Session 130, International Union of Forest Research Organizations (IUFRO) XXII World Congress 2005, Brisbane, 8–13 August 2005, ANU Fenner School of Environment and Society Occasional Paper no. 1, Australian National University, Canberra.
- ——(2008). Social justice in the forest: Aboriginal engagement with Australia's forest industries. *Transforming Cultures* eJournal 3(1). http://epress.lib.uts.edu.au/journals/index.php/Tfc/article/view/683 (Accessed 27 June 2012)

- Ferguson I, Bull L and Gorrie G (2010). Improving the investment climate for Australian forest industries. In: *Growing Green Assets: Removing Constraints to Private Sector Investment in Asia and the Pacific*, Pescott M, Durst PB and Leslie RN (eds), Food and Agriculture Organization of the United Nations Regional Office for Asia and the Pacific, Bangkok.
- FFMG (Forest Fire Management Group) (2012). National Bushfire Management: Policy Statement for Forests and Rangelands, prepared by the Forest Fire Management Group for the Council of Australian Governments, Canberra.
- FIFWA (Forest Industries Federation [WA]) (2006). Code of Practice for Timber Plantations in Western Australia, FIFWA, Bentley.
- Forest Practices Board (2000). Forest Practices Code 2000, Forest Practices Board, Hobart.
- Forestry and Forest Products Committee (2008). Forest Research Strategic Directions 2008–2011, Forestry and Forest Products Committee, Canberra.
- ForestrySA (1997). Environmental Management Guidelines for Plantation Forestry in South Australia, ForestrySA, Mount Gambier. www.planningplantations.com.au/assets/pdfs/management/regulation/sa/EnvironmentalMgtGuidelinesSA.pdf (Accessed 12 August 2013)
- Forestry Tasmania (2007). Sustainable High Quality Eucalypt Sawlog Supply from Tasmanian State Forest, Review no. 3, Forestry Tasmania, Hobart.
- ——(2008). 2008 Annual Report, Forestry Tasmania, Hobart.
- ——(2009a). *Appendix 1: 2008–09 Financial Statements*, 2008–09 Stewardship Report, Forestry Tasmania, Hobart.
- ——(2009b). Appendix 2: Sustainable Forest Management Data Tables, 2008–09 Stewardship Report, Forestry Tasmania, Hobart.
- ——(2010a). Special Timbers Strategy, Forestry Tasmania, Hobart.
- ——(2010b). Appendix 1: 2009–10 Financial Statements, 2009–10 Stewardship Report, Forestry Tasmania, Hobart.
- ——(2010c). Appendix 2: Sustainable Forest Management Data Tables, 2009–10 Stewardship Report, Forestry Tasmania, Hobart
- ——(2011a). Appendix 2: Sustainable Forest Management Data Tables, 2010–11 Stewardship Report, Forestry Tasmania, Hobart.
- ——(2011b). Appendix 1: 2010–11 Financial Statements, 2010–11 Stewardship Report, Forestry Tasmania, Hobart.
- Forests NSW (2004). Sustaining the Forest: Social, Environmental and Economic (Seeing) Report 2003–04, Forests NSW, Pennant Hills.
- ——(2005). Seeing: Social, Environmental and Economic (Seeing) Report 2004–05, Forests NSW, Pennant Hills.
- ——(2006). Seeing: Social, Environmental and Economic (Seeing) Report 2005–06, Forests NSW, Pennant Hills.
- ——(2007). Social, Environmental and Economic (Seeing) Report 2006–07, Forests NSW, Pennant Hills.
- ——(2008). Seeing Report 2007–08, Forests NSW, Pennant Hills.
- ——(2009). Forests NSW Annual Report 2008–09: Social, Environmental and Economic Performance, Forests NSW, Pennant Hills.
- ——(2010a). Forests NSW yield estimates for native forest regions, Forests NSW, Pennant Hills.
- ——(2010b). Forests NSW Annual Report 2009–10: Social, Environmental and Economic Performance, Forests NSW, Pennant Hills.

- ——(2011). Forests NSW Annual Report 2010–11: Social, Environmental and Economic Performance, Forests NSW, Pennant Hills.
- ——(2012a). Forests NSW Supplementary Sustainability Indicator Data 2011–12, Forests NSW, Pennant Hills.
- ——(2012b). Forests NSW Annual Report 2011–12: Social, Environmental and Economic Performance, Forests NSW, Pennant Hills.
- ForestWorks (2012a). Forestworks Learning and Skill Development, ForestWorks, Australia. www.forestworks.com.au (Accessed December 2012)
- —— (2012b). Industry Skills Scan 2012: A Research Summary of the Forest and Timber Products Industry Developments and Directions Impacting on Skills, Training and Workforce Demands, ForestWorks, Melbourne.
- ForestWorks NSW (2011). Guide to Successfully Employing Indigenous Job Seekers in the Forest and Timber Products Industry, ForestWorks NSW, Sydney.
- Foster M (2009). Emerging Animal and Plant Industries—Their Value to Australia, 2nd edition, RIRDC publication no. 09/004, Rural Industries Research and Development Corporation, Canberra.
- ——(in press). Emerging Industries: Their Value to Australia, Rural Industries Research and Development Corporation, Canberra.
- FPA (Forest Practices Authority) (2002). State of the Forests 2002, FPA, Hobart.
- ——(2005). Treefern Management Plan for Harvesting, Transporting or Trading of Dicksonia antarctica in Tasmania, FPA, Hobart.
- ——(2007). State of the Forests Tasmania 2006, FPA, Hobart.
- ——(2011). Forest Practices Authority Annual Report 2010–11, Forest Practices Authority, Hobart.
- ——(2012). State of the forests Tasmania 2012, FPA, Hobart.
- ——and Threatened Species Section (DPIPWE) (2012). Review of Threatened Fauna Adviser, Background Report 2, Review of Information on Species and Management Approach, FPA, Hobart.
- FPC (Forest Products Commission) (2007). Forest Products Commission Annual Report 2006–07, FPC, Perth.
- ——(2008). Forest Products Commission Annual Report 2007–08, FPC, Perth.
- ——(2009). Forest Products Commission Annual Report 2008–09, FPC, Perth.
- ——(2010). Forest Products Commission Annual Report 2009–10, FPC, Perth.
- ——(2011). Forest Products Commission Annual Report 2010–11, FPC, Perth.
- Frame J, Hand J, Miles N, Potter M, Pettigrove V, Lucas A, Dabal R, Crosbie ND, Yurisich R and Tan KS (2009). Melbourne Water's recovery response to the Black Saturday bushfires. In: Proceedings of the Australian Water Association Specialty Conference: Sustaining the Rivers and Reservoirs, Canberra, November 2009.
- Fraser LM and Ormiston A (2010). *Understanding Financial Statements*, 9th edition, Pearson, New Jersey.
- FWPA (Forest and Wood Products Australia) (2010a). Submission to Productivity Commission Issues Paper on Rural Research and Development, FWPA, Melbourne.

- ——(2010b). National Primary Industries Research, Development and Extension Framework 2010: RD&E Strategy for the Forest and Wood Products Sector, FWPA, Melbourne.
- ——(2011). Forest and Wood Products Australia Annual Report 2010–11, FWPA, Melbourne.
- ——(2013). Separating the Wood from the Trees—A Summary of Five Years of Consumer Tracking Research, FWPA, Melbourne.
- FWPRDC (Forest and Wood Products Research and Development Corporation) (2005). Socio-economic Impacts of Plantation Forestry in the South West Slopes of NSW, 1991 to 2004, FWPRDC, Melbourne.
- Ganesharajah C (2009). Indigenous Health and Wellbeing: the Importance of Country, Australian Institute of Aboriginal and Torres Strait Islander Studies, Canberra. www.aiatsis.gov.au/ntru/documents/FINALIndigenousHealthandWellbeingTheImportance-ofCountry.pdf (Accessed 4 September 2012)
- Gavran M (2012). Australian Plantation Statistics 2012 Update, ABARES technical report, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- ——and Parsons M (2009). Australia's Plantations 2009 Inventory Update, National Forest Inventory, Bureau of Rural Sciences, Canberra.
- ——and Parsons M (2011). Australian Plantation Statistics 2011, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- ——, Frakes I, Davey S and Mahendrarajah S (2012). *Australia's Plantation Log Supply 2010–2054*, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- Gergis J, Gallant AJE, Braganza K, Karoly DJ, Allen K, Cullen L, D'Arrigo R, Goodwin I, Grierson P and McGregor S (2012). On the long-term context of the 1997–2009 'big dry' in southeastern Australia: insights from a 206-year multi-proxy rainfall reconstruction. *Climatic Change* 111:923–944.
- Giglio L, Loboda T, Roy DP, Quayle B and Justice CO (2009). An active-fire based burned area mapping for MODIS sensor. Remote Sensing of Environment 113:408–420.
- Governments of Australia (1992). *National Forest Policy Statement:* A New Focus for Australia's Forests, Commonwealth of Australia, Canberra.
- Grove SJ, Doran NE, Driessen M and Balmer J (2004). Warra— Mount Weld Altitudinal Transect Ecotonal and Baseline Altitudinal Monitoring Plots (BAMPs): Establishment Report, Technical report 17/2004, Forestry Tasmania, Hobart.
- Hansda R (2009). The Outlook for Non-wood Forest Products in Asia and the Pacific, Working Paper APFSOS II/WP/2009/18, Food and Agriculture Organization of the United Nations, Bangkok.
- Harris S, Shaw J and Crane N (2009). Planning the integration of ex situ plant conservation in Tasmania. *Cunninghamia* 11:123–130.
- Harris-Adams K, Townsend P and Lawson K (2012). *Native Vegetation Management on Agricultural Land*, ABARES research
 report 12.10, Australian Bureau of Agricultural and Resource
 Economics and Sciences, Canberra.
- Hart Q and Bomford M (2006). *Australia's Pest Animals*, Bureau of Rural Sciences, Canberra.
- Hawkins CE, Baars C, Hesterman H, Hocking GJ, Jones ME, Lazenby B, Mann D, Mooney N, Pemberton D, Pyecroft S, Restani M and Wiersma J (2006). Emerging disease and population decline of an island endemic, the Tasmanian devil Sarcophilus harrisii. Biological Conservation 131:307–324.

- Heberger H (2012). Australia's millennium drought. In: Gleick P, Allen L, Cohen MJ, Cooley H, Christian-Smith J, Heberger M, Morrison J, Palaniappan M and Schulte P (eds), *The World's Water*, vol. 7, The Biennial Report on Freshwater Resources, Island Press, Washington, DC.
- Hobbs RJ and McIntyre S (2005). Categorizing Australian landscapes as an aid to assessing the generality of landscape management guidelines. *Global Ecology and Biogeography* 14:1–15.
- Hockings M, Cook C, Carter RW and James R (2009). Accountability, reporting, or management improvement? Development of a State of the Parks assessment system in New South Wales, Australia. *Environmental Management* 43:1013–1025.
- Howell CI, Wilson AD, Davey SM and Eddington MM (2008). Sustainable forest management reporting in Australia. Ecological Indicators 8:123–130.
- IFA (Institute of Foresters of Australia) (2007). Recreation in Australian Public Forests, IFA Forest Policy Statement no. 5.5, IFA, Canberra.
- ILC (Indigenous Land Corporation) (2012). Land Acquisition Program (Socio-Economic Development) 2012 Handbook, ILC, Adelaide.
- IUCN (International Union for Conservation of Nature) (1994). Guidelines for Protected Area Management Categories, IUCN and the World Conservation Monitoring Centre, Gland, Switzerland, and Cambridge, UK.
- Jenkins BM and Tomkins B (2006). The Use of Chemical Pesticides by the Australian Plantation Forest Industry, Forest and Wood Products Research and Development Corporation, Melbourne.
- Keenan RJ and Read SM (2012). Assessment and management of old-growth forests in south eastern Australia. *Plant Biosystems* 146:214–222.
- Kneebone M (2010). A Study of Existing and Prospective Markets and Marketing Activities for Australian Honey, RIRDC publication no. 10/145, Rural Industries Research and Development Corporation, Canberra.
- Lacey J, Parsons R and Moffat K (2012). Exploring the Concept of a Social Licence to Operate in the Australian Minerals Industry: Results from Interviews with Industry Representatives, EP125553, CSIRO, Brisbane.
- Lee T, Zenger KR, Close RL and Phalen DN (2012). Genetic analysis reveals a distinct and highly diverse koala (*Phascolarctos cinereus*) population in South Gippsland, Victoria. *Australian Mammalogy* 34:68–74.
- Leech J and Ferguson I (2012). A Standard for Valuing Commercial Forests in Australia, Association of Consulting Foresters of Australia, Institute of Foresters of Australia, Canberra.
- Leverington F, Lemos Costa K, Courrau J, Pavese H, Nolte C, Marr M, Coad L, Burgess N, Bomhard B and Hockings M (2010). Management Effectiveness Evaluation in Protected Areas—A Global Study, 2nd edition, University of Queensland, Brisbane.
- Li M, Wallace J and Campbell E (2010). Forest Change and Water Yield Response: A Statistical Data Integration Analysis, Water for a Healthy Country Flagship Report Series, Commonwealth Scientific and Industrial Research Organisation.
- Lindsay A and Dickinson G (2012). Influence of Cyclonic Winds on the Performance of Hardwood Plantations in Tropical North Queensland, report prepared for the Timber Queensland project: Best Practice Guide for Timber Plantations in Cyclonic Areas, Queensland Department of Agriculture, Fisheries and Forestry, Mareeba.

- Low K, Townsend P, Mahendrarajah S and Cunningham D (2011). Australia's role in Asia–Pacific forestry. Paper presented at ABARES Outlook 2011 conference, Canberra, 2 March 2011.
- Loxton E (2007). Support and Indigenous employment in the forestry industry. Non-session poster presentation at Australian Institute of Aboriginal and Torres Strait Islander Studies Major Conference, Australian Institute of Aboriginal and Torres Strait Islander Studies, Canberra.
- ——, Schirmer J and Kanowski P (2012). Employment of Indigenous Australians in the forestry sector: a case study from northern Queensland. Australian Forestry 75:73–81.
- Ludwig J (Minister for Agriculture, Fisheries and Forestry) (2012).

 Australia to be drought-free. Media release, 27 April. http://pandora.nla.gov.au/pan/54888/20130628-0704/www.maff.gov.au/Pages/Media_Office/Media_Releases/2012/april/Australia-to-be-drought-free.html (Accessed 18 October 2013)
- ——and Green B (Tasmanian Minister for Energy and Resources) (2010). Labor Governments deliver assistance to Tasmanian forest contractors. Media release no. DAFF10/052LJ, 23 November 2010.
- Lunney D, Curtin A, Ayers D, Cogger HG, Dickman CR, Maitz W, Law B and Fisher D (2000). *The Threatened and Non-threatened Native Vertebrate Fauna of New South Wales: Status and Ecological Attributes*, Environmental Heritage Monograph Series no. 4, New South Wales National Parks and Wildlife Service, Sydney.
- LWA (Land & Water Australia) (2009). Land & Water Australia's Contribution to Australia, LWA, Canberra. http://lwa.gov.au/node/3710 (Accessed 31 October 2012)
- Maguire B and Cartwright S (2008). Assessing a Community's Capacity to Manage Change: A Resilience Approach to Social Assessment, Bureau of Rural Sciences, Canberra.
- Maynard S, James D and Davidson A (2010). The development of an ecosystem services framework for South East Queensland. Environmental Management 45:881–895.
- ——, James D and Davidson A (2012). An adaptive participatory approach for developing an ecosystem services framework for South East Queensland, Australia. *International Journal* of Biodiversity Science, Ecosystem Services and Management 7:182–189.
- McCaw WL, Robinson RM and Williams MR (2011). Integrated biodiversity monitoring for the jarrah (*Eucalyptus marginata*) forest in south-west Western Australia: the Forestcheck project. *Australian Forestry* 74:240–253.
- McIntosh PD (2007). Investigations of Coupe GN144a, Lake Leake as a Possible Source of Herbicide Contamination in the Macquarie River, Forest Practices Authority, Hobart.
- ——(2008). Herbicide Trespass from Plantation Coupes at Western Creek and Brumby's Creek, Forest Practices Authority, Hobart.
- MDBA (Murray-Darling Basin Authority) (2012). Basin Plan, MDBA, Canberra.
- MEA (Millennium Ecosystem Assessment) (2005). Ecosystems and Human Well-being: Our Human Planet: Summary for Decisionmakers, Island Press, Washington, DC.
- MIG (Montreal Process Implementation Group for Australia) (1998). A Framework of Regional (Sub-National) Level Criteria and Indicators of Sustainable Forest Management in Australia, Bureau of Rural Sciences, Canberra.
- ——(2008). Australia's State of the Forests Report 2008, Bureau of Rural Sciences, Canberra.

- Montreal Process Working Group (2001) Montréal Process Capacity Building Workshop Summary, August 26–31, 2001, Portland, Oregon. Available at http://www.montrealprocess.org/ documents/meetings/adhoc/2001portland_e.pdf (Accessed 01 Nov 2013)
- —— (2009a). Criteria and Indicators for the Conservation and Sustainable Management of Temperate and Boreal Forests, The Montreal Process, 4th edition.
- —— (2009b). Technical Notes on Implementation of the Montreal Process Criteria and Indicators, Montréal Process Criteria and Indicators for the Conservation and Sustainable Management of Temperate and Boreal Forests, 3rd edition.
- Morin L, Aveyard R, Lidbetter JR and Wilson PG (2012). Investigating the host-range of the rust fungus *Puccinia psidii* sensu lato across tribes of the family Myrtaceae present in Australia. *PLoS ONE* 7(4):e35434, doi:10.1371/journal. pone.0035434.
- Mutendeudzi M, Read S, Howell C, Davey S and Clancy T (2013a). Improving Australia's forest area estimate using a 'Multiple Lines of Evidence' approach. Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- ——, ——, —— and —— (2013b). A 'Multiple Lines of Evidence' approach to Australia's forest cover estimate. In: Managing our Forests into the 21st Century, Proceedings of the Institute of Foresters of Australia Conference, Canberra, 7–11 April 2013, Institute of Foresters of Australia, Canberra.
- National Forest Inventory (1998). *Australia's State of the Forests Report 1998*, Bureau of Rural Sciences, Canberra.
- -—(2003). Australia's State of the Forests Report 2003, Bureau of Rural Sciences, Canberra.
- Natural Resources Commission (2009). Final Assessment Report: Riverina Bioregion Regional Forest Assessment—River Red Gum and Woodland Forests, Natural Resources Commission, Sydney.
- NCC (National Competition Council) (2012). About the National Competition Policy, NCC, Melbourne. http://ncp.ncc.gov.au/pages/about (Accessed 13 August 2013)
- NLWRA (National Land & Water Resources Audit) (2001). Australian Dryland Salinity Assessment 2000, NLWRA, Canberra.
- ——(2008). Assessing Invasive Animals in Australia 2008, Invasive Animals Cooperative Research Centre, NLWRA, Canberra.
- NNTT (National Native Title Tribunal) (2009). *Native Title: An Overview*, NNTT, Perth.
- NRMMC (Natural Resource Management Ministerial Council) (2004). Directions for the National Reserve System—A Partnership Approach, Australian Government Department of the Environment and Heritage, Canberra.
- ——(2008). National Code of Practice for the Humane Shooting of Kangaroos and Wallabies for Commercial Purposes, Commonwealth of Australia, Canberra.
- —— (2009). Australia's Strategy for the National Reserve System 2009–2030, Australian Government, Canberra.
- ——(2010). Australia's Biodiversity Conservation Strategy 2010– 2030, Australian Government Department of Sustainability, Environment, Water, Population and Communities, Canberra.
- NSW EPA (New South Wales Environment Protection Authority) (2013). Private Native Forestry Code of Practice, NSW EPA, Sydney. www.epa.nsw.gov.au/pnf/index.htm (Accessed 12 August 2013)

- NSW Government Office of Environment and Heritage (2011). NSW Forest Agreements Implementation Report 2009–2010: Upper North East, Lower North East, Eden and Southern Regions. A report prepared by the Minister for the Environment as part of the implementation of the NSW forest agreements and integrated forestry operations approvals, Crown Forestry Section, Office of Environment and Heritage, Sydney.
- O'Connor P, Morgan A and Bond A (2008). BushBids: Biodiversity Stewardship in the Eastern Mount Lofty Ranges, South Australian Murray–Darling Basin Natural Resources Management Board.
- Page KL, Dalal RC and Raison RJ (2011). Impact of the harvesting of Australian native forests on soil carbon sequestration and CO_2 , N_2O and CH_4 fluxes. Australian Journal of Botany 59:654–669.
- Parks and Wildlife Service, Forestry Tasmania and Department of Primary Industries, Water and Environment (2003). *Tasmanian Reserve Management Code of Practice*, Department of Tourism, Parks, Heritage and the Arts, Hobart.
- Parsons M and Pritchard P (2009). The Role, Values and Potential of Australia's Private Native Forests, RIRDC publication 09/049, Rural Industries Research and Development Corporation, Canberra.
- ——, Frakes I and Gavran M (2007). Australia's Plantation Log Supply 2005–2049, Australian Government Department of Agriculture, Fisheries and Forestry, Canberra.
- Parsons R and Uren N (2007). The relationship between lime chlorosis, trace elements and Mundulla yellows. *Australasian Plant Pathology* 36:415-418.
- Paul KI, Polglase PJ, Nyakuengama JG and Khanna PK (2002). Change in soil carbon following afforestation. *Forest Ecology* and Management 168:241–257.
- Pearson C and Helms K (2011). Indigenous entrepreneurship in timber furniture manufacturing: the Gumaj venture in Northern Australia. *Information Management and Business Review* 2:1–11.
- Pegg G, Perry S, Carnegie A, Ireland K and Giblin F (2012).

 Understanding Myrtle Rust Epidemiology and Host Specificity to
 Determine Disease Impact in Australia, Cooperative Research
 Centre for National Plant Biosecurity, Canberra.
- Penman J, Gytarsky M, Hiraishi T, Krug T, Kruger D, Pipatti R, Buendia L, Miwa K, Ngara T, Tanabe K and Wagner F (eds) (2003). Good Practice Guidance for Land Use, Land-Use Change and Forestry, Intergovernmental Panel on Climate Change National Greenhouse Gas Inventories Programme and Institute for Global Environmental Strategies, Kanagawa, Japan. www.ipcc-nggip.iges.or.jp/public/gpglulucf/gpglulucf.html (Accessed 17 June 2013)
- Petter M, Mooney S, Maynard SM, Davidson A, Cox M and Horosak I (2012). A methodology to map ecosystem functions to support ecosystem services assessments. *Ecology and Society* 18:31.
- Pinkard L and Bruce J (2011). Climate Change and South Australia's Plantations: Impacts, Risks and Options for Adaptation, Commonwealth Scientific and Industrial Research Organisation, Adelaide.
- PIRSA (Primary Industries and Resources South Australia) (2009). Guidelines for Plantation Forestry in South Australia 2009, PIRSA, Adelaide.
- Plant Health Australia Ltd (2007). *Plantation Forest Biosecurity Plan* (Version 2.0 Jan 2013), Plant Health Australia Ltd, Canberra.
- Pollack DP (2001). Indigenous Land in Australia: A Quantitative Assessment of Indigenous Landholdings in 2000, Discussion Paper no. 221, Centre for Aboriginal Economic Policy Research, Australian National University, Canberra.

- Private Forestry Consultative Committee (2002). Plantations for Australia: The 2020 Vision.)
- Private Forests Tasmania (2005). *Tasmanian Private Property Wood Flow Estimates*, Private Forests Tasmania, Hobart.
- Pulp and Paper Industry Strategy Group (2010). Final Report, Commonwealth of Australia, Canberra.
- QDIP (Queensland Department of Infrastructure and Planning) (2009). South East Queensland Regional Plan 2009–2031, Brisbane.
- Resource Assessment Commission (1992). A Survey of Australia's Forest Resource, Australian Government Publishing Service, Canberra.
- RIRDC (Rural Industries Research and Development Corporation) (2007a). Honeybee R&D Plan 2007–2012, RIRDC Publication No 07/056, RIRDC Project No AGL-4A. RIRDC, Canberra.
- ——(2007b). The Effectiveness and Safety of Australian Tea Tree Oil, RIRDC, Canberra.
- ——(2007c). Rural Industries Research and Development Corporation Corporate Plan 2007–2012, RIRDC, Canberra.
- ——(2008a). Essential Oils and Plant Extracts Five-year R&D Plan: 2008 to 2013, RIRDC publication no. 08/053, RIRDC, Canberra.
- ——(2008b). Native Foods R&D Priorities and Strategies 2007–2012, RIRDC publication no. 08/02, RIRDC, Canberra.
- ——(2010). New and Emerging Industries: National Research, Development and Extension Strategy, RIRDC publication no. 10/159, RIRDC, Canberra.
- Rodriguez D, Tomasella J and Linhare C (2010). Is the forest conversion to pasture affecting the hydrological response of Amazonian catchments? Signals in the Ji-Parana Basin. *Hydrological Processes* 24:1254–1269.
- Roy DP, Boschetti L, Justice CO and Ju J (2008). The collection 5 MODIS burnt area product—global evaluation by comparison with the MODIS active fire product. *Remote Sensing of Environment* 112:3690–3707.
- Russell-Smith J, Yates C, Whitehead P, Smith R, Craig R, Allan G, Thackway R, Frakes I, Cridland S, Meyer M and Gill A (2007). Bushfires 'down under': patterns and implications of contemporary Australian landscape burning. *International Journal of Wildland Fire* 16:361–377.
- SAFC (South Australian Forestry Corporation) (2007). ForestrySA Annual Report 2006–07, SAFC, Mount Gambier.
- ——(2008). ForestrySA Annual Report 2007–08, SAFC, Mount Gambier
- ——(2009). ForestrySA Annual Report 2008–09, SAFC, Mount Gambier.
- ——(2010). ForestrySA Annual Report 2009–10, SAFC, Mount Gambier.
- ——(2011). ForestrySA Annual Report 2010–11, SAFC, Mount Gambier.
- Safe Work Australia (2010). Compendium of Workers'
 Compensation Statistics Australia 2007–08, Safe Work Australia,
 Canberra.
- ——(2011). Compendium of Workers' Compensation Statistics Australia 2008–09, Safe Work Australia, Canberra.
- ——(2012). Compendium of Workers' Compensation Statistics Australia 2009–10, Safe Work Australia, Canberra.
- Salvin S, Bourke M and Byrne T (2008). The New Crop Industries Handbook—Native Foods, Rural Industries Research and Development Corporation, Canberra.

- Saunders DL and Tzaros CL (2011). *National Recovery Plan for the Swift Parrot* Lathamus discolor, Birds Australia, Melbourne.
- ——, Tzaros C, Webb M and Thurstans S (2010). Background Document: National Recovery Plan for the Swift Parrot Lathamus discolor, New South Wales Department of Environment, Climate Change and Water, Queanbeyan, and Birds Australia, Melbourne.
- SCARFF (Standing Committee on Agriculture, Resources, Fisheries and Forestry) (2011). Seeing the Forest through the Trees—Inquiry into the Future of the Australian Forestry Industry, House of Representatives, Canberra.
- Schirmer J and Bull L (2011). Planting Trees for Carbon Sequestration: What do Landholders Think?, Technical Report 218, Cooperative Research Centre for Forestry, Hobart.
- ——, Binks, B, Kancans R and Stenekes N (2013). Social indicators for Australia's forest and wood products industries—Discussion paper, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- ——, Dunn C, Loxton E and Dare M (2011). Socioeconomic Impacts of Forest Industry Change: A Baseline Study of the Tasmanian Forest Industry, Technical Report 214 (interim report), Cooperative Research Centre for Forestry, Hobart.
- ——, Parsons M, Charalambou C & Gavran M (2005). Socioeconomic Impacts of Plantation Forestry in the South West Slopes Region (NSW), Australian Government, Canberra.
- Secretariat of the Convention on Biological Diversity (2005).

 Handbook of the Convention on Biological Diversity Including its

 Cartagena Protocol on Biosafety, 3rd edition, Secretariat of the

 Convention on Biological Diversity, Montreal, Canada.
- Select Carbon (2012). Best Practice Guide for Timber Plantations in Tropical Cyclonic Areas of Queensland, report prepared for Timber Queensland, Select Carbon, Cairns.
- SECRC (Senate Environment and Communications References Committee) (2011). *The Koala—Saving our National Icon*, SECRC, Parliament House, Canberra.
- Shim-Prydon G and Camacho-Barreto H (2007). New Animal Products: New Uses and Markets for By-products and Coproducts of Crocodile, Emu, Goat, Kangaroo and Rabbit, RIRDC publication no. 06/117, Rural Industries Research and Development Corporation, Canberra.
- Singh S, Davey S and Cole M (2010). Implications of climate change for forests, vegetation and carbon in Australia. New Zealand Journal of Forestry Science 40:141–152.
- ——, Cunningham D, Davidson J, Bush D and Read S (2013). Status of Australia's Forest Genetic Resources, ABARES Research Report 13.3, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- Smith HG, Sheridan GJ, Lane PN, Nymana P and Haydon S (2011). Wildfire effects on water quality in forest catchments: a review with implications for water supply. *Journal of Hydrology* 396:170–192.
- SOFR 1998—see National Forest Inventory (1998).
- SOFR 2003—see National Forest Inventory (2003).
- SOFR 2008—see Montreal Process Implementation Group for Australia (2008).
- Somerville D (2010). Forestry Plantations and Honeybees, Rural Industries Research and Development Corporation, Canberra.
- State Forests NSW (1999). Forest Practices Code, part 4, Forest Roads and Fire Trails, State Forests NSW, Sydney. www.forestrycorporation.com.au/_data/assets/pdf_file/0011/449903/D00001553-Forest-Roads-and-Fire-Trails-Forest-Practices-Code-Part-4.pdf (Accessed 12 August 2013)

- State Forests of New South Wales (2001). Seeing: Social, Environmental and Economic Report 2000–01, State Forests of New South Wales, Pennant Hills.
- ——(2002). Seeing: Social, Environmental and Economic Report 2001–02, State Forests of New South Wales, Pennant Hills.
- ——(2003). Seeing: Social, Environmental and Economic Report 2002–03, State Forests of New South Wales, Pennant Hills.
- State of the Environment 2011 Committee (2011). Australia State of the Environment 2011, independent report to the Australian Government Minister for Sustainability, Environment, Water, Population and Communities, DSEWPaC, Canberra.
- Stenekes N, Reeve I, Kancans R, Stayner R, Randall L and Lawson K (2012). Revised Indicators of Community Vulnerability and Adaptive Capacity Across the Murray–Darling Basin: A Focus on Irrigation in Agriculture, report to the Murray–Darling Basin Authority, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra.
- Tasker EM and Hammill KA (2012). Fire regimes and vegetation in the Greater Blue Mountains World Heritage Area. In: Proceedings of Bushfire CRC & AFAC 2011 Conference Science Day, Thornton RP (ed.), Sydney, 1 September 2011, Bushfire CRC, 182–195.
- Tasmanian Community Forest Agreement Technical Support Group (2010). Research into Alternatives to Clearfelling in Old Growth Forests: Final Report, Australian and Tasmanian Governments, Hobart.
- TERN (Terrestrial Ecosystem Research Network) (2012). Terrestrial Ecosystem Research Network, website. http://tern.org.au (Accessed 31 October 2012)
- Thackway R, Mutendeudzi M and Kelley G (2008). Assessing the Extent of Australia's Forest Burnt by Planned and Unplanned Fire, Bureau of Rural Sciences, Canberra.
- Thavamanikumar S, McManus LJ, Tibbits JFG and Bossinger G (2011). The significance of single nucleotide polymorphisms (SNPs) in *Eucalyptus globulus* breeding programs. *Australian Forestry* 74:23–29.
- Tourism NSW (2009). Nature Based Tourism to NSW: Year Ended December 2009, information leaflet. http://archive.tourism.nsw.gov.au/Sites/SiteID6/objLib27/Nature-based-tourism-YE-Dec-09.pdf (Accessed 12 August 2013)
- ——(2010). Nature Based Tourism to NSW: Year Ended December 2010, information leaflet. http://archive.tourism.nsw.gov.au/Sites/SiteID6/objLib12/Nature-based-tourism-YE-Dec-10.pdf (Accessed 12 August 2013)
- Trewin D and Pink B (2006). ANZSIC (Australian and New Zealand Standard Industrial Classification 2006), Australian Bureau of Statistics, Canberra.
- TSSC (Threatened Species Scientific Committee (2009a). Listing Advice for Calyptorhynchus banksii naso (Forest Red-tailed Black Cockatoo), TSSC, Canberra.
- ——(2009b). Listing Advice for Sarcophilus harrisii (Tasmanian Devil), TSSC, Canberra.
- ——(2012a). Approved Conservation Advice for Phascolarctos cinereus (Combined Populations of Queensland, New South Wales and the Australian Capital Territory) (Koala Northern Designatable Unit), TSSC, Canberra.
- ——(2012b). *Listing Advice for* Phascolarctos cinereus (*Koala*), TSSC, Canberra.
- Tumut Shire Council (2010). *Tumut Region Business and Investment Profile*, Tumut Shire Council, Tumut.

- Turner R (2007). An overview of Airborne LIDAR applications in New South Wales state forests. In: *Proceedings of the Australia and New Zealand Institutes of Forestry Conference*, Coffs Harbour, 3–7 June 2007.
- Turner J and Lambert M (2011). Expenditure on forestry and forest products research in Australia 2007–2008. *Australian Forestry* 74:149–155.
- Vanclay J (2009). Managing water use from forest plantations. Forest Ecology and Management 257:385–389.
- VicForests (2011a). VicForests 2011 Resource Outlook, VicForests, Melbourne.
- ——(2011b). Sustainability Report 2010–11, VicForests, Melbourne.
- ——(2012). Sustainability Report 2012, VicForests, Melbourne.
- Victorian Bushfire Royal Commission (2010). 2009 Victorian Bushfire Royal Commission Final Report, Parliament of Victoria. www.royalcommission.vic.gov.au/commission-reports/final-report (Accessed 6 February 2013)
- Visy (2011). Tumut: A Decade of Sustainability Achievements, Visy, Melbourne. www.visy.com.au/media/47208/tumut - a decade of sustainability achievements.pdf (Accessed 12 August 2013)
- WA Legislative Council (2012). *Inquiry into the Sandalwood Industry in Western Australia*, Standing Committee on Environment and Public Affairs, interim report, Report 29, Perth.
- Wall E and Marzall K (2006). Adaptive capacity for climate change in Canadian rural communities. *Local Environment* 11:373–397.
- Wallace L (2010). Independent Review on Progress with Implementation of the Victorian Regional Forest Agreements (RFAs): Final Report, May 2010, Victorian Government and Commonwealth of Australia.
- Webb M (2008). Swift Parrot Breeding Season Survey Report—2007/08, Threatened Species Section, Tasmanian Department of Primary Industries and Water, Hobart.
- Webb AA (2008). Impacts of native forest harvesting on inchannel erosion and sediment yields in unmapped headwater catchments. In: *Sediment Dynamics in Changing Environments*, Schmidt J, Cochrane T, Phillips C, Elliott S, Davies T and Basher L (eds), International Association of Hydrological Sciences publication 325, 567–575.
- ——(2009). Streamflow response to *Pinus* plantation harvesting: Canobolas State Forest, southeastern Australia. *Hydrological Processes* 23:1679–1689.
- ——(2012). Can timber and water resources be sustainably co-developed in south-eastern New South Wales, Australia? Environment, Development and Sustainability 14:233–252
- ——and Kathuria A (2012). Response of streamflow to afforestation and thinning at Red Hill, Murray Darling Basin, Australia. *Journal of Hydrology* 412–413:133–140.
- ——, Dragovich D and Jamshidi R (2012a). Temporary increases in suspended sediment yields following selective eucalypt forest harvesting. Forest Ecology and Management 283:96–105.
- ——, Jarrett B and Turner L (2007). Effects of plantation forest harvesting on water quality and quantity: Canobolas State Forest, NSW. In: Proceedings of the 5th Australian Stream Management Conference. Australian Rivers: Making a Difference, Wilson AL, Deehan RL, Watts RJ, Page KJ, Bowmer KH and Curtis A (eds), Albury, 21–25 May 2007, Charles Sturt University, Thurgoona.
- ——, Kathuria A and Turner L (2012b). Longer-term changes in streamflow following logging and mixed species eucalypt forest regeneration: the Karuah experiment. *Journal of Hydrology* 464–465:412–422.

- Whyte G (2012). The ecology of insect pests and fungal pathogens of drought stressed eucalypt plantations in southern Queensland. PhD thesis, Murdoch University.
- Williams K (2009). Community Attitudes to Plantation Forestry, Technical Report 194, Cooperative Research Centre for Forestry, Hobart.
- ——(2012). Changes in Attitude towards Plantation Forestry (2008–2011), Tasmania and Southwest Western Australia, unpublished preliminary report, University of Melbourne and Cooperative Research Centre for Forestry.
- Williams KJH (2011) Relative acceptance of traditional and nontraditional rural land uses: Views of residents in two regions, southern Australia. *Landscape and Urban Planning* 103: 55-63.
- Williams RJ, Bradstock RA, Cary GJ, Enright NJ, Gill AM, Liedloff AC, Lucas C, Whelan RJ, Andersen AN, Bowman DJMS, Clarke PJ, Cook GD, Hennessy KJ and York A (2009). Interactions Between Climate Change, Fire Regimes and Biodiversity in Australia: A Preliminary Assessment, report to the Australian Government Department of Climate Change and Department of the Environment, Water, Heritage and the Arts, Canberra. http://climatechange.gov.au/climate-change/publications/interactions-between-climate-change-fire-regimes-and-biodiversity-australia-preliminary-assessment (Accessed 6 February 2013)
- Williamson GJ, Price OF, Henderson SB and Bowman DMJS (2013). Satellite-based comparison of fire intensity and smoke plumes from prescribed fires and wildfires in south-eastern Australia. International Journal of Wildland Fire 22:121–129.
- Wood MS, Keightley EK, Lee A and Norman P (2006). Continental Forest Monitoring Framework, Technical Report: Design and Pilot Study, National Forest Inventory, Bureau of Rural Sciences, Canberra.
- World Bank (2012). *Doing Business 2012—Australia*, World Bank, Washinaton DC.
- Ximenes F, George BH, Cowie A, Williams J and Kelly G (2012a). Greenhouse gas balance of native forests in New South Wales, Australia. *Forests* 3:653–683.
- ——, George B, Cowie A, Kelly G, Williams J, Levitt G and Boer K (2012b). Harvested Forests Provide the Greatest Ongoing Greenhouse Gas Benefits. Does Current Australian Policy Support Optimal Greenhouse Gas Mitigation Outcomes? NSW Department of Primary Industries, Orange.

Tables

Criterion 1
Table 1.1:

Table 1.1:	Australia's forest area, by jurisdiction	33
Table 1.2:	Australia's forest area, by forest type	37
Table 1.3:	Area of native forest, by crown cover class and jurisdiction	38
Table 1.4:	Area of native forest, by type and crown cover class	39
Table 1.5:	Forest area, by forest type and jurisdiction	41
Table 1.6:	Area of native forest, by tenure and jurisdiction	41
Table 1.7:	Area of native forest (by crown cover type) and plantation, by tenure	42
Table 1.8:	Areas of forest in Regional Forest Agreement regions, by region	44
Table 1.9:	Areas of forest in Regional Forest Agreement regions, by forest type	44
Table 1.10:	Areas of forest in Regional Forest Agreement regions, by forest tenure	45
Table 1.11:	Differences in reported forest areas between SOFR 2013 and SOFR 2008, by jurisdiction	48
Table 1.12:	Difference in areas of reported forest in Regional Forest Agreement regions between 2008 and 2013	51
Table 1.13:	Status of native forest growth stage data over the SOFR 2013 reporting period	60
Table 1.14:	Areas of native forest of known growth stage, by tenure	61
Table 1.15:	Areas of forest of different forest types, by growth stage	61
Table 1.16:	Area of Tasmanian native forest types by growth stage and tenure	64
Table 1.17:	Forest area in formal public nature conservation reserves, as reported in SOFR 2013 and previous SOFRs	67
Table 1.18:	Area of protected native forest on public land in New South Wales, by CAR reserve type	68
Table 1.19:	Area of protected native forest on public and private land in Tasmania, by CAR reserve type	68
Table 1.20:	Area of protected native forest on public land in Victoria, by CAR reserve type	68
Table 1.21:	Area of protected native forest on public land in Western Australia, by CAR reserve type	68
Table 1.22:	Area and type of forest in properties in the National Conservation Lands Database, by jurisdiction	70
Table 1.23:	Area of forest in CAPAD, by tenure and jurisdiction	70
Table 1.24:	Area of forest in IUCN protected-area categories, by jurisdiction	71
Table 1.25:	Area of forest in IUCN protected-area categories, by forest type	73
Table 1.26:	Area of native forest on land protected for conservation of biodiversity, by jurisdiction	73
Table 1.27:	Area of native forest in World Heritage areas	74
Table 1.28:	Parameters of landscape fragmentation	77
Table 1.29:	Number of forest-dwelling vertebrate species, by jurisdiction	80
Table 1.30:	Number of forest-dependent vertebrate species, by jurisdiction, 2011	80
Table 1.31:	Percentage habitat use of forest-dwelling and forest-dependent vertebrate species	81
Table 1.32:	Number of forest-dwelling vascular plant species, by jurisdiction	82
Table 1.33:	Assessed level of ecological knowledge on forest-dwelling species, by taxonomic group	83
Table 1.34:	Listed key threatening processes affecting forest-dwelling threatened species	86
Table 1.35:	Threatened forest-dwelling species listed under the EPBC Act, by taxonomic group	87
Table 1.36:	Threats to forest-dwelling threatened species	90
Table 1.37:	Forest-dwelling species on the national list of threatened species with changed rating during the SOFR 2013 reporting period	91
Table 1.38:	Forest-dwelling species removed from the national list of threatened species during the SOFR 2013 reporting period	91

Table 1.39:	Reasons for the removal of forest-dwelling species from the national list of threatened species during the SOFR 2013 reporting period	92
Table 1.40:	Forest-dwelling species added to the national list of threatened species during the SOFR 2013 reporting period	92
Table 1.41:	Species added to the national list of forest-dwelling threatened species during the SOFR 2013 reporting period, and primary threats given as reasons for listing	93
Table 1.42:	Number of forest ecological communities listed under the EPBC Act, by jurisdiction	95
Table 1.43:	Threats to threatened forest ecological communities listed under the EPBC Act	95
Table 1.44:	Taxonomic groups for which representative species are being monitored	99
Table 1.45:	Threatened forest-dwelling species in Australia with conservation concerns about isolation or genetic capacity	108
Table 1.46:	Number of forest-dwelling threatened and priority species in Tasmania potentially at risk from isolation and loss of genetic variation	108
Table 1.47:	Number of forest-dwelling species in the Northern Territory potentially at risk from isolation and loss of genetic variation	109
Table 1.48:	Plantation species with reproductive material available in seed collections in Australia	112
Table 1.49:	Plantation species present in seed orchards in Australia	113
Table 1.50:	Plantation species in tree improvement and breeding programs in Australia	114
Table 1.51:	Tree improvement trials in Australia	114
Criterion 2		
Table 2.1:	Area of leasehold native forest, multiple-use public native forest and native forest on private land legally restricted and not legally restricted from wood harvesting, by jurisdiction, 2010–11	124
Table 2.2:	Area of leasehold, private and multiple-use native forest, by level of wood commerciality, 2006 and 2011	124
Table 2.3:	Net harvestable area of public native forest, and proportion of total public native forest, by jurisdiction, 1995–96 to 2010–11	127
Table 2.4:	Average area of multiple-use public native forest harvested in Western Australia	128
Table 2.5:	Silvicultural systems used in multiple-use public native forest in Australia	128
Table 2.6:	Forest area harvested annually from multiple-use public native forest in Australia	130
Table 2.7:	Area of components of Industrial plantation estate, by type and rotation, 2010–11	132
Table 2.8:	Area proportion of Industrial plantations by ownership category	134
Table 2.9:	Main plantation species by region, and main uses	134
Table 2.10:	Change in sustainable yield from public multiple-use forests across SOFR reporting periods, from those reported in SOFR 1998, by jurisdiction	138
Table 2.11:	Firewood and fuelwood use in Australia, 1973-75 to 2006-10	144
Table 2.12:	Logs harvested by native forest and plantation sector, 2000–01 to 2010–11	146
Table 2.13:	Proportions of wood harvest volumes derived from native forests and plantations, 2000–01 to 2010–11	148
Table 2.14:	Forecast plantation log supply, Australia, 2010–14 to 2050–54	149
Table 2.15:	Examples of NWFPs produced and used in Australia	154
Table 2.16:	Contemporary land-use pressures on the land environment: forest	156
Table 2.17:	Estimated tree fern numbers, by land tenure, in Tasmania	157
Table 2.18:	Tree fern harvesting in Tasmania	157
Table 2.19:	Wildflower and seed harvest from south-west Western Australian native environments covered by the Forest Management Plan 2004–2013	157
Table 2.20:	Australian sandalwood production, 2005–06 to 2011–12	158
Table 2.21:	Annual harvest of wallaby meat in Tasmania	159
Table 2.22:	Annual harvest of common brushtail possums in Tasmania	160
Table 2.23:	Number of beekeepers and hives by jurisdiction	161
Table 2.24:	Average number of apiary sites and hives on state forest land in Tasmania	161
Table 2.25:	Area proportion of harvested multiple-use public native forest effectively regenerated, New South Wales, 2001–02 to 2010–11	164
Table 2.26:	Area of multiple-use public native forest treated for regeneration and area effectively regenerated, Victoria, 1993-94 to 2010-11	165
Table 2.27:	Area of multiple-use public native forest effectively regenerated, Western Australia, 2001–02 to 2010–11	165
Table 2.28:	Area of regenerated multiple-use public native forest meeting stocking standards, Tasmania, 1998-99 to 2010-11	166

Table 2.29:	Annual assessment performance rating for regeneration in native forestry operations, Tasmania, 2003–04 to 2010–11	166
Table 2.30:	Percentage of regenerated multiple-use public native forest meeting the regeneration stocking standard or effectively regenerated	167
Table 2.31:	Planned subsequent land use of harvested plantation forest (public and private), Tasmania, 1999–2000 to 2010–11	169
Table 2.32:	Proportion of plantation establishment meeting stocking standards on state forest lands, Tasmania, 2006–10	169
Table 2.33:	Annual assessment performance rating for re-establishment in plantation operations, Tasmania, 2003–04 to 2010–11	169
Table 2.34:	Annual area of public softwood plantation re-established, and area achieving stocking density standards specified in the silviculture guidelines, Western Australia	170
Table 2.35:	Public softwood plantation establishment and re-establishment, South Australia, 2001–02 to 2010–11	170
Table 2.36:	Public softwood and hardwood plantation planting, New South Wales, 1998 to 2011	170
Criterion 3		
Table 3.1:	Rainfall zones and seasons used to classify fires as planned or unplanned	192
Table 3.2:	Total forest area burnt, by rainfall zone, 2006–07 to 2010–11 (MODIS data)	193
Table 3.3:	Forest areas burnt by planned and unplanned fire, 2006–07 to 2010–11, by jurisdiction (MODIS data)	194
Table 3.4:	Total forest area burnt by planned and unplanned fire, 2006–07 to 2010–11, by jurisdiction (data from states and territories)	194
Table 3.5:	Total forest area burnt by planned and unplanned fire, by jurisdiction, 2006–07 to 2010–11 (combination of MODIS data and state and territory data)	195
Table 3.6:	Mega-fires in southern Australia, 1993–94 to 2010–11	196
Criterion 4		
Table 4.1:	Area of public forest from which wood harvesting was excluded, 2011	205
Table 4.2:	Area of forest in catchments managed specifically to supply water for human or industrial use, 2011	206
Table 4.3:	Categories of the extent to which the regulatory framework requires the maintenance of soil values	210
Table 4.4:	Extent to which legally and non-legally binding instruments address the risk of soil erosion due to forest operations, road and trail works, and recreation activities	210
Table 4.5:	Categories of the extent to which the risks of soil erosion are assessed in planning processes	211
Table 4.6:	Area of multiple-use public forest where disturbance activities were planned, proportion assessed for risk of soil erosion, and assessed category, 2010–11	211
Table 4.7:	Knowledge base on soil erosion and soil physical properties, by jurisdiction	212
Table 4.8:	Categories for the performance of forest managers in complying with prescribed mitigation measures for soil impacts	213
Table 4.9:	Compliance outcomes for soil impacts achieved in multiple-use public forests, 2005–06	213
Table 4.10:	Categories of the extent to which a regulatory framework requires the maintenance of soil physical properties	215
Table 4.11:	Extent to which legally and non-legally binding instruments address the risk to soil physical properties from forest operations, road and trail works, fire management and recreation activities	215
Table 4.12:	Categories of the extent to which soil physical properties are assessed in planning processes	217
Table 4.13:	Area of multiple-use public forest where disturbance activities were planned, proportion assessed for risk to soil physical properties, and assessed category, 2011–12	217
Table 4.14:	Categories of the extent to which regulatory frameworks aim to maintain water quantity after disturbances associated with forest management	221
Table 4.15:	Extent to which legally binding and non-legally binding instruments address the risk to water quantity from forest management activities in multiple-use public forests (including plantations)	221
Table 4.16:	Knowledge base on water quantity, by jurisdiction	221
Table 4.17:	Categories of the extent to which the regulatory framework requires the maintenance of water quality	225
Table 4.18:	Extent to which legally and non-legally binding regulatory instruments address the risk to water quality from forest operations, road and trail works, fire management and recreation	225
Table 4.19:	Categories of the extent to which risks to water quality are assessed in planning processes	227
Table 4.20:	Proportion of disturbance activities in multiple-use public forest assessed for risk to water quality in 2010–11, and assessed category	227
Table 4.21:	Knowledge base on water quality, by jurisdiction	227

Criterion 5

Table 5.1:	Carbon accounts for Australia's forests, 2001–10	238
Table 5.2:	Carbon stored in forest lands and harvested wood products	240
Table 5.3:	Carbon input to, and output from, the harvested wood products pool in Australia	244
Table 5.4:	Emissions and sequestrations of greenhouse gases during production of plantation softwood and native hardwood logs	245
Criterion 6		
Table 6.1:	Volume of logs harvested by log type	254
Table 6.2:	Estimated gross value of production of selected non-wood forest products	263
Table 6.3:	Australian crocodile hide production and exports, 2006–07 and 2011–12	263
Table 6.4:	Australian crocodile meat production, exports and domestic consumption, 2006–07 and 2011–12	263
Table 6.5:	Crocodile egg harvest, from farms and the wild, Northern Territory, 2006–07 to 2010–11	263
Table 6.6:	Venison production, exports and consumption, and exports of live deer and deer hides, 2006–07 and 2011–12	264
Table 6.7:	Velvet antler production, exports and consumption, 2006–07 and 2011–12	264
Table 6.8:	Number of game pig kills, and game pig meat production, exports and consumption, 2006-07 and 2011-12	265
Table 6.9:	Kangaroo productis: production, export and value, Australia	266
Table 6.10:	Wallaby products: production, export and value, Tasmania	266
	Volume of Australian honey production, export, import and consumption, 2008 and 2011–12	267
	Eucalyptus oil production, exports and consumption, 2006–07 and 2011–12	267
	Tea-tree oil production, exports and consumption, 2006–07 and 2011–12	267
	Sandalwood production, value, consumption and exports, 2005–06 to 2011–12	268
	International and domestic visitors to forest nature-based tourism destinations, New South Wales, 2009 and 2010	273
	Visitors to state forests, South Australia, 2006–07 to 2010–11	273
	Forest product exports, 2010–11	276
	Commercially used native plant foods associated with forests	280
	Australian industrial wood waste production and trade, 2006–11	282
	Major sources of rubbish in landfills in Australia, 2006–11	283
	Recycling of forest products in Victoria	284
	Expenditure on forest management in New South Wales state forests, 2006–07 to 2010–11	286
	Total expenditure by ForestrySA, 2005–06 to 2010–11	286
	Total operating expenditure by Forestry Tasmania, 2006–07 to 2010–11	287
	Planned and actual expenditure for management of state-run parks and forests, Victoria, 2009–10 and 2010–11	287
Table 6.26:	Expenditure on nature conservation and sustainable forest management in state-owned parks and forests, Western Australia, 2006–07 to 2010–11	287
Table 6.27:	Area of new plantation establishment, 2006-07 to 2010-11	288
Table 6.28:	Area and cost of plantings in state-owned plantations, New South Wales, 2006–07 to 2010–11	288
Table 6.29:	Area and cost of new plantings in state-owned plantations, South Australia, 2006-07 to 2010-11	289
Table 6.30:	Area and cost of plantings in state-owned plantations, Tasmania, 2006-07 to 2010-11	289
Table 6.31:	Area and cost of plantation establishment under Forest Products Commission schemes, Western Australia, 2006–07 to 2010–11	290
Table 6.32:	Investment and expenditure in the Australian forestry and logging subsector, 2006–07 to 2010–11	291
Table 6.33:	Investment and expenditure in the Australian wood product manufacturing subsector, 2006–07 to 2010–11	291
Table 6.34:	Investment and expenditure in the Australian pulp, paper and converted paper product manufacturing subsector, 2006–07 to 2010–11	291
Table 6.35:	Business R&D expenditure in the forest and wood products sector, and proportion of total business R&D expenditure, 2005–06 to 2010–11	293
Table 6.36:	Area and proportion of forest available for general recreation and tourism on public land, by jurisdiction and tenure class	296
Table 6.37:	Number of permits issued by Forests NSW for organised recreational activities in New South Wales state forests, 2008–09 to 2010–11	298
Table 6.38:	Tracks, sites and events provided for recreation and tourism in public multiple-use forests, 2005–06 and 2010–11	298

Table 6.39:	Datasets compiled on areas of forest over which Indigenous people have use and rights	302
Table 6.40:	Area of land, including forest land, under Indigenous ownership and management, Indigenous management, Indigenous co-management and Other special rights	304
Table 6.41:	Area of native forest on the Register of the National Estate for Indigenous values	305
Table 6.42:	Heritage registers by jurisdiction and relevant legislation	308
Table 6.43:	Area of forested land on sites included in the Non-Indigenous Heritage Sites of Australia dataset	309
Table 6.44:	Focus of farmers' native vegetation management	324
Table 6.45:	Future management intentions for native vegetation	324
Table 6.46:	Forest-related employment in Tasmania—inclusions and exclusions	329
Table 6.47:	Wages and salaries, wood and wood products industries, 2005–06 to 2010–11	332
Table 6.48:	Estimated annual wage, selected primary sectors, 2005–06 to 2010–11	333
Table 6.49:	Estimated annual wage, selected manufacturing sectors, 2005-06 to 2010-11	333
Table 6.50:	Number of serious claims and compensated fatalities, 2003-04 to 2009-10	333
Table 6.51:	Characteristics of Statistical Local Areas with more than 4% employment dependence on, and more than 20 workers employed in, the forest and wood products industries	336
Table 6.52:	Forestry worker characteristics in Statistical Local Areas with more than 4% employment dependence on, and more than 20 workers employed in, the forest and wood products industries, 2006 and 2011	339
Table 6.53:	Characteristics of Indigenous communities and workers, in Indigenous Regions with more than 0.4% of the Indigenous workforce employed in forest and wood products industries, 2011	342-343
Table 6.54:	Indigenous student enrolments in the ForestWorks Forest and Forest Products Training Package	345
Table 6.55:	Completions of ForestWorks course qualifications by Indigenous students, 2011	345
Criterion 7		
Table 7.1:	Major pieces of legislation relating to the conservation and sustainable management of Australia's forests, by jurisdiction, active during the SOFR reporting period 2006–11	351–352
Table 7.2:	Examples of management plans prescribed in legislation for the conservation and sustainable management of Australian forests	352
Table 7.3:	Area of Australia's forests covered by a management plan	354
Table 7.4:	Major non-legislative policies, strategies and charters that influence the sustainable management of Australia's forests, June 2011	357–358
Table 7.5:	New South Wales forestry monitoring and compliance, 2007–08 to 2010–11	361
Table 7.6:	University degree completions in South Australia in areas that may lead to employment in forest management, 2006–11	363
Table 7.7:	National completions in vocational education and training, 2006–10	363
Table 7.8:	Status of understanding, planning, inputs/resources, processes, outputs and outcomes associated with conservational sustainable management of forests, 2006–11	on 367
Table 7.9:	Value of Australia's environmental assets	367
Table 7.10:	Investment in new plantations, by investor type, 2008 and 2010–11	368
Table 7.11:	Quality of data coverage, currency, frequency and capacity to report trends, and overall change since SOFR 2008, for each indicator addressed by SOFR 2013	376-377
Table 7.12:	Status of management plans covering forests in the National Reserve System	380
Table 7.13:	Full-time-equivalent employees engaged in forest-related research and development in Australia	388
Table 7.14:	Full-time-equivalent employees engaged in forest-related research and development in Forests NSW	389
Table 7.15:	Full-time-equivalent employees engaged in forest-related research and development in ForestrySA	390
Table 7.16:	Tasmanian forest and forestry research and development effort, 2005–06 and 2010–11	391
Table 7.17:	Full-time-equivalent employees engaged in forest-related research and development in Tasmania	391
Table 7.18:	Full-time-equivalent employees engaged in forest-related research and development in Victoria	392
Appendix		
Table A1: Al	ignment of the international Montreal Process indicators with Australia's national indicators used in SOFR 2013	395-398

Figures

Introductio	on the state of th	
Figure I.i:	Agro-ecological regions of Australia	16
Figure I.ii:	Mean annual rainfall across Australia	17
Figure I.iii:	Distribution of native eucalypt forest, by crown cover class	19
Figure I.iv	Eucalypt mallee, eucalypt non-mallee and non-eucalypt native forest	20
Figure I.v:	National Plantation Inventory regions of Australia	22
Figure I.vi:	Regional Forest Agreement and related regions in Australia	23
Criterion 1		
	Australia's forest extent, and the distribution of forest types	(fold-out map) 35
	Native forest crown cover, height classes, and area proportions	38
	Native forest, by crown cover class	40
	Australia's forest extent by tenure	
	· · · · · · · · · · · · · · · · · · ·	(fold-out map) 36
	Comparison of SOFR 2013 (NFI 2011) and NCAS 2011 datasets	46
	Australia's forest area compared with 2005 forest area	(fold out room) (0
	Examples of differences between national forest mapping in SOFR 2013 and SOFR 2008	(fold-out map) 49
	Differences between forest mapping in SOFR 2013 and SOFR 2008, northern part of the Northern Territory	51
	Box-plot of changes in forest type between SOFR 2008 and SOFR 2013	52
	Box-plot of changes in forest tenure between SOFR 2008 and SOFR 2013	53
	Example of the effect of better resolution data on mapped forest area	55
	Examples of areas reported as forest in SOFR 2008 but as non-forest in SOFR 2013, as a result of corrected vegetation classification	56
Figure 1.13:	Examples of areas of reported as non-forest in SOFR 2008 but as forest in SOFR 2013	57
	Examples of areas reported as forest in SOFR 2008 but as non-forest in SOFR 2013, as a result of detected land-use change	58
Figure 1.15:	Classification of growth stages in native forests	60
Figure 1.16:	Australia's forest extent, by IUCN protected area category	(fold-out map) 49
Figure 1.17:	Native forest areas with World Heritage status	75
Figure 1.18:	Species richness of all biodiversity groups recorded in each treatment	84
Figure 1.19:	Tephromela alectoronica, a crustose lichen associated with mature trees and large-diameter logs	84
Figure 1.20:	Distribution of threatened forest-dwelling and forest-dependent fauna and flora species	88-89
Figure 1.21:	Distribution of listed threatened forest ecological communities	94
	Female and male forest red-tailed black-cockatoo <i>Calyptorhynchus banksii naso</i> from south-west Western	Australia 96
	Distribution of the red-tailed black-cockatoo Calyptorhynchus banksii and its subspecies	97
	Annual population counts of the south-eastern red-tailed black-cockatoo Calyptorhynchus banksii graptogy	yne 97
	Northern quoll (<i>Dasyurus hallucatus</i>), which occurs in the tropical forests of northern Australia	100
	Distribution of the swift parrot in Australia	101
	Swift parrot breeding range	102
	Tasmanian devil population estimated from spot-light transects	103
	Devil facial tumour disease distribution in 2010	104
	Location of Warra Long-Term Ecological Research (LTER) site	105
	Malaise trap for sampling flighted arthropods, installed in the 600-metre altitude plot at Warra	106
	Discontinuities in community composition with altitude	106
	Indicative distribution of the koala in Australia	110
	Plant health experts observing superior red mahogany (<i>Eucalyptus pellita</i>) trees in a forest species trial in north Queensland	115

Criterion 2

Figure 2.3. Austratio's native forests ovaliable and suitable for wood production across the leasehold, private and mitigle-use public forest estate 128 figure 2.4. Austratio's Industrial privation area, 1940-2030 133 figure 2.5. Austratio's Industrial privation area, 1940-2030 133 figure 2.6. Area of Industrial plantation establishment and re-establishment by five year period, to 2006-10 133 figure 2.6. Area of Industrial plantation establishment and re-establishment by five year period, to 2006-10 133 figure 2.6. Area proportions of Industrial plantation establishment by five year period, to 2006-10 134 figure 2.6. Area proportion of 1041 Industrial plantation growing stack by age-class 135 figure 2.1. Area proportion of 2011 Industrial plantation growing stack by age-class 135 figure 2.1. Area proportion of Industrial plantation industrial plantation growing stack by age-class 135 figure 2.1. Average annual harvest and sustainable yield for multiple-use public notive forests in New South Wales, by SOFR reporting period 159 figure 2.1. Average annual harvest and sustainable yield for multiple-use public notive forests in Victoria, by SOFR reporting period 159 figure 2.1. Average annual harvest and sustainable yield for multiple-use public notive forests in Victoria, by SOFR reporting period 140 figure 2.1. Evaluation 140	Figure 2.1:	Commerciality of Australia's native forest, assessed across the leasehold, private and multiple-use public forest estate, 2011	126
Figure 2.4: Australia's Industrial plantation area, 1940-2010 133 Figure 2.5: Australia's Industrial plantation area, 1995-2011 133 Figure 2.6: Area of industrial plantation area, 1995-2011 134 Figure 2.7: Area proportions of Industrial plantation area in the state in 2010-11, by jurisdiction 134 Figure 2.8: Area proportions of Industrial softwood plantation estate in 2010-11, by jurisdiction 134 Figure 2.9: A group proportion of 2011 Industrial plantation growing stock by age-class Figure 2.10: Area proportion of 2011 Industrial plantation and and trees in ownership categories in 2011, by establishment age-class Figure 2.11: Average annual harvest and sustainable yield for multiple use public native forests in New South Wales, by SORR reporting period 138 Figure 2.13: Average annual harvest and sustainable yield for multiple use public native forests in Victoria, by SORR reporting period 139 Figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SORR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Australia, by SORR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SORR reporting period 140 Figure 2.16: Average annual production of special-species timbers from multiple-use public native forests in Australia, by SORR reporting period 141 Figure 2.19: Average annual production of special-species timbers from multiple-use public native forests, by SORR reporting period 141 Figure 2.21: Average annual production of fire forest period sandags from public plantations, by SORR reporting period 142 Figure 2.21: Average annual production of fire forest period sandags from public native forests, by SORR reporting period 144 Figure 2.22: Average annual production of fire forest period sandags from public plantations, by SORR reporting period 145 Figure 2.23:	Figure 2.2:		125
Figure 2.5: Australia's Industrial plantation area, 1995–2011 figure 2.6: Area of Industrial plantation establishment and re-establishment by five-year period, to 2006–10 133 figure 2.8: Area proportions of Industrial plantation is to take in 2010–11, by jurisdiction 134 figure 2.9: Area proportion of 2011 Industrial plantation growing stock by age-class 135 figure 2.10: Area proportion of 2011 Industrial plantation growing stock by age-class 136 figure 2.10: Area proportion of Industrial plantation area in a stock in 2010–11, by jurisdiction 134 figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Wales, by SOFR reporting period 139 figure 2.12: Average annual harvest and sustainable yield for multiple-use public native forests in Tasmania, by SOFR reporting period 139 figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 140 figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Austrial, by SOFR reporting period 140 figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests, by SOFR reporting period 141 figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 142 figure 2.18: Average annual production of Section-species timbers from multiple-use public native forests, by SOFR reporting period 143 figure 2.21: Average annual pulpage harvest from multiple-use public native forests, by SOFR reporting period 144 figure 2.22: Average annual pulpage from Australia's native forests, by SOFR reporting	Figure 2.3:	Silvicultural systems used in Australia's native forests	129
Figure 2.6: Area of Industrial plantation establishment and re-establishment by five-year period, to 2006-10 133 Figure 2.8: Year proportions of Industrial hardwood plantation estate in 2010-11, by jurisdiction 134 Figure 2.9: Area proportions of Industrial plantation of the intervention in 2010-11, by jurisdiction 135 Figure 2.10: Area proportion of 2011 Industrial plantation growing stack by age class 135 Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Woles, by SOFR reporting period 138 Figure 2.12: Average annual harvest and sustainable yield for multiple-use public native forests in Tosmania, by SOFR reporting period 139 Figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Tosmania, by SOFR reporting period 139 Figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in south-west Western Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 Figure 2.16: Average annual production of Special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.17: Average annual production of Western Australian sondolwood from public native forests, by SOFR reporting period 142 Figure 2.28: Average annual production of high-quality hardwood sowlogs from public native forests, by SOFR reporting period 143 Figure 2.29: Average annual public pharvest from multiple-use public native forests, by SOFR reporting period 144 Figure 2.29: Average annual public pharvest from private native forests, b	Figure 2.4:	Australia's Industrial plantation area, 1940-2010	133
Figure 2.8. Area proportions of Industrial hordwood plantation estate in 2010–11, by jurisdiction 134 Figure 2.9. Area proportions of Industrial softwood plantation estate in 2010–11, by jurisdiction 135 Figure 2.19: Area proportion of 2011 industrial plantation growing stock by age class Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Wales, by SOFR reporting period 138 Figure 2.12: Average annual harvest and sustainable yield for multiple-use public native forests in Tosmania, by SOFR reporting period 139 Figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 139 Figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in south west Western Australia, by SOFR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 Figure 2.16: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.17: Average annual production of Special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 142 Figure 2.19: Average annual production of high quality hardwood sawlags from public plantations, by SOFR reporting period 143 Figure 2.20: Average annual production from private native forests, by SOFR reporting period 143 Figure 2.22: Average annual production from private native forests, by SOFR reporting period 144 Figure 2.25: Average annual production from Firewood, 1973–75 to 2006–10, by industry type 146 Figure 2.25: Production of public plantations and National Pla	Figure 2.5:	Australia's Industrial plantation area, 1995–2011	133
Figure 2.8: Area proportions of Industrial softwood plantation estate in 2010-11, by jurisdiction 134 Figure 2.10: Area proportion of 2011 Industrial plantation growing stack by age class Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Wales, by SOFR reporting period 136 Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in Tasmania, by SOFR reporting period 137 Figure 2.12: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 139 Figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 139 Figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Australia, by SOFR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 Figure 2.16: Average annual production of Seciol-species timbers from multiple-use public native forests, by SOFR reporting period 140 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 141 Figure 2.19: Average annual production of Mestern Australian sandalwood from public plantations, by SOFR reporting period 142 Figure 2.21: Average annual production of Nigh-quality hardwood sawlogs from public plantations, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from mittiple-use public native forests, by SOFR reporting period 144 Figure 2.23: Average annual pulplog harvest from mittiple-use public native forests, by SOFR reporting period 146 Figure 2.24: Average annual pulplog form Australia's native forests, 1996-97 to	Figure 2.6:	Area of Industrial plantation establishment and re-establishment by five-year period, to 2006–10	133
Figure 2.9: Area proportion of 2011 Industrial plantation grawing stock by age-class Figure 2.10: Area proportion of industrial plantation land and trees in ownership categories in 2011, by establishment age-class Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Wales, by SOFR reporting period figure 2.12: Average annual harvest and sustainable yield for multiple-use public native forests in Tarmania, by SOFR reporting period figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in South west Western Australia, by SOFR reporting period figure 2.15: Average annual harvest and sustainable yield for multiple use public native forests in south west Western Australia, by SOFR reporting period figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period figure 2.16: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period figure 2.18: Average annual production of Special-species timbers from multiple-use public native forests, by SOFR reporting period figure 2.19: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period figure 2.19: Average annual production of Mestern Australian sandalwood from public native forests, by SOFR reporting period figure 2.21: Average annual production of multiple-use public native forests, by SOFR reporting period figure 2.22: Average annual publip harvest from multiple-use public native forests, by SOFR reporting period figure 2.23: Average annual production of multiple-use public native forests, by SOFR reporting period figure 2.23: Average annual production of multiple-use public native forests, by SOFR reporting period figure 2.24: Average annua	Figure 2.7:	Area proportions of Industrial hardwood plantation estate in 2010–11, by jurisdiction	134
Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Wales, by SOFR reporting period reporting period peri	Figure 2.8:	Area proportions of Industrial softwood plantation estate in 2010–11, by jurisdiction	134
Figure 2.11: Average annual harvest and sustainable yield for multiple-use public native forests in New South Wales, by SOFR reporting period reporting period peri	Figure 2.9:	Area proportion of 2011 Industrial plantation growing stock by age-class	135
reporting period 138 Figure 2.12: Average annual harvest and sustainable yield for multiple-use public native forests in Tosmania, by SOFR reporting period 139 Figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 139 Figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 Figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 140 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 141 Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.19: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.19: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.19: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.19: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 144 Figure 2.19: Average annual harvest of wash and the forests, by SOFR reporting period 144 Figure 2.19: Average annual harvest of wash and the forest of the forest of the forest of sowlogs on the public production forest of sowlogs on the public production of sowlogs from Australia's native forests, 1996-97 to 2010-11 Figure 2.19: Encre	Figure 2.10:	Area proportion of Industrial plantation land and trees in ownership categories in 2011, by establishment age-class	135
Figure 2.13: Average annual harvest and sustainable yield for multiple-use public native forests in Victoria, by SOFR reporting period 139 Figure 2.14: Average annual harvest and sustainable yield for multiple-use public native forests in south-west Western Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 Figure 2.17: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 Figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 141 Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.20: Average annual sawlog production from private native forests, by SOFR reporting period 143 Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual harvest of other wood products from native multiple-use public forests, by SOFR reporting period 143 Figure 2.25: Average annual Australia so of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australia so native forests, 1996–97 to 2010–11 Figure 2.26: Harvest of sawlogs from Australia's native forests, 1996–97 to 2010–11 Figure 2.28: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 Figure 2.28: Production of Industrial plantations and National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply o	Figure 2.11:		138
reporting period Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in South-west Western Australia, by SOFR reporting period 140 Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period 140 Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 Figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 141 Figure 2.19: Average annual production of high-quality hardwood sawlags from public plantations, by SOFR reporting period 142 Figure 2.20: Average annual sawlag production from private native forests, by SOFR reporting period 143 Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.23: Average annual harvest of 'ather wood products' from native multiple-use public forests, by SOFR reporting period 146 Figure 2.25: Average annual residential use of firewood, 1973-75 to 2006-10, by jurisdiction 147 Figure 2.26: Average annual Australiar consumption of fuelwood, 1973-75 to 2006-10, by jurisdiction 149 Figure 2.26: Harvest of sawlags and pulplogs from Australia's native forests and plantations, 2000-01 to 2010-11 147 Figure 2.27: Production of sowlags from Australia's native forests, 1996-97 to 2010-11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996-97 to 2010-11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood by pulpa, by National Plantation Inventory region 151 Fig	Figure 2.12:		139
Australia, by SOFR reporting period Figure 2.15: Average annual harvest and sustainable yield for multiple-use public native forests in Queensland, by SOFR reporting period figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period figure 2.19: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period figure 2.19: Average annual production from private native forests, by SOFR reporting period figure 2.20: Average annual sawlog production from private native forests, by SOFR reporting period figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period figure 2.22: Average annual production for the moder products' from native forests, by SOFR reporting period figure 2.23: Average annual harvest of other wood products' from native multiple-use public forests, by SOFR reporting period figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests, 1996–97 to 2010–11 figure 2.27: Production of sawlogs and pulplogs from Australia's native forests, 1996–97 to 2010–11 figure 2.29: Distribution of pulplogs from Australia's native forests, 1996–97 to 2010–11 figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region figure 2.31: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region figure 2.34: Forecast	Figure 2.13:		139
Figure 2.16: Average annual harvest and sustainable yield for multiple-use public native forests in Australia, by SOFR reporting period 140 Figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 141 Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.19: Average annual sawlog production from private native forests, by SOFR reporting period 142 Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.23: Average annual harvest of 'other wood products' from native multiple- use public forests, by SOFR reporting period 143 Figure 2.24: Average annual harvest of 'other wood products' from native multiple- use public forests, by SOFR reporting period 144 Figure 2.25: Average annual harvest of some firewood, 1973-75 to 2006-10, by jurisdiction 145 Figure 2.26: Harvest of sowlogs and pulplogs from Australia's native forests and plantations, 2000-01 to 2010-11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996-97 to 2010-11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996-97 to 2010-11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region 150 Figure 2.30: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010-14 to 2045-49 153 Figure 2.33: Forecast sustainable yield of high-quality native forest sawlogs from publ	Figure 2.14:		140
Figure 2.17: Average annual production of special-species timbers from multiple-use public native forests, by SOFR reporting period 141 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 141 Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.20: Average annual sawlog production from private native forests, by SOFR reporting period 142 Figure 2.21: Average annual pulplog harvest from multiple- use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.23: Average annual hurvest of 'other wood products' from native multiple- use public forests, by SOFR reporting period 144 Figure 2.23: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region 150 Figure 2.30: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast sustainable yield of high-quality native forest sawlogs from public plantation forest in Australia, 2010–14 to 2045–49 152 Figure 2.33: Forecast sustainable yield of high-quality native forest sawlogs from public plantation forest in Australia, 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production fore	Figure 2.15:		140
reporting period 141 Figure 2.18: Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period 142 Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.20: Average annual pulplog harvest from private native forests, by SOFR reporting period 142 Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.23: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 144 Figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region 150 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 152 Figure 2.35: Porecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.36: Projected changes in log availability and to effects of predicted climate change 159 Figure 2.37: Density of mac	Figure 2.16:		140
Figure 2.19: Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period 142 Figure 2.20: Average annual sawlog production from private native forests, by SOFR reporting period 143 Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 144 Figure 2.23: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 145 Figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.28: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply of plantation forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in	Figure 2.17:		141
Figure 2.20: Average annual sawlog production from private native forests, by SOFR reporting period 143 Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 144 Figure 2.23: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 145 Figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.34: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 152 Figure 2.35: Forecast sustainable yield of high-quality native forest in Australia (public plus private), 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys,	Figure 2.18:	Average annual production of Western Australian sandalwood from public native forests, by SOFR reporting period	141
Figure 2.21: Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period 143 Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 144 Figure 2.23: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 145 Figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory region 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.34: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.35: Forecast supply of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately ofter h	Figure 2.19:	Average annual production of high-quality hardwood sawlogs from public plantations, by SOFR reporting period	142
Figure 2.22: Average annual pulplog harvest from private native forests, by SOFR reporting period 143 Figure 2.23: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 144 Figure 2.24: Average annual residential use of firewood, 1973-75 to 2006-10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973-75 to 2006-10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000-01 to 2010-11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996-97 to 2010-11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996-97 to 2010-11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010-14 to 2045-49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010-14 to 2045-49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002-10. A, Tasmanian pademelon. 159 Figure 2.38: Density of macropods in Tasmania from annual spotlight surveys, 2002-10. A, Tasmanian pademelon. 159 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine A	Figure 2.20:	Average annual sawlog production from private native forests, by SOFR reporting period	142
Figure 2.23: Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period 144 Figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenera	Figure 2.21:	Average annual pulplog harvest from multiple-use public native forests, by SOFR reporting period	143
Figure 2.24: Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction 145 Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.34: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 152 Figure 2.35: Forecast sustainable yield of high-quality native forest in Australia (public plus private), 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's walloby. 159 Figure 2.38: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.22:	Average annual pulplog harvest from private native forests, by SOFR reporting period	143
Figure 2.25: Average annual Australian consumption of fuelwood, 1973–75 to 2006–10, by industry type 146 Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then solvage-logged and regenerated.	Figure 2.23:	Average annual harvest of 'other wood products' from native multiple-use public forests, by SOFR reporting period	144
Figure 2.26: Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11 147 Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting. B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.24:	Average annual residential use of firewood, 1973–75 to 2006–10, by jurisdiction	145
Figure 2.27: Production of sawlogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenerated.			146
Figure 2.28: Production of pulplogs from Australia's native forests, 1996–97 to 2010–11 147 Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.26:	Harvest of sawlogs and pulplogs from Australia's native forests and plantations, 2000–01 to 2010–11	147
Figure 2.29: Distribution of Industrial plantations and National Plantation Inventory regions 149 Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.27:	Production of sawlogs from Australia's native forests, 1996–97 to 2010–11	147
Figure 2.30: Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region 150 Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 151 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.28:	Production of pulplogs from Australia's native forests, 1996–97 to 2010–11	147
Figure 2.31: Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region 150 Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.29:	Distribution of Industrial plantations and National Plantation Inventory regions	149
Figure 2.32: Forecast supply of plantation softwood sawlog, by National Plantation Inventory region 151 Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 154 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.30:	Forecast supply of plantation hardwood pulplog, by National Plantation Inventory region	150
Figure 2.33: Forecast supply of plantation softwood pulplog, by National Plantation Inventory region 151 Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 152 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 153 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. 159 Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.31:	Forecast supply of plantation hardwood sawlog, by National Plantation Inventory region	150
Figure 2.34: Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49 Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 Figure 2.36: Projected changes in log availability due to effects of predicted climate change Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.32:	Forecast supply of plantation softwood sawlog, by National Plantation Inventory region	151
Figure 2.35: Forecast sustainable yield of high-quality native forest sawlogs from public production forest in Australia, 2010–14 to 2045–49 Figure 2.36: Projected changes in log availability due to effects of predicted climate change Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.33:	Forecast supply of plantation softwood pulplog, by National Plantation Inventory region	151
2010–14 to 2045–49 Figure 2.36: Projected changes in log availability due to effects of predicted climate change 153 Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.34:	Forecast availability of wood from native production forest in Australia (public plus private), 2010–14 to 2045–49	152
Figure 2.37: Density of macropods in Tasmania from annual spotlight surveys, 2002–10. A, Tasmanian pademelon. B, Bennett's wallaby. Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.35:		153
B, Bennett's wallaby. Figure 2.38: Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10 160 Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (Eucalyptus delegatensis) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.36:	Projected changes in log availability due to effects of predicted climate change	153
Figure 2.39: Regeneration after harvesting using a fire-salvage (clearfell) silviculture system in Victorian native forests. A, Site immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.37:		159
immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta Mitta, Victoria. Alpine Ash (<i>Eucalyptus delegatensis</i>) killed by wildfire in 2003 then salvage-logged and regenerated.	Figure 2.38:	Density of common brushtail possums in Tasmania from annual spotlight surveys, 2002–10	160
	Figure 2.39:	immediately after harvesting; B, site four years after harvesting; C, site six years after harvesting. Granite Spur, Mitta	163
	Figure 2.40:		

Criterion 3

Figure 3.1:	Distribution of myrtle rust in New South Wales by management zone (February 2012)	184
Figure 3.2:	Distribution of myrtle rust detections in Queensland in January 2011 and August 2012	185
Figure 3.3:	Restricted lesions caused by myrtle rust (<i>Puccinia psidii</i> s.l.) on older leaves of <i>Eugenia reinwardtiana</i> , Noosaville, Queensland	186
Figure 3.4:	Shoot and stem of Melaleuca quinquenervia infected by myrtle rust (Puccinia psidii s.l.)	187
Figure 3.5:	Dieback of <i>Rhodomyrtus psidioides</i> as a result of repeat infection by myrtle rust (<i>Puccinia psidii</i> s.l.), Byron Bay Lighthouse, Byron Bay, New South Wales	187
Figure 3.6:	Fruit of <i>Rhodamnia sessiliflora</i> , a species native to far north Queensland, infected with myrtle rust	187
Figure 3.7:	Distribution of fire seasonality across Australia	189
Figure 3.8:	Classification of geographical zones according to seasonal rainfall distribution	192
Criterion 4		
	Scatterplot of mean turbidity and mean colour over eight years for water in 15 catchments in the Warra Long-Term Ecological Research site	229
Figure 4.2:	Sampled catchments in the Warra Long-Term Ecological Research site coloured by mean turbidity and water colour	229
Criterion 5		
	Cross-section of stem of radiata pine (<i>Pinus radiata</i>)	235
	Biomass density of Australia's forests, 2010	236
	Area of forest burnt by wildfire, 2001–10	239
	Time series of land clearing in Australia from 1973, and farmers' terms-of-trade index	242
	Carbon in paper consumed, recycled and disposed to landfill, Australia, 1940–2010	243
	Contribution of various forestry operations to total (direct and indirect) CO_2 -e emissions for an average log from (A) softwood plantation, and (B) native hardwood forest	245
Figure 5.7:	· · ·	246
Cuitouion 6		
Criterion 6	Values of loss have seted 2006, 07 to 2010, 11	255
	Volume of logs harvested, 2006–07 to 2010–11	255
	Value of logs harvested, actual and adjusted, 2006–07 to 2010–11 Volume of logs harvested, 2010–11, by jurisdiction	255
	Value of logs harvested, 2010–11, by jurisdiction	255
	Value of turnover in wood and wood products industries, 2006–07 to 2010–11	257
	Volume of sawn wood production, 2006–07 to 2010–11	257
	Value of sawn wood production, 2006–07 to 2010–11 Value of sawn wood production, 2006–07 to 2010–11	257
	Volume of wood-based panel production, 2006–07 to 2010–11	258
	Value of wood-based panel production, 2006–07 to 2010–11 Value of wood-based panel production, 2006–07 to 2010–11	258
	Volume of paper and paperboard production, 2006–07 to 2010–11	259
	Value of paper and paperboard production, 2006–07 to 2010–11 Value of paper and paperboard production, 2006–07 to 2010–11	259
	Volume of pulpwood for domestic pulp and paper manufacturing, 2006–07 to 2010–11	260
	Value of pulpwood for domestic pulp and paper manufacture, 2006–07 to 2010–11	260
	Volume of logs harvested for woodchip exports, 2006–07 to 2010–11	261
	Value of hardwood woodchip exports, 2006–07 to 2010–11 Value of hardwood woodchip exports, 2006–07 to 2010–11	261
	Value of softwood woodchip exports, 2006–07 to 2010–11 Value of softwood woodchip exports, 2006–07 to 2010–11	261
	Location of feral deer populations, Australia	
	Location of feral pig populations, Australia	264 265
		203
	Millennium Ecosystem Assessment's overview of ecosystem services Ecosystem services and linkages	271
	Ecosystem services and linkages Trade balance in wood and wood products, 2006, 07 to 2010, 11	
	Trade balance in wood and wood products, 2006–07 to 2010–11 Dwallings and bausing commencements, 2006–07 to 2010–11	276
	Dwellings and housing commencements, 2006–07 to 2010–11	276
rigure 6.23:	Hardwood sawn wood production, trade and consumption, 2006–07 to 2010–11	277

Figure 6.24	: Softwood sawn wood production, trade and consumption, 2006–07 to 2010–11	277
Figure 6.25	: Wood-based panel production, trade and consumption, 2006-07 to 2010-11	278
Figure 6.26	: Medium-density fibreboard production, trade and consumption, 2006–07 to 2010–11	278
Figure 6.27	: Particleboard production, trade and consumption, 2006-07 to 2010-11	278
Figure 6.28	: Paper and paperboard production, trade and consumption, 2006–07 to 2010–11	279
Figure 6.29	: Consumption, collection rate and utilisation rate of paper and paper products, 2006-07 to 2010-11	283
Figure 6.30	: Proportion of waste paper products recycled or reused by households, March 2006 and March 2009	283
Figure 6.31	Expenditure on forestry and forest product R&D, 1981–82 to 2007–08, actual and adjusted for inflation	294
Figure 6.32	Cumberland State Forest map	300
Figure 6.33	: Forest on Indigenous owned and managed lands, Indigenous managed lands, Indigenous co-managed lands, and lands with Other special rights	303
Figure 6.34	: Forests on Indigenous sites on the Register of the National Estate	305
Figure 6.35	: Forest on sites included in the Non-Indigenous Heritage Sites of Australia dataset	310
Figure 6.36	: Proportion of people agreeing with statements relating to tree harvesting, native forest management and plantations, May 2009, May 2011 and May 2012	318
Figure 6.37	: Perceptions of materials as environmentally friendly, October 2008, May 2011 and May 2012	318
Figure 6.38	: Proportion of females and males agreeing with statements related to tree harvesting, native forest management and plantations, May 2012	319
Figure 6.39	: Proportion of people agreeing with statements on trees and wood, October 2008, May 2011 and May 2012	319
Figure 6.40	: Proportion of people agreeing with various statements relating to climate change, May 2011 and May 2012	320
Figure 6.41:	Acceptability of various land uses to residents in Tasmania and south-west Western Australia, 2008	321
Figure 6.42	: Acceptability of plantations to residents in Tasmania, 2008 and 2011	322
Figure 6.43	Proportion of landholders who planted trees for a given purpose, 2010	323
Figure 6.44	: Adoption by landholders of tree planting for carbon sequestration, 2010	323
Figure 6.45	: Total national employment in forestry, by employment status, 2001–11	326
Figure 6.46	: Employment in the forestry and logging subsector, 2006–11	326
Figure 6.47:	Employment in the wood product manufacturing subsector, 2006–11	326
Figure 6.48	: Employment in the pulp, paper and converted paper product manufacturing subsector, 2006–11	328
Figure 6.49	Employment in the forestry support services subsector, 2006–11	328
	: Employment in the timber wholesaling subsector, 2006–11	328
	: Number of people employed in the forest industry, and number of forest-related businesses, Tasmania, 2006–11	329
	: Employment in the forest-growing and nurseries subsector, Tasmania, 2006–11	330
	Employment in the wood-processing subsector, Tasmania, 2006–11	330
	: Employment in forest contracting, Tasmania, 2006–11	330
	Employment dependence on forest and wood products industries by Statistical Local Area, 2011	337
	: Indigenous Regions and level of Indigenous workforce employment in forest and wood products industries, 2011	341
Criterion 7		
Figure 7.1:	Australian university forestry and forestry-related degree completions, 2006–11	362
Figure 7.2:	Area of certified forest management in Australia, 2003–12	365
Figure 7.3:	Chain-of-custody certificates issued in Australia, 2004-12	365
Figure 7.4:	Distribution of forest monitoring plots in the Victorian Forest Monitoring Program	374
Figure 7.5:	Changes in spotted gum forest, South Brooman State Forest, Batemans Bay, New South Wales	381
Figure 7.6:	Changes in Cumberland State forest, West Pennant Hills, compartments 8b, 9a and 9b	382
Figure 7.7:	Number of full-time-equivalent employees in research relating to sustainable forest management, Western Australian Department of Environment and Conservation	393
Figure 7.8:	Airborne LiDAR 'virtual forest' image of uniform stands of <i>Pinus radiata</i> plantation forest surrounding remnant patches of taller <i>Eucalyptus</i> trees	393

Boxes

Introduction

Box I.i:	National goals set out in Australia's National Forest Policy Statement	14
Criterion	1	
Box 1.1:	Data sources for Indicator 1.1a (Area of forest by forest type and tenure)	34
Box 1.2:	Comparison of forest area datasets from the National Forest Inventory (NFI) and the National Carbon Accounting System (NCAS)	46
Box 1.3:	Differences in reported areas between SOFR 2008 and SOFR 2013, by forest type and tenure	52-53
Criterion	2	
Box 2.1:	State and territory legislation relevant to the harvesting of non-wood forest products	155
Criterion	3	
Box 3.1:	Where and when do bushfires occur?	189
Box 3.2:	Potential effects of projected climate change on fires	190
Criterion	5	
Box 5.1:	The Carbon Farming Initiative	237
Criterion	6	
Box 6.1:	Recycling of forest products in Victoria	284
Box 6.2:	Employment categories used for the intersectoral comparisons	332
Box 6.3:	Sub-indices of adaptive capacity	337

Case studies

Criterion 1	
Case study 1.1: Forest growth stages in Tasmania	63-64
Case study 1.2: Strategic Biodiversity Corridors Project	78
Case study 1.3: The forestcheck project: integrated biodiversity monitoring in jarrah forest	84
Case study 1.4: Red-tailed black-cockatoo	96-97
Case study 1.5: Island Ark program	100
Case study 1.6: Swift parrot	101–102
Case study 1.7: Tasmanian devil	103-104
Case study 1.8: Monitoring changes in plants and beetles up an altitudinal transect	105–106
Case study 1.9: Koala	109–110
Criterion 3	
Case study 3.1: Myrtle rust	184-187
Case study 3.2: Black Saturday bushfires in Victoria	198-199
Case study 3.3: Monitoring fire regimes in the Greater Blue Mountains World Heritage Area	199
Criterion 4	
Case study 4.1: Caring for our Country	207
Case study 4.2: Response of stream flow to afforestation and thinning at Red Hill, near Tumut, Murray–Darling Basin	223
Case study 4.3: Water quality in forested catchments	229
Criterion 5	
Case study 5.1: Carbon dynamics of managed native forests in New South Wales	246
Criterion 6	
Case study 6.1: The South East Queensland Ecosystem Services Project	272
Case study 6.2: BushBids supports biodiversity stewardship in the eastern Mount Lofty Ranges	273
Case study 6.3: Valuation of water from forested catchments	274
Case study 6.4: Native plant food industry	280
Case study 6.5: Cumberland State Forest	299-300
Case study 6.6: Protection of Aboriginal heritage in forests in South Australia	306
Case study 6.7: Kaanju Ngaachi Wenlock and Pascoe Rivers Indigenous Protected Area	315
Case study 6.8: Indigenous community engagement with Forests NSW	316
Case study 6.9: Native vegetation management on agricultural land	324
Case study 6.10: Potential adaptive capacity and contribution of forestry to the Tumut community	338
Case study 6.11: Indigenous training and enterprise development	346
Case study 6.12: Barriers to Indigenous employment in forestry	346
Criterion 7	
Case study 7.1: Forest Management Plans in Western Australia	353
Case study 7.2: Monitoring and compliance of forest management in New South Wales	361
Case study 7.3: Managed investment schemes (MIS)	369
Case study 7.4: Tracking change and trend in native forest condition	381-382
Case study 7.5: Outputs from the CRC for Forestry	386
Case study 7.6: LiDAR research and development	393

Index

A	Association of Consulting Foresters of Australia, 364 Atalaya forest, 20
	Atherosperma moschatum (sassafras), 141
ABARES see Australian Bureau of Agricultural and Resource	Athrotaxis selaginoides (King Billy pine), 141
Economics and Sciences	attitudinal values see community attitudes
Aboriginal and Torres Strait Islander people see Indigenous	audits see compliance
Australians	Australasian Fire and Emergencies Authorities Council, 189
Aboriginal Lands Trust lands	Australia state of the environment report (SoE), 154–5, 366, 378
Northern Territory, 313	Australian Bureau of Agricultural and Resource Economics and
Western Australia, 313–14	Sciences (ABARES), 24, 131, 152, 324, 367, 375, 387
ABS see Australian Bureau of Statistics	Australian Bureau of Statistics (ABS), 251, 290, 292, 325, 335, 337,
Acacia, 34, 112	367, 375
A. aneura, 18	Australian Forest Certification Scheme, 12, 364
A. auriculiformis, 112	Australian Forest Education Alliance, 359
A. crassicarpa, 112, 114	Australian Forest Growers, 367
A. dealbata, 141	Australian Forest Products Association, 370
A. harpophylla, 18	Australian Forestry Standard, 210, 226, 357, 360
A. mangium, 112, 114, 134	Australian Pesticides and Veterinary Medicines Authority, 176
A. melanoxylon, 18, 137, 141	Australian Reptiles Online Database, 98
Acacia forest	Australian Supersites Network, 387
area, 29, 32, 34, 37	Australian Tree Seed Centre, 111, 112
area by crown cover class, 39	Australia's Biodiversity Conservation Strategy 2010–2030, 86, 109
area by growth stage, 61	
area by IUCN protected-area categories, 4, 73	D
area by jurisdiction, 41	В
area on Register of the National Estate for Indigenous	
values, 305	bagasse, 244
description, 18	Banksia, 182
distribution, 2, 35	Banksia forest, 20
in World Heritage areas, 74	Barber's gum (<i>Eucalyptus barberi</i>), 111
acidification see soil acidification	bark beetles (<i>Ips</i> spp.), 173, 178, 191
adaptive capacity	Batemans Bay Local Aboriginal Land Council, 346
community adaptive capacity, 11, 249–50, 252, 335–8, 340–6	beekeeping industry, 119, 158, 160-1, 267
ecosystems, 380–1	beetles, 82, 98, 173, 175
sub-indices, 337	belah (<i>Casuarina cristata</i>), 18
aerial photography, 191, 393	bell miner-associated dieback, 177
African mahogany (<i>Khaya senegalensis</i>), 134, 135 agency names, ix	Bennett's wallaby (Macropus rufogriseus), 99, 158–9, 265
Agonis forest, 20	biodiversity, 5
agriculture, 3, 240	in Australia (number of species), 79
land clearing, 91–2, 241–2	ecosystem diversity, 28, 29–30
land use, 4, 76	ecosystem diversity indicators, 79
agro-ecological regions of Australia, 16	effects of climate change, 6, 105
agroforestry see farm forestry	genetic diversity, 29, 31
Aichi Biodiversity Targets, 30, 65, 72	monitoring programs, 82, 84, 98–106, 374
Allocasuarina, 112, 182	species diversity, 28–9, 30–1
A. decaisneana, 18	biodiversity conservation, 4–5, 28–31
A. luehmannii, 96	area of forest reserved or managed for conservation, 65–75
A. verticillata, 182	international targets, 72 see also Aichi Biodiversity Targets
allowable cut see sustainable yield	market-based initiatives, 273
alpine ash (Eucalyptus delegatensis), 18, 198, 199	Strategic Biodiversity Corridors Project, 78 see also forest area; forest conservation; nature conservation
altitudinal patterns (plant and animal communities), 105–6	reserves; protected areas
amenity services, 248, 249, 271 see also tourism and recreation	bioenergy, 144, 246, 387, 388
Angophora, 18, 34	biological control agents, 174, 175, 178
Animal Genetics and Breeding Unit, 113	biological diversity see biodiversity
animal products, 156, 158–61	biomass, 235, 236, 241, 244 see also wood waste
apiary products see beekeeping industry; honey	bird adverse impacts in forests, 177
Araucaria cunninghamii (hoop pine), 113, 114, 134, 135, 178	bird monitoring, 78, 96, 98
arboreta, 5, 31, 111, 112	Birdlife Australia, 98
archaeological sites and objects see heritage sites	Black Saturday bushfires in Victoria, 225
aromatic products, 9, 121, 154, 157-8, 267-8	case study, 198–9

blackbutt (Eucalyptus pilularis), 18, 113, 114, 135	case studies
blackwood (Acacia melanoxylon), 18, 137, 141	altitudinal patterns (plant and animal communities), 105–6
blue gum (Eucalyptus globulus), 21, 107, 112, 113, 134, 135, 177,	barriers to Indigenous employment in forestry, 346
179 see also Sydney blue gum (Eucalyptus saligna)	Black Saturday bushfires in Victoria, 198-9
botanic gardens, 111–12	BushBids program to conserve native vegetation, 273
Botanical Gardens of Adelaide, 112	carbon dynamics of managed native forests in New South
brigalow (Acacia harpophylla), 18	Wales, 246
broadscale clearing see clearing; forest clearing	Caring for our Country, 207
Brooker's gum (Eucalyptus brookeriana), 111	CRC for Forestry outputs, 386
brown salwood (Acacia mangium), 112	Cumberland State Forest, 299–300
brown stringybark (Eucalyptus baxteri), 96	fire regime monitoring, 199
BRS see Bureau of Rural Sciences	forest growth stages in Tasmania, 63-4
brushtail possum (<i>Trichosurus vulpecula</i>), 99, 158, 160	Forest Management Plans in Western Australia, 353
	FORESTCHECK project, 84
Bufo marinus (cane toad) see Rhinella marina (cane toad)	Indigenous community engagement with Forests NSW, 316
buloke (Allocasuarina luehmannii), 96	Indigenous training and enterprise development, 346
Bureau of Rural Sciences (BRS), 387	Island Ark program, 100
bush foods, 269, 280	Kaanju Ngaachi Wenlock and Pascoe Rivers Indigenous
Bush Heritage Australia, 69, 315	Protected Area, 315
BushBids program to conserve native vegetation, 273	koala (Phascolarctos cinereus), 109–10
Bushfire Cooperative Research Centre, 189, 199, 385	LiDAR research and development, 393
bushfires, 6, 174, 188, 189, 190, 196–9, 219, 224, 225, 385	managed investment schemes, 369
wildfires, 6, 7, 139, 164, 173, 174, 189, 190, 195, 196-9, 213,	monitoring and compliance of forest management in New
225, 240	South Wales, 361
see also fire	myrtle rust (<i>Puccinia psidii</i>), 184–7
	native forest condition (tracking change and trend), 380–2
	native plant food industry, 280
C	native regetation management on agricultural land, 324
	protection of Aboriginal heritage in forests in South
cabinet rainforest timbers in New South Wales, 141 see also	Australia, 306
special-species timbers	red-tailed black-cockatoo (Calyptorhynchus banksii), 96–7
Callitris forest, 18	representative species monitoring, 98–106
	South East Queensland Ecosystem Services Project, 272
area, 37	Strategic Biodiversity Corridors Project, 78
area by crown cover class, 39	
area by growth stage, 61	stream flow response to afforestation and thinning, 223
area by IUCN protected-area categories, 73	swift parrot (Lathamus discolor), 101–2
area by jurisdiction, 41	Tasmanian devil (Sarcophilus harrisii), 103-4
area on Register of the National Estate for Indigenous	Tumut community adaptive capacity, 338
values, 305	valuation of water from forested catchments, 274
distribution, 35	water quality in forested catchments, 229
in World Heritage areas, 74	Casuarina, 112
Calyptorhynchus banksii (red-tailed black-cockatoo) (case study),	C. cristata, 18
96–7	C. cunninghamiana, 18
Camden white gum (Eucalyptus benthamii), 111	Casuarina forest
cane toad (Rhinella marina, previously Bufo marinus), 98, 100, 177	area, 37
CAPAD see Collaborative Australian Protected Areas Database	area by crown cover class, 39
CAR reserve see Comprehensive, Adequate and Representative	area by growth stage, 61
(CAR) reserve system	area by IUCN protected-area categories, 73
carbon credits, 237, 349, 350, 355, 366, 370	area by jurisdiction, 41
carbon cycle, 7, 232–46	area on Register of the National Estate for Indigenous
community understanding, 252	values, 305
role of forests, 232, 235–6, 241–2, 246	description, 18
wood products and landfill, 242–5	distribution, 35
see also carbon stocks	in World Heritage areas, 74
	catchments, 7, 204, 205-6, 219-23, 224, 228-9, 274
carbon dioxide, 7, 232, 235, 237	cats see exotic species; vertebrate pests
Carbon Farming Initiative (CFI), 237, 349, 350, 355, 366, 370	celery-top pine (Phyllocladus aspleniifolius), 141
carbon monoxide, 235	certification see forest certification
carbon sequestration, 7, 233, 271	CFI see Carbon Farming Initiative
community attitudes, 252, 322–3	chain-of-custody certificates, 364, 365
projects, 237	clearfelling, 8, 120, 122, 127–30
carbon stocks, 7, 233–40	clearing
accounting, 237-8, 246	forest, 30, 76–7, 241–2
changes, 237, 238–40, 241	land, 30, 76-7, 241-2
in forest soil, 242	see also land-use change
in forests, 233, 234, 235, 240, 241–2, 246	climate change, 6, 105, 107
in landfill, 7, 233, 234, 235, 242-3	community attitudes, 319–20
reporting and inventory, 235-7	impact on forest health, 183
in wood and wood products, 233, 234, 235, 240, 242–4	impact on water yields, 220
Caribbean pine (<i>Pinus caribaea</i>), 134, 135, 178	mitigating effects of forest management scenarios, 246
Carina for our Country program, 204, 207, 370	potential effects on fire regimes, 174, 190–1

climate change <i>(continued)</i> potential effects on forest productivity, 152–3, 183, 220	consultative processes see community participation consumption, 248, 275
potential effects on honey industry, 160	firewood, 120, 136, 144-5, 239
research and development, 388, 389, 390, 391, 392	fuelwood, 120, 136, 144-6
climatic events, 6, 173-4, 182-3	paper and paper products, 243, 275, 279, 282, 283
drought see drought	particleboard, 277-8
extreme fire weather, 189, 190, 198 tropical cyclones, 6, 173, 175	sawn wood, 251, 256, 275, 276–7
wind and storm, 6, 173, 182–3	wood-based panels, 277–8 Convention on Biological Diversity, 24, 379
closed forest, 15, 18, 19	Nagoya Protocol, 115
area, 37-40	Strategic Plan for Biodiversity 2011–2020, 30, 65, 72
habitat use of forest-dwelling vertebrate species, 81	Convention on International Trade in Endangered Species of Wild
COAG see Council of Australian Governments	Fauna and Flora, 115
codes of forest practice, 7, 11, 112, 118, 164, 205, 349, 353-4, 357	Cooperative Research Centres (CRCs), 189, 199, 385, 386, 390
CSIRO assessment of, 354	Corymbia, 6, 34, 173, 179
erosion risk mitigation, 208–10	C. calophylla, 96, 179, 182, 183
monitoring and compliance, 359-62 protection of soil, 204-5, 208-10, 212, 214, 215-17	C. citriodora, 112, 113, 114, 179, 186
protection of soil, 204–3, 208–10, 212, 214, 213–17 protection of water resources, 204–5, 219–20, 225–6	C. henryi, 112, 114
codes of forest practice, by jurisdiction	C. maculata, 18, 112, 113, 114, 135, 381 C. torelliana, 114
Australian Capital Territory, 211, 216, 354	Corymbia forest
Northern Territory, 205, 209, 216	forest condition, 381–2
New South Wales, 205, 209, 211, 216, 220, 354, 359-61, 362	pests and diseases, 173, 175, 177
Queensland, 216, 226, 354, 362	population of red-tailed black-cockatoo, 96
South Australia, 205, 210, 220	Council of Australian Governments (COAG), 24, 357
Tasmania, 205, 209, 210, 216, 220, 226, 354, 360, 362	CRCs see Cooperative Research Centres
Victoria, 209, 210, 216, 220, 226, 354, 360	criteria and indicators, 1, 12, 24, 123, 371, 379, 380
Western Australia, 209, 212, 216–17, 220, 226, 353, 354, 360, 362 see also forest management	alignment of Montreal Process indicators with Australia's
cold temperatures, 183	national indicators, 395–8
Collaborative Australian Protected Areas Database (CAPAD), 4, 30,	Critically Endangered species (category), 31, 85, 86, 91–3 crocodile industry, 161, 263
65, 69, 70, 71–2, 379–80	crown cover, 2, 15, 18, 19, 37–40
common brushtail possums (<i>Trichosurus vulpecula</i>), 99, 158, 160	crown dieback see dieback
common wallaroo or euro (<i>Macropus robustus</i>), 158, 265	Crown land, 4
Commonwealth Heritage List, 72, 307	biodiversity conservation, 72
Commonwealth Scientific and Industrial Research Organisation	leasehold, 21
see CSIRO communities, forest-dependent, 252	Other Crown land, 21
community attitudes, 11, 317–24	CSIRO, 384
acceptability of plantation forestry, 11, 252, 320–2	assessment of plantation codes of practice, 354 bushfire research, 189
climate change, 319–20	changes in R&D activities and staff, 10, 349, 383, 388
farmer management of native vegetation, 324	collaboration, 387, 389, 390
forest management, 11, 252, 317–18	Flagship, 222, 384
forest-related issues, 11, 251–2, 317–19	cultural, spiritual and social values, 10, 249
forest value to community, 249, 317 role of forests in carbon storage, 11, 252, 317, 319	Cumberland State Forest (case study), 299–300
water resources management, 219–20, 222	cyclones, 6, 173
community participation, 357, 359	cypress pine, 18, 152
community resilience, 249–50, 252, 334–9	harvest and sustainable yield, 138, 140, 146-7
Tumut case study, 338	silviculture, 120, 122, 128, 130, 163, 166 see also Callitris forest
competition policy, 366, 368	see diso editions forest
compliance	
monitoring compliance with codes of practice, 359–62	
soil erosion mitigation measures, 212-13 water quality risk assessment and monitoring, 225-9	
Comprehensive, Adequate and Representative (CAR) reserve	Darwin stringybark (Eucalyptus tetrodonta), 18
system, 66–9, 355	Darwin woollybutt (Eucalyptus miniata), 18
Comprehensive Regional Assessments (CRAs), 23, 355	Dasyurus hallucatus (northern quoll), 100
Conference of the Parties to the Convention on Biological	data and datasets, 3, 375–8
Diversity, 115	data sources for area of forest by type and tenure, 34
conservation	ecological knowledge of forest-dwelling species, 30, 79, 82-4
of biodiversity see biodiversity conservation	on fire and its impact, 191–5 forest area dataset comparison, 4, 45–7
defined, 366 forests see forest conservation; nature conservation reserves	gaps, 372, 378
soil see under soil erosion; soil physical properties	growth stage information, 59–61
'state of the environment' reports, 154–5, 366, 371, 373, 378	Indigenous estate, 313
'state of the forests' reports, 372, 373, 375–9	on private forest reserves, 69–70
of water see water quality; water quantity	SOFR 2008 and SOFR 2013 differences, 32, 52–3, 348–9, 371,
Conservation Commission of Western Australia, 156, 164, 352, 353,	375-7
360, 362, 374	SOFR 2013, 12, 24–5, 371, 375–8
conservation organisations, 207	soil erosion knowledge base, 212, 218

data and datasets (continued)	ecosystem services, 66, 72, 207, 248, 271, 279, 386
tenure as surrogate for inventory data, 23	Industrial plantations contribution, 21, 119
variation across tenures and jurisdictions, 378	investment in, 370
water resources, 220–3, 226–8	overview, 271
see also mapping; monitoring; National Forest Inventory;	provided by animal species, 158
Non-Indigenous Heritage Sites of Australia; research and	provided by forests, 250, 270–4
development	
•	South East Queensland Ecosystem Services Project, 272
Deed of Grant in Trust, Queensland (Indigenous estate), 313	ecotourism, 271–3, 316 see also tourism and recreation
deer, 160, 177, 248, 263–4	Eden Local Aboriginal Land Council, 316
Department of Agriculture (Commonwealth), 24	education and awareness programs (public engagement), 299, 359
Department of Agriculture, Fisheries and Forestry	education and training programs, 362–3
(Commonwealth), 369, 387	electricity generation from wood and wood waste, 145, 237,
Department of Agriculture, Fisheries and Forestry, Queensland, 286	244, 281
Department of Climate Change and Energy Efficiency	emerging industries, 156, 262, 269
(Commonwealth), 235-6	employment, 11, 131, 249-50
Department of Environment and Conservation, Western Australia,	direct and indirect, 252, 325-30, 336
113, 156, 212, 287, 353, 360, 392	economic diversity, 337
Department of Environment and Primary Industries, Victoria, 360,	forest-dependent communities, 252, 334-9, 340-6
373	Indigenous employment in forestry, 340-6
Department of Environment and Resource Management,	Tasmanian forest industry employment and trends, 329–30
Queensland, 286	Tumut case study, 338
Department of Primary Industries and Resources South Australia,	wage rates, 252, 331-3
78, 390	worker characteristics, 338–9
Department of Primary Industries, New South Wales, 113, 246, 389	
	Endangered species (category), 85, 86, 91–3
Department of Primary Industries, Parks, Water and Environment,	northern quoll (Dasyurus hallucatus), 100
Tasmania, 105, 228, 287, 390	red-tailed black-cockatoo (Calyptorhynchus banksii
Department of Primary Industries, Victoria, 360	graptogyne), 96–7
Department of Sustainability and Environment, Victoria, 164, 213,	Tasmanian devil (Sarcophilus harrisii), 103-4, 108
220, 287, 359, 360, 373, 391	endemic species, 28-9
Department of Sustainability, Environment, Water, Population and	Environment and Sustainable Development Directorate,
Communities (Commonwealth), 366	Australian Capital Territory, 389
desert stringybark (Eucalyptus arenacea), 96	Environment Protection and Biodiversity Conservation Act 1999
devil facial tumour disease, 103-4	(EPBC Act), 30, 72, 85-6, 101, 108, 109-10, 154, 304, 355, 378
Dicksonia antarctica (tree fern), 99, 156	environmental assets, 366, 367
dieback, 160, 172, 177, 179, 180-1	environmental management systems, 364
diseases see pests and diseases	environmental organisations, 207
disturbance activities, 203, 204, 205, 208, 213, 214-15, 217-18, 224-9	environmental services see ecosystem services
Dothistroma needle blight, 6, 173	environmental values, 6
DPIPWE see Department of Primary Industries, Parks, Water and	EPBC Act see Environment Protection and Biodiversity Conservation
Environment, Tasmania	Act 1999
drought, 6, 32, 175	
forest area loss, 4, 237	essential oils, 267, 269
	Essigella californica (Monterey pine aphid), 178
forest health, 172, 173–4, 182	Eucalypt forest
impact on regeneration, 163-4	aerial sowing, 199
and public attitude to water management, 219–20	altitudinal patterns (plant and animal communities), 105-6
dryland salinity, 172, 183, 224	area, 29, 32, 34, 37, 52
Dunn's white gum (<i>Eucalyptus dunnii</i>), 112, 113, 114, 134, 177, 179	area by crown cover class, 39
	area by growth stage, 61
П	area by IUCN protected-area categories, 73
E	area by jurisdiction, 41
	area on lands with Indigenous management regimes, 313–16
eastern grey kangaroo (Macropus giganteus), 158, 265	area on Register of the National Estate for Indigenous
	values, 305
ecological communities	areas reported in SOFR 2008 and SOFR 2013, 52
Critically Endangered, 95	description, 18–19
Endangered, 95	distribution, 2, 19, 20, 35
threatened, 94-5	number of species, 18
Vulnerable, 95	
ecological knowledge, level of, forest-dwelling and forest-	pests and diseases, 179, 186 population of red-tailed black-cockatoo, 96
dependent species, 30, 79, 82-4	
economic diversity, 337	regeneration performance, 164–6 see also forest regeneration
economic framework, 348-9, 366-70	subtypes, 18, 19, 20, 34
effectiveness, 366	water yield, 220, 222
overview, 368	in World Heritage areas, 74
ecosystem diversity, 28, 29–30	see also multiple-use public forest; native forest
ecosystem health and vitality	eucalypt plantations, 2, 6, 11, 132, 173, 175, 179, 186, 320
fire impact, 173, 174	see also hardwood plantations
pests and diseases, 172, 173-4	Eucalyptus, 6, 34, 96, 112, 141
ecosystem resilience, 380–1, 391	E. agglomerata, 186
2005, 20011110011001, 200 1, 201	E. amygdalina, 179, 182
	E. angustissima, 107
	E. arenacea, 96
	•

Eucalyptus (continued)	F
E. argophloia, 111, 114	T
E. barberi, 111	TAO see Food and Agriculture Organization of the United Nations
E. baxteri, 96	FAO see Food and Agriculture Organization of the United Nations
E. benthamii, 111, 114 E. biturbinata, 114	farm forestry, 21, 28, 43, 132 native vegetation management on agricultural land, 324
E. botryoides, 112, 113	strategies, 357, 358
E. brookeriana, 111	tree planting for carbon sequestration, 322–3
E. camaldulensis, 18, 67, 96, 112, 114, 144	feral deer see deer
E. cladocalyx, 112, 113, 114	feral pigs see game pig industry; vertebrate pests
E. cloeziana, 114, 182, 186	fire, 188–99
E. coccifera, 105, 182	bushfire, 6, 174, 188, 189, 190, 196–9, 219, 224, 225, 385
E. dalrympleana, 179	see also wildfire carbon stock losses, 237, 240, 241
E. delegatensis, 18, 198, 199	case studies, 198–9
E. diversicolor, 18, 96, 113, 164 E. dunnii, 112, 113, 114, 134, 177, 179	data on, 191–5
E. globulus, 21, 107, 112, 113, 114, 134, 135, 177, 179	drivers, 189, 190
E. grandis, 112, 113, 114, 134, 135, 177, 179, 182, 186	forest area burnt, 4, 6, 174, 188, 193-9, 213, 225, 237, 239
E. grandis × E. camaldulensis, 179	Forest Fire Danger Index, 190
E. grandis × E. robusta, 114	forest health, 175
E. gunnii, 111, 176	as forest/land management tool, 173, 188, 189, 190, 195–6, 239
E. leucoxylon, 96	grassland, 189 impact on forest health, 173-4, 188, 191
E. longirostrata, 114	impact on regeneration, 164, 190
E. marginata, 18, 84, 96, 112, 144, 164, 179, 182, 183	impact on soils, 213, 225
E. melliodora, 144 E. miniata, 18	impact on water quality, 204, 224, 225
E. moluccana, 114	impact on water yields, 203, 219, 220
E. morrisbyi, 111	mapping and reporting, 191
E. nitens, 112, 113, 114, 134, 135, 176, 179, 180	mega-fires, 190, 196-9
E. obliqua, 18, 105, 182	origin and spread, 190
E. occidentalis, 112, 113, 114	planned, 6, 173, 174, 188-9, 191-5, 239 potential effects of projected climate change, 173, 174,
E. pauciflora, 182	188, 190–1
E. pellita, 112, 113, 114, 182	prescribed burning, 189, 195–6, 239
E. perriniana, 111 E. pilularis, 18, 113, 114, 135, 186	research and development, 385
E. polyanthemos, 144	unplanned, 6, 173, 188-9, 191-5
E. propinqua × E. resinifera, 114	wildfire, 6, 7, 139, 173, 174, 189, 190, 195, 196–9, 213, 225, 240
E. pulchella, 179	fire management activities and soil protection, 213
E. regnans, 18, 135, 198, 199, 274	fire regimes, 173, 190, 199 firewood, 9, 118
E. risdonii, 111, 182	use, 120, 136, 144–5, 239
E. robusta × E. grandis, 114	flooded gum (<i>Eucalyptus grandis</i>), 112, 113, 114, 134, 135, 177, 179,
E. saligna, 112, 113, 114, 135, 177	182, 186
E. saligna × E. grandis, 114 E. sideroxylon, 112, 144	Food and Agriculture Organization of the United Nations (FAO),
E. sideroxylon × E. tricarpa, 114	115, 281
E. sieberi, 18	Commission on Genetic Resources for Food and Agriculture, 115
E. tenuiramis, 179	Global Forest Resources Assessments, 33, 43, 379 International Plant Protection Convention, 176
E. tereticornis, 112, 114	State of the World's Forests reports, 379
E. tetrodonta, 18	forest
E. tricarpa, 112	benefits of, 10, 13
E. vernicosa, 111	definition, 13, 15, 37
E. viminalis, 112, 182 eucalyptus oil, 267	mature, 59, 60-2
European house borer (Hylotrupes bajulus), 179	multiple-use see multiple-use public forest
exotic species	native see native forest
harvesting, 119, 160	non-planted, 21 old-growth, 4, 30, 59, 62, 127, 198, 287, 360, 374, 390–1
pests and diseases, 6, 87, 173, 175, 177	other forest see Other forest
quarantine pests, 176	plantation see plantations
see also introduced species	private see private forests
expenditure see investment	rainforest see rainforest
exports, 154 from native forests in PEA regions, 355	regeneration, 59, 60–1
from native forests in RFA regions, 355 non-wood forest products, 263–8	regrowth, 59, 60–1
wood products, 250, 258, 275–9, 355	senescent, 59, 60–2
woodchips, 251, 256, 260–1, 275–6, 355	woodland see woodland forest Forest and Wood Products Australia, 317, 319, 384-5
Extinct species (category), 5, 85, 86	Forest and Wood Products Research, Development and Extension
rediscovered (previously categorised as extinct), 5, 31, 85	Forum, 384
Extinct species (status), 91–3	

forest area, 3, 29–30, 32–7	forest-dwelling and forest-dependent species (continued)
assessment methodology, 3, 28, 29, 32-3, 47-58 see also	invertebrate species, 82
Multiple Lines of Evidence approach	number, 30, 79–80
available for tourism and recreation, 249, 251, 295-6	representative species monitoring, 98–106
biomass density, 236	threatened, 5, 29, 30–1, 85–93
burnt, 6, 174, 188, 193-9, 213, 225, 237, 239	threats/threatening processes, 85-7, 90-3, 96
under certified forest management schemes, 12, 364, 365	vascular plant species, 81–2
change over time, 3, 4, 29, 32, 45-7	vertebrate species, 79-81
commercial wood production availability/suitability, 7–8	forest education, 362–3
covered by management plans, 353–4	Forest Education Foundation, 359
by crown cover and height classes, 37–40	Forest Europe, 379
by crown cover and tenure, 42	forest extent see forest area
data see data and datasets	Forest Fire Danger Index, 190
differences in reported areas between SOFR 2008 and SOFR	Forest Fire Management Group, 189
2013, 33–4, 48–58	forest fragmentation, 30, 76–8, 107
by growth stage, 4, 30, 59-64	forest growth stages, 4, 30, 59–64
Indigenous heritage value, 304-5	in Tasmania (case study), 63-4
Indigenous ownership or management, 2, 10, 251, 301–4,	forest health, 6, 172-4
312-16	agents and processes, 172–87
by IUCN classification, 50, 71–3	climatic events, 172, 173-4, 182-3
by jurisdiction, 33, 38, 40–2, 48, 51, 54	fire impact, 173, 174
managed primarily for protective functions, 30, 204–7	pests and diseases, 6, 172, 173-4, 176-82
see also forest management in National Reserve System,	river regulation, 183
379–80	soil acidification, 183
Non-Indigenous Heritage Sites of Australia, 10	soil salinisation, 183
old-growth forest, 30, 59, 62	surveillance, 172, 176
plantations see plantations	weeds, 172, 181-2
in private reserves, 69–70	see also forest conservation, pests and diseases
protected areas, 4, 7, 30, 65-75	forest height, 37–40
RFA regions, 3, 29, 33, 43–5, 51, 54	forest industries
sites included in Non-Indigenous Heritage Sites of Australia	assistance schemes, 369
dataset, 309–10	community attitudes, 11, 251-2, 317-22
spatial distribution, 35–6	community dependence on, 252, 334-9
by tenure, 2, 3, 4, 10, 29, 30, 32, 36, 40–2, 45, 53, 61	employment see employment
tree loss, 4, 15	fatalities and injuries, 252, 333
by type, 2–3, 29, 32–44, 52, 61	investment, 10, 249, 251, 285-91
water supply catchments, 204–6	research and development, 292-4, 383-93
wood harvesting excluded, 205-6 wood production see harvest volume (forest wood products);	structural change, 249–50, 334, 366
wood production wood production	in Tasmania, 369
in World Heritage areas, 74	turnover, 253, 256-7
forest categories and types, 2, 15–21, 28, 34	wage rates, 331–3
area see forest area	worker characteristics, 338
spatial distribution, 35–6	worker welfare, 252
see also native forest; multiple-use public forest; plantations;	see also non-wood forest products; tourism and recreation;
private forests and specific types of forest: Acacia forest;	wood production; wood products
Callitris forest; Casuarina forest; Eucalypt forest; Mangrove	Forest Industries Climate Change Research Fund, 388
forest; Melaleuca forest; Other native forest; Rainforest	Forest Industries Development Fund, 369
forest certification, 12, 363–4	forest management
forest clearing, 30, 76–7, 241–2 see also land-use change	capacity to measure and monitor changes, 348, 349, 371–82
forest conservation, 65–75	carbon dynamics of managed native forests (case study), 246
capacity to measure and monitor changes, 348, 349, 371–82	carbon stock managed losses, 239
CAR reserve system, 66–9	certification, 12, 363-4
'conservation' model in climate change mitigation	community attitudes, 11, 252
modelling, 246	community participation, 357, 359
economic framework, 348-9, 366-70	economic framework, 348-9, 366-70
institutional framework, 348-9, 356-65	education and training programs, 362–3
jurisdictions, 65–71	employment see employment
legal framework, 155, 348–55 see also legislation and legal/	fire as management tool, 173, 188, 189, 190, 195–6, 239
non-legal instruments	greenhouse gas mitigation benefits, 7, 233, 234, 245–6, 271
monitoring and reporting, 372–9	harvest permits, 119
by prescription, 67	Indigenous Australian participation, 249, 251, 312–16, 359
Regional Forest Agreements (RFAs), 66, 372	institutional framework, 348–9, 356–65
see also forest health; forest management; nature	investment in, 285-91
conservation reserves	jurisdictions, 22, 285-90, 356-61
forest-dependent human communities, 252, 334-9, 340-6	legal framework, 155, 348–55 see also legislation and legal/
forest-dwelling and forest-dependent species, 5, 29	non-legal instruments
availability of ecological knowledge, 30, 79, 82-4	plans, 352-4, 379-80 see also codes of forest practice
conservation status, 85-97	policy and regulation, 11–12, 205, 356–65 see also codes of
definitions, 79	forest practice
genetic variation, 107-10	private forests, 370
habitat use. 81	protection of soil. 202–18

forest management (continued)	G
protection of water quantity and quality, 202–7, 219–29	U
protective functions, 202-7 see also heritage sites	
Vegetation Assets States and Transitions framework, 380–2	game pig industry, 265
see also forest conservation; forest regeneration; forestry	genetic diversity, 29, 31, 107-10
operations; research and development; sustainable forest	case study (koala), 109–10
management	native forest wood species of commercial significance, 112
Forest Management Plan 2004–2013 (Western Australia), 352, 353	risk mitigation, 109-10
achievement of objectives, 392	risk to, 107, 108–9
case study, 353	genetic resources, 29 conservation, 5, 111–15
management area visits, 299 monitoring of compliance, 360, 362, 374	gene flow from plantations, 113–14
protection of soil and water, 209, 212, 216–17, 220, 226	international dispersion, 111–12
regeneration timeliness and effectiveness, 164	use, 5, 112–13
sustainable use of resources, 156, 157	global carbon cycle, 7, 232–46
Forest Practices Authority, Tasmania, 166, 168, 218, 360, 390	Global Forest Resources Assessments, 33, 43, 379
forest products see harvest volume (forest wood products); non-	goats see exotic species; vertebrate pests
wood forest products; wood products	Greater Blue Mountains World Heritage Area, 199
Forest Products Commission, Western Australia, 212, 216, 289–90,	greenhouse gases, 7, 232, 234–46
353, 358, 360	emissions from forestry operations, 7, 233, 234, 244-5
forest regeneration, 162–70	emissions from wildfire, 195
aims and management, 112, 118	IPCC scenarios, 152
carbon stock gains, 237, 239, 240	mitigation benefits of forest management, 7, 233, 234, 245-6,
definition, 162	271
native forest, 118, 163-7	National Greenhouse Gas Inventory, 4, 29, 32, 234, 235–6,
plantation establishment/re-establishment, 119, 167-70	242, 378
success rates in multiple-use public native forest, 120, 162	reporting and inventory, 195, 235–6
see also regeneration (growth stage)	storage and release processes in forests, 235
Forest Stewardship Council (FSC), 12, 364	see also carbon credits; carbon cycle; carbon sequestration
forest tenure see tenure (forests)	Greening Australia, 207
forest types see forest categories and types	Grevillea forest, 20
FORESTCHECK project, 82, 84, 99, 176, 374	Grevillea robusta, 112, 114
Forestry and Forest Products Committee (FFPC), 24, 357	gross domestic product, 253
Forestry Corporation of NSW, 286, 351, 358	growing stock, 131, 132, 134
forestry operations	growth stage see forest growth stages gumleaf skeletoniser (<i>Uraba lugens</i>), 179
degree of threat to threatened species, 5, 31, 85 employment see employment	Gymnobelideus leadbeateri (Leadbeater's possum), 59, 198, 199
greenhouse gases emissions, 7, 233, 234, 244–5	dynniobeliaeds ledabedien (Ledabedier 3 possam), 55, 156, 155
investment, 290–1	
R&D expenditure, 251, 293–4	H
vocational education and training, 340, 345–6, 363	
wage rates, 252, 331-3	habitat use of forest-dwelling and forest-dependent vertebrate
see also codes of forest practice; forest industries; forest	species, 80-1
management	hail damage, 183
Forestry Tasmania, 105, 157, 168, 228, 229, 287, 289, 390	Hakea forest, 20
forestry workers see employment	hardwood plantations, 21
ForestrySA, 286, 289, 390	area, 2, 30, 32, 37, 43, 120, 131, 132, 133-4
forests see forest	area by jurisdiction, 41
Forests NSW	climatic events impacts, 182-3
education and training programs, 299, 346	establishment, 131, 139
engagement with Indigenous people, 316, 346	establishment/re-establishment, 167-8, 170, 251, 288-90
investment and expenditure, 286, 288	forecast plantation log supply, 149-53
legislative authority, 351	harvest volume, 9, 120-1, 136, 141-2, 145-8, 254-5
management for protective functions, 205	investment in, 10, 288–90
management plans, 354	pests and diseases, 173, 177, 179–80, 186
monitoring and compliance, 359–60, 361 policy, 357	potential effects of climate change, 152-3
recreation and tourism permits issued, 297–8	species, 134, 135
research and development, 246, 389	value of logs harvested, 254-5
soil protection and conservation, 209, 211, 216	hardwoods, 34
tree-improvement programs, 113	consumption of sawn wood, 251, 256, 276–7 greenhouse gases emitted during log production, 245
water quantity/quality monitoring, 220, 223, 226, 228	sequestered carbon in logs, 233, 234, 245
see also Forestry Corporation of NSW	species and uses, 134, 135
ForestWorks vocational programs, 340, 345, 363	use for pulp and paper (community attitudes), 252
foxes, 177 see also vertebrate pests	woodchip exports, 256, 261
FrogWatch, 98	harvest volume (forest wood products), 8–9, 120, 122, 136–48
fuelwood, 9, 118	annual harvests, 138-48, 254
use, 120, 136, 144-6	forecast native forest log supply, 152–3
Full Carbon Accounting Model (FullCAM), 236	forecast plantation log supply, 149-53
fungal leaf pathogens, 6, 172, 173, 179	impact of fire, 139
	sustainable yield, 118, 120, 136-45

harvest volume (forest wood products) (continued)	Industrial plantations (continued)
trends, 9-10, 138-48, 250, 253, 254	employment generated, 131
see also wood production	establishment/re-establishment, 119, 121, 131, 162, 167-70
harvested products see non-wood forest products; wood products	forecast plantation log availability, 148-51
harvesting (forest wood products), 8–9, 118	growing stock, 132, 134
community attitudes, 252	harvest volume see harvest volume (forest wood products)
forest carbon losses, 241	investment, 10, 288–90, 368–9
impact on water yield in native forests, 222	locations, 148–9
'legally restricted' / 'not legally restricted' tenures, 123	ownership of trees, 8, 21, 120, 131, 132, 134–5
minimisation of impact on soils, 214-15	plantation estate growth, 132 production volume, 120–1
regulation, 119	purpose, 43, 119
see also wood production; wood products	regeneration, 112
heritage sites, 10, 72, 249, 251, 301, 304–12	species, 34, 131, 132, 134, 135
Heterodendron forest, 20	value (standing timber), 366, 367
honey, 9, 119, 121, 154, 160–1, 263, 267	see also hardwood plantations; softwood plantations
hoop pine (<i>Araucaria cunninghamii</i>), 113, 114, 134, 135, 178	industry see forest industries
House of Representatives Standing Committee on Agriculture,	injury and fatality rates in forest sector, 252, 333
Resources, Fisheries and Forestry, 368	insect pests, 6, 172, 173, 175, 176, 177–9, 182, 191
household recycling see recycling	Institute of Foresters of Australia, 364
human capital, 337 huon pine (<i>Lagarostrobos franklinii</i>), 141	integrated pest management, 177-8
hybridisation, 108, 113	Intergovernmental Panel on Climate Change (IPCC), 152
Hylotrupes bajulus (European house borer), 179	International Plant Protection Convention, 115
Trylotrupes bujulus (Europeurriouse borer), 179	International Tropical Timber Organization, 379
	International Union for Conservation of Nature (IUCN), 4, 30, 65
I	protected areas categories, 71-3
	International Union for the Protection of New Varieties of Plants, 115
illegal logging, 355	introduced species, 21, 85, 91, 177 see also exotic species
imports and exports	introgression, 113 see also hybridisation
non-wood forest product exports, 263–8	inventory of forests see National Forest Inventory
paper products, 251, 275, 279	invertebrate pests, 172, 177-9
prohibition of illegally logged timber, 355	investment
wood products, 250–1, 256–61, 275–9, 355	forest industries, 10, 249, 251, 285–91, 368–71
indicators see criteria and indicators	managed investment schemes, 366
Indigenous Australians	new plantations, 251, 288–90, 368–9
area of forest owned or managed see Indigenous estate	research and development, 10, 249, 251, 292-4
capacity building, 252	timber processing, 369
cultural values, 252, 311–12	IPCC see Intergovernmental Panel on Climate Change
employment, 316, 340-6	Ips grandicollis (bark beetle), 178, 191
participation in forest management, 249, 251, 312–16, 359	Island Ark program, 98, 100 IUCN see International Union for Conservation of Nature
resilience of communities and forestry workers, 340-6	10 CN See International Official Conservation of Nature
training and skills development, 345–6	
use of fire, 190	
use of non-wood forest products, 154, 161	J
worker characteristics, 344-5	jarrah (Eucalyptus marginata), 18, 84, 96, 112, 144, 164, 179, 182, 183
Indigenous estate, 2, 10	jurisdictions, 22
area, 10, 251, 301, 303-4	codes of forest practice see codes of forest practice,
dataset, 313	by jurisdiction
heritage sites, 249, 251, 301, 304–5, 306, 311–12	forest area, 33, 38-42
land tenure and management categories, 2, 10, 249, 251, 301,	forest measurement, monitoring and reporting, 372–4
302, 312–14	institutional framework, 356-65
land-use agreements, 303, 316	investment in forest management, 285-90
management regimes, 301–4, 312–14	legal framework, 350-5
nature conservation reserves, 314	see also Regional Forest Agreements
Other special rights, 302, 304, 315–16 pastoral leases, 314	
protected areas, 67, 302, 312, 315	K
World Heritage areas, 314	11
see also native title	Kaanju Ngaachi Wenlock and Pascoe Rivers Indigenous Protected
Indigenous Land Corporation, 313	Area, 315
Indigenous Protected Areas, 67, 302, 312, 315	kangaroos
Industrial plantations, 21	adverse impact in forests, 176
age-classes, 132, 134	harvest volume and value, 265–6
area, 2, 8, 29, 30, 32, 37, 43, 120, 131–5	products, 158–9, 265–6
area by IUCN protected-area categories, 73	protected, 158, 265
area by jurisdiction, 41	sustainable management of harvest, 158
area by type and rotation, 132	karri (Eucalyptus diversicolor), 18, 96, 113, 164
contribution to environmental services, 21, 119	key threatening processes see threats/threatening processes
defined, 15	Khaya senegalensis (African mahogany), 134, 135
distribution, 35	King Billy pine (Athrotaxis selaginoides), 141, 182
effects of climate change, 152–3	knowledge base see data and datasets

koala (Phascolarctos cinereus), 92, 108, 109–10	mangrove, Avicennia marina, 19
Kyoto Protocol, 235, 379	Mangrove forest area, 37
T	area by crown cover class, 39
L	area by growth stage, 61
	area by IUCN protected-area categories, 73
Lagarostrobos franklinii (huon pine), 141	area by jurisdiction, 41
Land & Water Australia, 387	area on Register of the National Estate for Indigenous values,
land tenure, 2, 3, 4	305
Crown land, 4 Indigenous managed lands, 2, 10, 29	description, 19 distribution, 35
Indigenous owned and managed lands, 2, 10, 29	habitat use of forest-dwelling and forest-dependent
leasehold, 2, 3, 4, 29	vertebrate species, 81
private land, 2, 4, 29	in World Heritage areas, 74
see also tenure (forests)	mapping, 3, 32
land-use agreements, Indigenous, 303, 316 see also Indigenous	changes in, 47–58
estate land-use change, 3, 4, 30, 76, 85	for fire management and reporting, 191–3
carbon stock gains and losses, 237, 238, 239, 240	LiDAR research and development, 393 soils in forested areas, 218
nature reserves, 205–6	see also remote sensing
planned (harvested plantations, Tasmania), 167–8, 169	maritime pine (<i>Pinus pinaster</i>), 134, 135, 182
see also forest clearing	market-based initiatives for conservation, 273
land-use pressures on forests, 154, 156	marri (Corymbia calophylla), 96, 179, 182, 183
Landcare groups, 207, 316, 370 landfill	mature (growth stage), 59, 60-2
carbon stocks, 7, 233, 234, 235, 237, 242–3	in Tasmania (case study), 59
sources of rubbish, 283	meat and skins see animal products mega-fires, 190, 196-9 see also bushfires
large-leaved spotted gum (Corymbia henryi), 112	Melaleuca, 112
Lathamus discolor (swift parrot), 98, 101–2	M. leucadendra, 19
Leadbeater's possum (<i>Gymnobelideus leadbeateri</i>), 59, 198, 199	M. quinquenervia, 185-7
leasehold forest, 2, 3, 4, 21, 36 area available/suitable for commercial wood production, 123-7	M. viridiflora, 19
leasehold land, 2, 3, 4, 29	Melaleuca forest
legislation and legal/non-legal instruments, 357	area, 37 area by crown cover class, 39
Australian (Commonwealth) see Environment Protection	area by growth stage, 61
and Biodiversity Conservation Act 1999, Regional Forests	area by IUCN protected-area categories, 73
Agreement Act 2002	area by jurisdiction, 41
carbon credits, 349 concerning Indigenous estate, 313–14	area on Register of the National Estate for Indigenous values, 305
framework for forest conservation and sustainable	description, 19
management, 155, 348-55	distribution, 35
harvesting non-wood forest products, 155	in World Heritage areas, 74 messmate stringybark (<i>Eucalyptus obliqua</i>), 18
heritage protection, 304, 307–8	methane, 235
limiting disturbance in catchments, 205 lists, by jurisidiction, 351-2, 357-8	Miena cider gum (<i>Eucalyptus gunnii</i> subsp. <i>divaricata</i>), 111, 176
protection of soil, 204–5, 208–10, 212, 215–17	millennium drought, 219–20, 237
protection of water resources, 204–5, 219–20, 221, 225–6	Millennium Ecosystem Assessment, 270–1, 272
lemon-scented gum (Corymbia citriodora), 112, 113, 114	Millennium Seed Bank Project, 111–12
Leptospermum forest, 20	mining, 3, 240 Mirbelia oxylobioides, 182
LiDAR research and development, 393 logging see forestry operations; harvesting (forest wood products)	MODIS (Moderate-resolution Imaging Spectroradiometer), 174,
logs see pulplogs; sawlogs; wood products	188, 191–5, 386
Long-term Ecological Research Network (LTERN), 387	monitoring, 359-62
long-term ecological research sites (LTER), 82, 98, 99, 105–6, 387, 390	Bennett's wallaby and Tasmanian pademelon, 158-9
Lophostemon forest, 20	birds, 78, 96, 98
LTER see long-term ecological research	brushtail possum, 158, 160 capacity to measure and monitor changes in forests, 348, 349,
	371–82
M	effectiveness of, 379–80
	forest biodiversity (FORESTCHECK project), 84, 99
Macropus	forest condition, 380–2
M. fuliginosus (western grey kangaroo), 158, 265	international monitoring and reporting, 378–9
M. giganteus (eastern grey kangaroo), 158, 265	national monitoring and reporting, 375–8 representative species, 98–106
M. robustus (common wallaroo or euro), 158, 265 M. rufogriseus (Bennett's wallaby), 99, 158–9, 265	state and territory measurement, monitoring and reporting,
M. rufus (red kangaroo,), 158, 265	372-4
mallee eucalypts, 13, 18, 20, 107 see also Eucalypt forest	variation across tenures and jurisdictions, 372, 378
managed investment schemes, 366, 368-9	water quality, 226–9
	see also compliance; data and datasets Monterey pine aphid (<i>Essigella californica</i>), 178
	2 r r (0

nature conservation reserves (continued)	Other native forest (continued)
tourism and recreation, 249, 251, 295–6	distribution, 35
transfer of multiple-use public forest to reserves, 4, 8	in World Heritage areas, 74
see also biodiversity conservation; forest conservation; forest	Other special rights (of lands) see under Indigenous estate
management	other woody vegetation, 3, 15, 33, 37, 46, 48–9, 51,3, 55–6, 66, 81
Nature Conservation Trust (New South Wales), 69	ownership of trees see under Industrial plantations
NCAS see National Carbon Accounting System	
NCLD see National Conservation Lands Database	D
NFI see National Forest Inventory	P
nitrous oxide, 235	
non-forest, 3, 15, 29, 33, 37, 46, 48–9, 51–7, 66, 76, 80–1, 109, 158,	paper and paperboard, 252
167, 240–1, 262	carbon stocks, 7, 242–3
non-forest habitats, habitat use of forest-dwelling and forest-	collection rate, 282, 283
dependent vertebrate species, 80–1	consumption, 243, 275, 279, 282, 283
Non-Indigenous Heritage Sites of Australia, 10, 72, 251, 307–10	employment in product manufacturing, 327, 328
non-methane volatile organic compounds, 235	from eucalypts (community attitudes), 252, 320
non-wood forest products, 9, 10, 119, 121, 158–61, 262–9 animal products, 156, 158–61, 263–7, 269	fatalities and injuries in product manufacturing, 252, 333
bush foods, 269, 280	imports and exports, 251, 275, 279
emerging industries, 156, 262, 269	investment and expenditure, 291
examples, 154, 263–8	production volume and value, 259
gross annual value, 262–3	recycled, 9, 243, 251, 281, 282, 283–4
harvest by Indigenous Australians, 154, 161	research and development, 251, 292–3
impact on environment, 121, 154	transferred to landfill, 243
legislation relevant to harvesting, 155	paperbarks see Melaleuca, Melaleuca forest
monitoring commercially harvested species, 99	parasitoids, 175, 178
plant products, 154, 156–8, 267–9, 280	Parks and Wildlife Service, Tasmania, 212, 362, 390
production and consumption, 275, 279	Parks Victoria, 359
regulation, 154	parrots, adverse impact in forests, 177 particleboard
sustainable harvesting, 154-61	consumption, 277–8
sustainable management, 119	volume and value exported, 281
tree-based industries (horticultural crops), 269	pathogens see pests and diseases
value of production, 250	pencil pine (Athrotaxis cupressoides), 182
values, quantities and use, 262-9	pest management, 119, 177-8, 263, 265, 286, 386
yields, 154	pesticides, 174, 175, 176, 178
see also aromatic products; essential oils; honey; wildflowers	pests and diseases, 6, 86, 87, 172–82
northern quoll (Dasyurus hallucatus), 100	case study (myrtle rust), 184-7
Nothofagus cunninghamii (myrtle), 137, 141	incidence and severity due to fire, 188, 191
NPI see National Plantation Inventory	invertebrate pests, 172, 177-9, 191
NRS see National Reserve System	pathogens, 172, 176, 179-81, 184-7
NVIS see National Vegetation Information System	quarantine pests, 176
	vertebrate pests, 87, 98, 100, 119, 160, 172, 176–7, 262
\cap	see also threats/threatening processes; weeds
O	Phascolarctos cinereus (koala), 92, 108, 109–10
Observation for the Forest of Control Africa 270	Phyllocladus aspleniifolius (celery-top pine), 141
Observatory for the Forests of Central Africa, 379	Phytophthora, 6, 172, 173, 180 pigs see exotic species; game pig industry; vertebrate pests
Office of Environment and Heritage, New South Wales, 211, 216, 359-60, 361, 373	pine
old-growth forest, 4, 30, 59, 62, 127, 198, 287, 360, 374, 390–1	Caribbean pine (<i>Pinus caribaea</i>), 134, 135, 178
open forest, 15, 18, 19	hoop (Araucaria cunninghamii), 113, 114, 134, 135, 178
area, 37–40, 42	King Billy pine (Athrotaxis selaginoides), 141, 182
habitat use of forest-dwelling and forest-dependent	maritime (<i>Pinus pinaster</i>), 134, 135, 182
vertebrate species, 80-1	pencil pine (Athrotaxis cupressoides), 182
tenure, 42	Pinus taeda, 178
other Crown land, 21, 36	radiata (<i>Pinus radiata</i>), 21, 134, 135, 173, 175, 177–8, 182, 338
Other forest, 2, 21	slash pine (<i>Pinus elliottii</i>), 134, 135
area, 29, 30, 32, 37, 43	southern, 135
area by IUCN protected-area categories, 73	pine plantations, 2, 6, 21, 252, 320, 338 see also softwood
area by jurisdiction, 41	plantations
defined, 15	PIRSA see Department of Primary Industries and Resources
habitat use of forest-dwelling and forest-dependent	South Australia
vertebrate species, 81	planned fires, 6, 173, 174, 188-9, 191-5, 239
Other native forest, 20, 34	plantation species
area, 37	with reproductive material in seed collections, 112
area by crown cover class, 39	in seed orchards, 113
area by growth stage, 61 area by IUCN protected-area categories, 73	in tree improvement and breeding programs, 114 plantations
area by jurisdiction, 41	area, 2, 43
area on Register of the National Estate for Indigenous	carbon stocks, 7, 238–40, 241, 242
values, 305	climatic events impacts, 182–3
	·

plantations (continued)	pulplogs, 118, 137
commercial wood production availability, 8	annual harvests, 145-8
community attitudes, 11, 252, 320–2	emissions and sequestrations of greenhouse gases during
definition, 15	production, 245
establishment/re-establishment, 119, 121, 131, 162, 167-70,	forecast log supply, 149–52
251, 288–90, 370	harvest volume, 8-9, 120, 136-7, 143, 260
habitat use of forest-dwelling and forest-dependent	species, 135
vertebrate species, 81	pulpwood
hardwood see hardwood plantations	from eucalypts (community attitudes), 252
harvest volume, 120-1, 254-5 see also harvest volume	for exported woodchips, 260–1
health see forest health	investment and expenditure, 291 plantation species, 135
Industrial see Industrial plantations	pulp and paper manufacturing, 260, 291
investment in, 10, 288–90, 368–9	volume and value, 143, 260
maintenance of productive capacity, 118-21	see also pulplogs
Other forest, 21	b 2-
pest damage, 6 productivity, 112	
purpose, 43, 119	
regeneration, 112	~
softwood see softwood plantations	Quambalaria shoot blight, 6, 173, 175, 179
value (standing timber), 366, 367	quarantine pests, 176 see also pests and diseases
water use, 219, 222–3	Queensland Parks and Wildlife Service, 166
planted forests, 33, 43 see also Industrial plantations; softwood	Queensland western gum (Eucalyptus argophloia), 111, 114
plantations; wildlife corridors	quolls, 100
plants	
native see native plants	D
threatened see threatened species	R
plywood, 134, 258, 268, 276 see also wood-based panels	
policy and regulation, 11–12, 22, 119, 356–65	rabbits, 177 see also vertebrate pests
competition policy, 366, 368	radiata pine (<i>Pinus radiata</i>), 21, 134, 135, 173, 175, 177–8, 182, 338
effectiveness of government policies in promoting	rainfall, 34
conservation and sustainable management, 366-7	mean annual, 17
trade policy, 368	zones, 192
see also jurisdictions; legislation and legal/non-legal	see also water quantity Rainforest, 20
instruments	rainforest
population monitoring, 31 possums	area, 2, 29, 32, 33, 34, 37, 52
adverse impact in forests, 176	area by crown cover class, 39
monitoring, 158, 160	area by growth stage, 61
see also brushtail possum; Leadbeater's possum	area by IUCN protected-area categories, 73
prescribed burning, 189, 195–6, 239	area by jurisdiction, 41
Primary Industries Ministerial Council, 357, 384	area on Register of the National Estate for Indigenous values, 305
Primary Industries Standing Committee, 24, 357	area reported in SOFR 2008 and SOFR 2013, 3, 29, 52
private forests, 21, 23, 36	distribution, 35
area available/suitable for commercial wood production, 122,	ecosystems, 272 habitat use of forest-dwelling and forest-dependent
123-7	vertebrate species, 81
assessment of role, values and potential, 142	types and description, 20
forecast log supply, 152	in World Heritage areas, 74
fragmentation, 78	rainforest species, impact of pests and diseases, 185–6
harvest sustainability, 120, 136, 142	recovery plans, 86
harvest volume, 145, 147–8 harvest yield, 142	recreation and tourism see tourism and recreation
importance for supply of hardwood logs, 120, 136	recycling, 9, 243, 251, 281–4
investment to improve management, 370	red box (Eucalyptus polyanthemos), 144
managed for conservation objectives, 65	red ironbark (Eucalyptus sideroxylon), 112, 114, 144
public access for recreation and tourism, 295, 296	red kangaroo (Macropus rufus), 158, 265
regeneration/re-stocking, 120, 162, 166	red mahogany (Eucalyptus pellita), 112, 113, 114, 182
private land, managed for CAR values, 66, 67, 68–70	red-tailed black-cockatoo (<i>Calyptorhynchus banksii</i>) (case study), 96–7
production see harvest volume (forest wood products); non-wood	reforestation
forest products; wood production; wood products	aerial sowing after fire, 199
Productivity and Regulatory Reform Committee, 24, 357	protective functions, 207, 224
professional bodies, 364	see also forest regeneration
protected areas	regeneration (growth stage), 59, 60-1
area of forest in protected area categories, 65–75	regeneration (of forests) see forest regeneration
definitions, 66	Regional Forest Agreements Act 2002 (RFA Act), 13, 23
see also biodiversity conservation; nature conservation reserves	Regional Forest Agreements (RFAs), 23, 29, 354-5
public participation see community participation	approach to forest conservation, 66, 372
public perceptions see community attitudes Puccinia psidii (myrtle rust), 6, 173, 184-7	forest area in RFA regions, 3, 29, 33, 43–5, 51, 54 threatened species protection, 86
1 accima poian (myrite ruot), 0, 170, 104-7	aneuteneu species protection, ou

Register of the National Estate (RNE), 72, 251, 301, 304, 307	silver wattle (Acacia dealbata), 141
Registered Professional Forester scheme, 364	silvertop ash (Eucalyptus sieberi), 18
regrowth (growth stage), 59, 60–1	silvicultural practices, 113
in Tasmania (case study), 59 remote sensing, 191–3, 236	thinning, 223
renewable energy production, 244	silvicultural systems, 8, 120, 122, 127–30 silviculture, 112, 113, 119 see also forestry operations
reporting see data and datasets; monitoring	Sirex wood wasp, 173, 175, 177–8
ReptileWatch, 98	skins see animal products
research and development, 10, 383-93	slash pine (<i>Pinus elliottii</i>), 134, 135
bushfires, 189, 199, 385	social capital, 337
capacity, 10, 348, 349, 383-93	socio-economic benefits (overview), 248-52
expenditure, 10, 251, 292–4	softwood plantations, 21
forest genetic resources, 111–12	area, 2, 30, 32, 37, 43, 120, 131, 132, 133-4
investment, 249 national bodies, 383-9	area by jurisdiction, 41
researcher and technician numbers, 10, 383, 388–93	climatic events impacts, 182-3 establishment/re-establishment, 167-8, 170, 251, 288-90
state and territory agencies, 10, 383, 389–93	forecast plantation log supply, 149–53
university-based, 389, 390, 391	harvest volume, 9, 120–1, 136, 145–8, 254–5
see also data and datasets	investment in, 10, 288–90
Research Priorities and Co-ordination Committee, 384	pests and diseases, 173, 177–8, 180
reserves see nature conservation reserves	potential effects of climate change, 152-3
resilience	species, 134, 135
community, 11, 249–50, 252, 334–9, 340–6	Tumut case study, 338
ecological, 380–1, 391 restocking see forest regeneration	value of logs harvested, 254-5
revegetation, 78	softwoods, 34 consumption of sawn wood, 251, 256, 276-7
RFAs see Regional Forest Agreements	greenhouse gases emitted during log production, 245
Rhinella marina (cane toad), 98, 100, 177	sequestered carbon in logs, 233, 234, 245
RIRDC see Rural Industries Research and Development Corporation	species and uses, 134, 135
Risdon peppermint (Eucalyptus risdonii), 111	woodchip exports, 256, 261
river red gum (Eucalyptus camaldulensis), 18, 67, 96, 112, 114, 144	soil acidification, 172, 183
river regulation, 183	soil carbon stocks, 242
river she-oak (Casuarina cunninghamiana), 18 RNE see Register of the National Estate	soil compaction, 212, 214, 216 see also soil physical properties
road construction and maintenance, 204, 205	soil erosion
rotary-peeled veneer plants, 143	hazard assessment, 205, 209, 211, 217
Royal Botanic Gardens, Melbourne, 112	knowledge base, 212, 218 mitigation, 202, 207, 208, 209, 212–13, 370
Royal Botanic Gardens, United Kingdom, 112	protective legal instruments and regulatory framework, 205,
Royal Tasmanian Botanical Gardens, 112	208–10
rural dieback see dieback	soil physical properties, 202, 214–18
Rural Industries Research and Development Corporation, 387	assessment during planning processes, 217
	impact of forestry operations, 214
S	protective legal instruments and regulatory framework, 205,
J	212, 215–17
salinity, 172, 183, 224, 370	protective measures, 215
sandalwood, 21, 137, 141, 154, 157-8, 267-8	soil salinisation see salinity South Australian Collection of Rare and Endangered Seeds (SACRED
Sarcophilus harrisii (Tasmanian devil), 98, 103–4, 108	Seeds) Project, 112
sassafras (Atherosperma moschatum), 141	South East Queensland Ecosystem Services Project, 272
Save the Tasmanian Devil Program, 103	southern pine, 135 see also Caribbean pine (Pinus caribaea); slash
sawlogs, 118	pine (Pinus elliottii)
annual harvests, 145-8	southern (Tasmanian) blue gum (Eucalyptus globulus), 21, 107, 112,
emissions and sequestrations of greenhouse gases during	113, 134, 135, 177, 179
production, 245	Southern Tree Breeding Association (STBA), 113
forecast log supply, 149–53 harvest volume, 8–9, 120, 136–42	special-species timbers, 137, 141 species (categories)
quota sawlogs, 138	critically endangered see Critically Endangered species (category)
species, 135	endangered see Endangered species (category)
sustainable yield, 118, 137-42	endemic see endemic species
Sawlogs for Salinity pilot project, 370	exotic see exotic species
sawn wood, 251, 256-7, 275, 276-7 see also sawlogs	extinct see Extinct species (category)
seed banks, 5, 31, 111–12	forest-dependent see forest-dwelling and forest-dependent
seed orchards, 5, 31, 111, 112, 113	species
seed-tree silviculture, 112	forest-dwelling see forest-dwelling and forest-dependent species
seed trees, 112	introduced see introduced species
seeds (forest product), 9, 29, 121, 154, 156–7 selection logging, 8, 120, 122, 127–30	threatened see threatened species vulnerable see vulnerable species
senescent (growth stage), 59, 60–2	species distribution prior to European settlement, 107
in Tasmania (case study), 59	species diversity see under biodiversity
shelterwood systems, 8, 120, 122, 127–30	spinning gum (Eucalyptus perriniana), 111
shining gum (<i>Eucalyptus nitens</i>), 112, 113, 134, 135, 176, 179, 180	spotted gum canker, 6, 173, 179

spotted gum (<i>Corymbia maculata</i>), 18, 112, 113, 114, 135, 381	threatened species (continued)
spring needle cast, 6, 173, 175, 180	Leadbeater's possum (Gymnobelideus leadbeateri), 198, 199
Standing Committee on Agriculture, Resources, Fisheries and	native fish, 198, 199
Forestry (House of Representatives), 368	northern quoll (Dasyurus hallucatus), 100
Standing Council on Primary Industries (SCoPI), 24, 357	red-tailed black-cockatoo (Calyptorhynchus banksii), 96–7
'state of the environment' reports, 154–5, 366, 371, 373, 378	swift parrot (Lathamus discolor), 101–2
'state of the forests' reports, 372, 373, 375-9 'state of the parks' reports, 373, 378	Tasmanian devil (<i>Sarcophilus harrisii</i>), 103–4 Threatened Species Scientific Committee, 86, 109–10
states and territories see jurisdictions	threats/threatening processes, 5, 31, 85–90
storm damage, 6, 173, 182–3	cane toads, 98, 100
Strategic Biodiversity Corridors Project, 78	definitions, 85
stringybark	isolation of populations, 107-9
Eucalyptus baxteri, E. arenacea, 96	key threatening processes, 85-6, 176
E. obliqua, 18	to koalas, 109
sugar gum (Eucalyptus cladocalyx), 112, 113, 114	relating to forest flora and fauna, 87, 90–3, 96, 100–6
sustainable diversion limit resource unit (water resources), 222	see also pests and diseases
sustainable forest management, 1, 24, 348-9	Thylogale billardierii (Tasmanian pademelon), 99, 158-9, 265
criteria and indicators (C&I), 1, 12, 24, 395–8 see also forest management	timber processing, 369
sustainable management, defined, 366	sawn wood, 251, 256-7, 275, 276-7 see also sawlogs
sustainable yield <i>see under</i> harvest volume	special-species timbers, 137, 141
swamp yate (Eucalyptus occidentalis), 112, 113	wholesaling (employment), 327, 328
swift parrot (Lathamus discolor), 98, 101–2	see also sawlogs; wood products
Sydney blue gum (<i>Eucalyptus saligna</i>), 112, 113, 114, 135, 177	Timber Queensland, 216, 226
Syncarpia forest, 20	Toolangi Forest Discovery Centre, 359
	tourism and recreation, 249, 295–6
Т	area available, 249, 251
T	financial valuation, 249
Transparie formet avenuth stance (see study) C2 /	Indigenous employment, 316
Tasmania, forest growth stages (case study), 63–4 Tasmanian devil (Carcophilus harrisii), 98, 103, 4, 108	infrastructure planning, 225
Tasmanian devil (<i>Sarcophilus harrisii</i>), 98, 103–4, 108 Tasmanian Forest Contractors Exit Assistance Program, 369	range and use of facilities, 249, 251, 297–300
Tasmanian Forest Contractors Financial Support Program, 369	visits to forest-based tourism destinations, 271, 273, 298–9 see also multiple-use public forest
Tasmanian Forest Insect Collection, 82	trade policy, 368
Tasmanian Forest Practices Authority, 166, 168	training and skills development, 345-6
Tasmanian Forests Intergovernmental Agreement, 369	tree-breeding, 5, 31, 111, 113–14
Tasmanian pademelon (<i>Thylogale billardierii</i>), 99, 158–9, 265	tree ferns, 99, 156
Tasmanian Seed Conservation Centre, 112	tree improvement programs, 113, 114, 119
Tasmanian (southern) blue gum (Eucalyptus globulus), 21, 107, 112,	tree planting for carbon sequestration, 322-3
113, 114, 134, 135, 177, 179	TREEPLAN® genetic evaluation system, 113
Tasmanian special-species timbers, 137, 141	Trichosurus vulpecula (common brushtail possum), 99, 158, 160
tea-tree oil, 267 tea-trees see Melaleuca, Melaleuca forest	tropical cyclones, 6, 173, 175
teak (Tectona grandis), 134, 135	Trust For Nature (Victoria), 69 turbidity, 225, 228, 229
Tectona grandis (teak), 134, 135	turbiaity, 223, 228, 229
tenure (forests)	
area, 2, 3, 4, 10, 29, 30, 32, 36, 40–2, 45, 53, 61	U
classes, 21, 28, 40	C
differences in reported areas between SOFR 2008 and SOFR	Ulladulla Local Aboriginal Land Council, 316
2013, 52	UNESCO World Heritage List see World Heritage List
harvesting 'legally restricted' / 'not legally restricted', 123	United Nations Convention on Biological Diversity, 24, 379
monitoring and reporting by tenure, 372	Nagoya Protocol, 115
surrogate for inventory data, 23	Strategic Plan for Biodiversity 2011–2020, 30, 65, 72
tenure (land) see land tenure	United Nations Forum on Forests, 115
Teratosphaeria spp., 6, 173, 175, 179 Terrestrial Ecosystem Research Network, 385	United Nations Framework Convention on Climate Change, 235, 379
territories (jurisdictions) see jurisdictions	University of Melbourne, 391
tertiary education, 362, 389	University of New England, 113, 246
thick-podded salwood (Acacia crassicarpa), 112	University of Tasmania, 385, 390
threat abatement plans, 85, 86, 176, 180	unplanned fire, 6, 173, 188–9, 191–5
threatened ecological communities, 94-5	unresolved tenure, 21, 36
protection from firewood collection, 145	Uraba lugens (gumleaf skeletoniser), 179
threatened species, 5, 29, 30-1	urban development, 3, 4, 76, 91–2, 110, 240 Uredo rangelii see Puccinia psidii
categories, 85	oreao rangem see raccinia psian
conservation status changes, 5, 30–1, 85, 91–3	
distribution, 86, 88–9	V
genetic-related reasons, 108-9	¥
population isolation, 107-9 protection from firewood collection, 145	valuation of water from forested catchments, 274
specific species:	value-adding, 253
barred galaxia, 198	varnished gum (Eucalyptus vernicosa), 111
koala (Phascolarctos cinereus), 109–10	Vegetation Assets States and Transitions (VAST) framework, 380, 381–2

vegetation mapping see National Vegetation Information System wood products (continued) veneer products, 118, 143, 258 employment in product manufacturing, 327, 331-2, 335-9 vertebrate pests, 87, 98, 100, 119, 160, 172, 176-7, 262, 269 fatalities and injuries in product manufacturing, 252, 333 VicForests, 164, 198, 210, 220, 287, 360, 372 firewood, 9, 118, 120, 136, 144-5, 239 Victorian Conservation Seedbank, 112 fuelwood, 9, 118, 120, 136, 144-6 Victorian Forest Monitoring Program, 99, 373-4 imports and exports, 250-1, 256-61, 275-9, 355 visits to forest-based tourism destinations, 271, 273, 298-9 industry value, 9 vocational education and training, 340, 345-6, 363 investment and expenditure, 290-1, 369 Vulnerable species (category), 31, 85, 86, 91-3 main products, 118, 134, 137 koala (Phascolarctos cinereus), 92, 108 national wood products model, 242-3 red-tailed black-cockatoo (Calyptorhynchus banksii naso), 96-7 other wood products, 144 paper products see paper and paperboard particleboard, 277-8, 281 pulplogs see pulplogs sawlogs see sawlogs sawn wood, 251, 256-7, 275, 276-7 wallabies special-species timbers, 137, 141 adverse impact in forests, 176 trade, 9 harvest value, 266 transferred to landfill, 243 harvest volume, 159, 266 value, 250-1, 253-8 protected, 158, 165 veneer products, 118, 143, 258 sustainable management of harvest, 158 wood-based panels, 118, 258, 277-8 Warra Long-term Ecological Research, Tasmania, 82, 98, 99, see also specific products: paper and paperboard; pulplogs; 105-6, 387, 390 pulpwood; sawlogs; woodchips wood waste see under waste paper, 243, 282 waste streams, 243, 282 woodchips emissions and sequestrations of greenhouse gases during wood waste, 145, 244, 281-2, 283 see also landfill; recycling production, 245 volume and value exported, 251, 256, 260-1, 275-6, 281 water buffalo see exotic species; vertebrate pests water quality, 6, 7, 202, 203, 207, 224-9 woodland forest, 15, 18, 19 area, 29, 34, 37-40, 42 water quantity, 202, 203, 219-23 water resources planning, 222-3 distribution, 35 water supply, 204, 205-6, 219, 225 habitat use of forest-dwelling and forest-dependent water, valuation of, 274 vertebrate species, 80 water yields, 6, 7, 202-3, 219-22, 274 tenure, 42 weather see climatic events worker characteristics see under employment weeds, 87, 172, 181-2 World Heritage areas, Indigenous estate, 314 western grey kangaroo (Macropus fuliginosus), 158, 265 World Heritage List, 30, 65, 74-5 white mangrove (Avicennia marina), 19 forested areas, 74 Wilderness Society, 315 Greater Blue Mountains World Heritage Area, 199 wildfire, 6, 7, 32, 139, 173, 189 World Intellectual Property Organization, Intergovernmental carbon stock losses, 237, 240, 241 Committee on Intellectual Property and Genetic Resources, data, 195 Traditional Knowledge and Folklore, 115 forest area burnt, 174, 195, 213, 225, 239 mega-fires, 190, 196-9 see also fire; bushfires Υ wildflowers, 9, 121, 154, 156-7 wildlife corridors, 77, 78 yellow box (Eucalyptus melliodora), 144 wind and storm damage, 6, 173, 182-3 yellow gum (Eucalyptus leucoxylon), 96 wood-based panels, 118, 258 consumption, 277-8 wood production, 253 forecast plantation log supply, 149-53 industry structural change, 249-50 native forest area available/suitable, 7–8, 120, 122–7 native forest productive capacity management, 118 plantation forests, 119, 120-1 plantation species and uses, 21, 134, 135 potential effects of climate change, 152-3 production and consumption, 248, 250-1 research and development, 251, 292-4

value, 250–1, 253–8 value added, 253 volume, 120, 136

wood products

products)

production, 245

see also forest industries; harvest volume

carbon stored in, 7, 233, 234, 235, 240, 242-4

annual harvests, 145-8 see also harvest volume (forest wood

emissions and sequestrations of greenhouse gases during



Above: View of the Atherton Tablelands, Queensland.



www.daff.gov.au/forestsaustralia