



Pear residue testing annual datasets 2024-25

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Commonwealth has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the department disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: ANTHELMINTICS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	0.01	52	0	0
emamectin	Whole	0.005	not set	52	-	-
fluensulfone	Whole	0.01	not set	52	-	-

Table 2: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,4,6-Trichloroanisole	Whole	0.01	not set	52	-	-
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	0.05	52	0	0
benzo[a]pyrene	Whole	0.01	not set	52	-	-
bromoprophate	Whole	0.01	not set	52	-	-
chlordan	Whole	0.01	0.02	52	0	0
DDT	Whole	0.01	1	52	0	0

endosulfan	Whole	0.01	not set	52	-	-
endrin	Whole	0.01	not set	52	-	-
HCB (hexachlorobenzene)	Whole	0.01	not set	52	-	-
HCH (BHC)	Whole	0.01	not set	52	-	-
heptachlor	Whole	0.01	not set	52	-	-
lindane (gamma-HCH)	Whole	0.01	0.5	52	0	0
mirex	Whole	0.01	not set	52	-	-
nonachlor-cis	Whole	0.01	not set	52	-	-
nonachlor-trans	Whole	0.01	not set	52	-	-
pentachloroanisole	Whole	0.01	not set	52	-	-
pentachlorophenol	Whole	0.01	not set	52	-	-
THPI	Whole	0.05	not set	52	-	-

Table 3: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2-phenylphenol	Whole	0.05	not set	52	-	-
azaconazole	Whole	0.01	not set	52	-	-
azoxystrobin	Whole	0.01	not set	52	-	-
benalaxyl	Whole	0.01	not set	52	-	-
benzovindiflupyr	Whole	0.01	not set	52	-	-
bitertanol	Whole	0.01	not set	52	-	-
bixafen	Whole	0.01	not set	52	-	-
boscalid	Whole	0.01	2	52	0	0
bupirimate	Whole	0.01	not set	52	-	-
captan	Whole	0.05	not set	52	-	-
captan	Whole	0.05	10	52	0	0
carbendazim	Whole	0.01	not set	52	-	-
carboxin	Whole	0.01	not set	52	-	-
carboxin sulfoxide	Whole	0.01	not set	52	-	-
chlorothalonil	Whole	0.01	not set	52	-	-
chlorothalonil 4-hydroxy	Whole	0.01	not set	52	-	-
cyazofamid	Whole	0.01	not set	52	-	-
cyflufenamid	Whole	0.01	not set	52	-	-
cyproconazole	Whole	0.01	not set	52	-	-
cyprodinil	Whole	0.01	0.05	52	0	0
dichlofluanid	Whole	0.05	not set	52	-	-
dichloran	Whole	0.01	not set	52	-	-
difenoconazole	Whole	0.01	0.3	52	0	0
dimethomorph (sum of E and Z isomers)	Whole	0.01	not set	52	-	-
dithianon	Whole	0.01	2	52	0	0
dithiocarbamates	Whole	0.2	3	52	0	0

dodine	Whole	0.01	5	52	0	0
epoxiconazole	Whole	0.01	not set	52	-	-
etridiazole	Whole	0.01	not set	52	-	-
fenarimol	Whole	0.01	not set	52	-	-
fenbuconazole	Whole	0.01	not set	52	-	-
fenhexamid	Whole	0.01	not set	52	-	-
fenpropidin	Whole	0.01	not set	52	-	-
fenpropimorph	Whole	0.01	not set	52	-	-
fenpyrazamine	Whole	0.01	not set	52	-	-
fluazinam	Whole	0.01	0.01	52	0	0
fludioxonil	Whole	0.01	5	52	0	0
fluopicolide	Whole	0.01	not set	52	-	-
fluopyram	Whole	0.01	1	52	0	0
fluquinconazole	Whole	0.01	0.3	52	0	0
flusilazole	Whole	0.01	0.2	52	0	0
flutriafol	Whole	0.01	0.5	52	0	0
fluxapyroxad	Whole	0.01	0.7	52	0	0
folpet	Whole	0.01	not set	52	-	-
hexaconazole	Whole	0.01	0.1	52	0	0
imazalil	Whole	0.01	5	52	0	0
ipconazole	Whole	0.01	not set	52	-	-
iprodione	Whole	0.01	3	52	1	0
isofetamid	Whole	0.01	not set	52	-	-
isoprothiolane	Whole	0.01	not set	52	-	-
isopyrazam	Whole	0.01	0.7	52	0	0
kresoxim-methyl	Whole	0.01	0.1	52	0	0
mandestrobin	Whole	0.01	not set	52	-	-
mandipropamid	Whole	0.01	not set	52	-	-
mefentrifluconazole	Whole	0.01	not set	52	-	-
metalaxyl	Whole	0.01	0.2	52	0	0
metrafenone	Whole	0.01	not set	52	-	-
myclobutanil	Whole	0.01	0.5	52	0	0
oxadixyl	Whole	0.01	not set	52	-	-
oxathiapiprolin	Whole	0.01	not set	52	-	-
oxycarboxin	Whole	0.01	not set	52	-	-
paclobutrazol	Whole	0.01	1	52	0	0
penconazole	Whole	0.01	0.1	52	0	0
pencycuron	Whole	0.01	not set	52	-	-
penflufen	Whole	0.01	not set	52	-	-
penthiopyrad	Whole	0.01	0.5	52	0	0
prochloraz	Whole	0.01	not set	52	-	-
procymidone	Whole	0.01	not set	52	-	-

propamocarb	Whole	0.01	not set	52	-	-
propiconazole	Whole	0.01	not set	52	-	-
proquinazid	Whole	0.01	not set	52	-	-
prothioconazole	Whole	0.01	not set	52	-	-
pydiflumetofen	Whole	0.01	not set	52	-	-
pyraclostrobin	Whole	0.01	1	52	0	0
pyrimethanil	Whole	0.01	15	52	0	0
pyriofenone	Whole	0.01	not set	52	-	-
quinoxifen	Whole	0.01	not set	52	-	-
quintozene	Whole	0.01	not set	52	-	-
spiroxamine	Whole	0.01	not set	52	-	-
tebuconazole	Whole	0.01	0.01	52	0	0
tecnazene	Whole	0.01	not set	52	-	-
tetraconazole	Whole	0.01	not set	52	-	-
TFNA-AM metabolite of flonicamid	Whole	0.01	not set	52	-	-
thiabendazole	Whole	0.01	10	52	0	0
thiophanate methyl	Whole	0.01	not set	52	-	-
tolclofos methyl	Whole	0.01	not set	52	-	-
tolyfluanid	Whole	0.01	not set	52	-	-
triadimefon	Whole	0.01	not set	52	-	-
triadimenol	Whole	0.01	not set	52	-	-
tridemorph	Whole	0.01	not set	52	-	-
trifloxystrobin	Whole	0.01	0.7	52	0	0
triforine	Whole	0.01	1	52	0	0
triticonazole	Whole	0.01	not set	52	-	-
vinclozolin	Whole	0.01	not set	52	-	-

Table 4: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.05	0.1	52	0	0
2,4-D	Whole	0.01	0.05	52	0	0
2,4-DB	Whole	0.02	not set	52	-	-
acetochlor	Whole	0.01	not set	52	-	-
acifluorfen	Whole	0.01	not set	52	-	-
alachlor	Whole	0.01	not set	52	-	-
ametryn	Whole	0.01	not set	52	-	-
amicarbazone	Whole	0.01	not set	52	-	-
aminopyralid	Whole	0.05	not set	52	-	-
atrazine	Whole	0.01	not set	52	-	-
atrazine desethyl	Whole	0.01	not set	52	-	-
atrazine desisopropyl	Whole	0.01	not set	52	-	-

bentazone	Whole	0.01	not set	52	-	-
bicyclopyrone	Whole	0.01	not set	52	-	-
bixlozone	Whole	0.01	not set	52	-	-
bromacil	Whole	0.01	not set	52	-	-
bromoxynil	Whole	0.01	not set	52	-	-
butafenacil	Whole	0.01	not set	52	-	-
butroxydim	Whole	0.01	not set	52	-	-
carfentrazone-ethyl	Whole	0.01	0.05	52	0	0
chlorpropham	Whole	0.05	not set	52	-	-
chlorsulfuron	Whole	0.01	not set	52	-	-
chlorthal-dimethyl	Whole	0.01	not set	52	-	-
clethodim	Whole	0.01	not set	52	-	-
clodinafop acid	Whole	0.01	not set	52	-	-
clodinafop-propargyl	Whole	0.01	not set	52	-	-
clomazone	Whole	0.01	not set	52	-	-
clopyralid	Whole	0.05	not set	52	-	-
cloquintocet	Whole	0.01	not set	52	-	-
cloquintocet-mexyl	Whole	0.01	not set	52	-	-
cyanazine	Whole	0.01	not set	52	-	-
dicamba	Whole	0.01	not set	52	-	-
dichlobenil	Whole	0.01	0.1	52	0	0
diflufenican	Whole	0.01	not set	52	-	-
dimethenamid	Whole	0.01	not set	52	-	-
dinoseb	Whole	0.01	not set	52	-	-
diuron	Whole	0.01	not set	52	-	-
EPTC (ethyldipropylthiocarbamate)	Whole	0.01	not set	52	-	-
ethofumesate	Whole	0.01	not set	52	-	-
fenoprop	Whole	0.01	not set	52	-	-
fenoxaprop-ethyl	Whole	0.01	not set	52	-	-
flamprop-M-methyl	Whole	0.01	not set	52	-	-
florasulam	Whole	0.01	not set	52	-	-
florpyrauxifen-benzyl	Whole	0.01	not set	52	-	-
flumioxazin	Whole	0.02	0.02	52	0	0
fluometuron	Whole	0.01	not set	52	-	-
fluroxypyr	Whole	0.01	not set	52	-	-
fomesafen	Whole	0.01	not set	52	-	-
halauxifen-methyl	Whole	0.01	not set	52	-	-
halosulfuron-methyl	Whole	0.01	not set	52	-	-
hexazinone	Whole	0.01	not set	52	-	-
iodosulfuron-methyl	Whole	0.01	not set	52	-	-
ioxynil	Whole	0.01	not set	52	-	-
isoproturon	Whole	0.01	not set	52	-	-

isoxaben	Whole	0.01	0.01	52	0	0
isoxaflutole	Whole	0.01	not set	52	-	-
linuron	Whole	0.01	not set	52	-	-
maleic hydrazide	Whole	0.5	not set	52	-	-
MCPA	Whole	0.01	not set	52	-	-
MCPB	Whole	0.01	not set	52	-	-
mecoprop	Whole	0.01	not set	52	-	-
mefenpyr-diethyl	Whole	0.01	not set	52	-	-
mesotrione	Whole	0.01	not set	52	-	-
metamitron	Whole	0.01	0.01	52	0	0
metazachlor	Whole	0.01	not set	52	-	-
methabenzthiazuron	Whole	0.01	not set	52	-	-
metolachlor	Whole	0.01	not set	52	-	-
metosulam	Whole	0.01	not set	52	-	-
metribuzin	Whole	0.01	not set	52	-	-
metsulfuron-methyl	Whole	0.01	not set	52	-	-
molinate	Whole	0.01	not set	52	-	-
napropamide	Whole	0.01	not set	52	-	-
norflurazon	Whole	0.01	0.2	52	0	0
oryzalin	Whole	0.01	0.1	52	0	0
oxadiazon	Whole	0.01	not set	52	-	-
oxyfluorfen	Whole	0.01	0.05	52	0	0
pendimethalin	Whole	0.01	0.05	52	0	0
picloram	Whole	0.01	not set	52	-	-
picolinafen	Whole	0.01	not set	52	-	-
pinoxaden (parent)	Whole	0.01	not set	52	-	-
prometryn	Whole	0.01	not set	52	-	-
propachlor	Whole	0.01	not set	52	-	-
propaquizafop	Whole	0.01	not set	52	-	-
propazine	Whole	0.01	not set	52	-	-
propyzamide	Whole	0.01	not set	52	-	-
prosulfocarb	Whole	0.01	not set	52	-	-
pyraflufen-ethyl	Whole	0.01	not set	52	-	-
pyrasulfotole	Whole	0.01	not set	52	-	-
pyroxasulfone	Whole	0.01	not set	52	-	-
pyroxsulam	Whole	0.01	not set	52	-	-
quizalofop - methyl	Whole	0.01	not set	52	-	-
quizalofop-ethyl	Whole	0.01	not set	52	-	-
quizalofop-p-tefuryl	Whole	0.01	not set	52	-	-
saflufenacil	Whole	0.01	0.03	52	0	0
sethoxydim	Whole	0.01	not set	52	-	-
simazine	Whole	0.01	0.1	52	0	0

sulfosulfuron	Whole	0.01	not set	52	-	-
tebuthiuron	Whole	0.01	not set	52	-	-
terbuthylazine	Whole	0.01	not set	52	-	-
terbuthylazine 2-hydroxy (nr)	Whole	0.01	not set	52	-	-
terbuthylazine desethyl	Whole	0.01	not set	52	-	-
terbutryn	Whole	0.01	not set	52	-	-
tiafenacil	Whole	0.01	not set	52	-	-
topramezone	Whole	0.01	not set	52	-	-
tralkoxydim	Whole	0.01	not set	52	-	-
triallate	Whole	0.01	not set	52	-	-
triasulfuron	Whole	0.01	not set	52	-	-
tribenuron-methyl	Whole	0.01	not set	52	-	-
triclopyr	Whole	0.01	not set	52	-	-
trifloxysulfuron sodium	Whole	0.01	not set	52	-	-
trifludimoxazin	Whole	0.01	not set	52	-	-
trifluralin	Whole	0.01	0.05	52	0	0

Table 5: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
acephate	Whole	0.05	not set	52	-	-
acephate-M-C2H2N	Whole	0.01	not set	52	-	-
acequinocyl	Whole	0.01	not set	52	-	-
acetamiprid	Whole	0.01	0.3	52	0	0
afidopyropen	Whole	0.01	not set	52	-	-
aldicarb	Whole	0.01	not set	52	-	-
amitraz	Whole	0.01	not set	52	-	-
azamethiphos	Whole	0.01	not set	52	-	-
azinphos-ethyl	Whole	0.01	not set	52	-	-
azinphos-methyl	Whole	0.01	not set	52	-	-
bendiocarb	Whole	0.01	not set	52	-	-
bifenazate	Whole	0.01	2	52	0	0
bifenthrin	Whole	0.01	0.5	52	0	0
bioresmethrin	Whole	0.01	not set	52	-	-
bromophos methyl	Whole	0.01	not set	52	-	-
bromophos-ethyl	Whole	0.01	not set	52	-	-
buprofezin	Whole	0.01	0.2	52	0	0
cadusafos	Whole	0.005	not set	52	-	-
carbaryl	Whole	0.01	0.2	52	0	0
carbofuran	Whole	0.005	not set	52	-	-
carbophenothion	Whole	0.01	not set	52	-	-
chlorantraniliprole	Whole	0.01	0.3	52	0	0

chlorfenapyr	Whole	0.01	0.5	52	0	0
chlorfenvinphos (sum of isomers)	Whole	0.01	not set	52	-	-
chlorfluazuron	Whole	0.01	not set	52	-	-
chlorpyrifos	Whole	0.005	0.5	52	0	0
chlorpyrifos-methyl	Whole	0.005	not set	52	-	-
clofentezine	Whole	0.01	0.1	52	0	0
clothianidin	Whole	0.01	2	52	0	0
coumaphos	Whole	0.01	not set	52	-	-
cyantraniliprole	Whole	0.01	0.05	52	0	0
cyflumetofen	Whole	0.01	0.5	52	0	0
cyfluthrin (sum of isomers)	Whole	0.01	not set	52	-	-
cyhalothrin (sum of isomers)	Whole	0.01	not set	52	-	-
cypermethrin (sum of isomers)	Whole	0.01	1	52	0	0
deltamethrin	Whole	0.01	not set	52	-	-
diafenthiuron	Whole	0.01	not set	52	-	-
diazinon	Whole	0.01	0.5	52	0	0
dichlorvos	Whole	0.01	0.1	52	0	0
dicofol	Whole	0.01	5	52	0	0
diflubenzuron	Whole	0.01	not set	52	-	-
dimethoate	Whole	0.01	not set	52	-	-
dinotefuran	Whole	0.01	not set	52	-	-
dioxathion	Whole	0.01	not set	52	-	-
disulfoton	Whole	0.01	not set	52	-	-
ethion	Whole	0.01	1	52	0	0
ethoprophos	Whole	0.005	not set	52	-	-
etofenprox	Whole	0.01	not set	52	-	-
etoxazole	Whole	0.01	0.2	52	0	0
etrimfos	Whole	0.01	not set	52	-	-
fenamiphos	Whole	0.01	not set	52	-	-
fenbutatin oxide	Whole	0.01	3	52	0	0
fenchlorphos	Whole	0.01	not set	52	-	-
fenchlorphos oxon	Whole	0.01	not set	52	-	-
fenitrothion	Whole	0.01	not set	52	-	-
fenoxycarb	Whole	0.01	2	52	0	0
fenpropathrin	Whole	0.01	not set	52	-	-
fenpyroximate	Whole	0.01	0.3	52	0	0
fensulfothion	Whole	0.01	not set	52	-	-
fenthion	Whole	0.01	not set	52	-	-
fenthion-ethyl	Whole	0.01	not set	52	-	-
fenvalerate (sum of isomers)	Whole	0.01	not set	52	-	-
fipronil	Whole	0.005	not set	52	-	-
fipronil desulfinyl	Whole	0.01	not set	52	-	-

fipronil sulfide	Whole	0.01	not set	52	-	-
fipronil sulfone	Whole	0.01	not set	52	-	-
flonicamid	Whole	0.01	0.7	52	0	0
fluazuron	Whole	0.01	not set	52	-	-
flubendiamide	Whole	0.01	not set	52	-	-
flucythrinate	Whole	0.01	not set	52	-	-
flumethrin	Whole	0.01	not set	52	-	-
flupyradifurone	Whole	0.01	0.2	52	0	0
fluralaner	Whole	0.01	not set	52	-	-
fonofos	Whole	0.01	not set	52	-	-
formothion	Whole	0.01	not set	52	-	-
furathiocarb	Whole	0.01	not set	52	-	-
hexythiazox	Whole	0.01	1	52	0	0
imidacloprid	Whole	0.01	not set	52	-	-
indoxacarb	Whole	0.01	2	52	0	0
malaoxon	Whole	0.01	not set	52	-	-
malathion (maldison)	Whole	0.01	2	52	0	0
mecarbam	Whole	0.01	not set	52	-	-
metaldehyde	Whole	0.05	1	52	0	0
methacrifos	Whole	0.01	not set	52	-	-
methamidophos	Whole	0.01	not set	52	-	-
methidathion	Whole	0.01	not set	52	-	-
methiocarb	Whole	0.01	0.06	52	0	0
methomyl	Whole	0.01	3	52	0	0
methomyl oxime (as metabolite of methomyl)	Whole	0.01	not set	52	-	-
methoprene	Whole	0.01	not set	52	-	-
methoxychlor	Whole	0.01	not set	52	-	-
methoxyfenozide	Whole	0.01	0.5	52	0	0
mevinphos	Whole	0.01	not set	52	-	-
monocrotophos	Whole	0.01	not set	52	-	-
novaluron	Whole	0.01	0.3	52	0	0
octachlorodipropyl ether (S 421)	Whole	0.01	not set	52	-	-
omethoate	Whole	0.01	2	52	0	0
oxamyl	Whole	0.01	not set	52	-	-
paraoxon	Whole	0.01	not set	52	-	-
paraoxon methyl	Whole	0.01	not set	52	-	-
parathion	Whole	0.01	not set	52	-	-
parathion-methyl	Whole	0.01	not set	52	-	-
permethrin (sum of isomers)	Whole	0.01	not set	52	-	-
phenothrin (sum of isomers)	Whole	0.01	not set	52	-	-
phorate	Whole	0.01	not set	52	-	-
phosalone	Whole	0.01	not set	52	-	-

phosmet	Whole	0.01	not set	52	-	-
phosphamidon	Whole	0.01	not set	52	-	-
phoxim	Whole	0.01	not set	52	-	-
piperonyl butoxide	Whole	0.01	8	52	0	0
pirimicarb	Whole	0.01	0.5	52	0	0
pirimiphos ethyl	Whole	0.01	not set	52	-	-
pirimiphos-methyl	Whole	0.01	not set	52	-	-
profenofos	Whole	0.01	not set	52	-	-
propargite	Whole	0.01	3	52	0	0
propoxur	Whole	0.01	not set	52	-	-
prothiofos	Whole	0.01	0.05	52	0	0
pymetrozine	Whole	0.01	not set	52	-	-
pyrethrins	Whole	0.05	1	52	0	0
pyridaben	Whole	0.02	0.5	52	0	0
pyriproxyfen	Whole	0.01	not set	52	-	-
quinalphos	Whole	0.01	not set	52	-	-
safrole	Whole	0.01	not set	52	-	-
spinetoram	Whole	0.01	0.1	52	0	0
spinosad	Whole	0.01	0.5	52	0	0
spirotetramat	Whole	0.01	0.5	52	0	0
sulfoxafloor	Whole	0.01	0.5	52	0	0
tau-fluvalinate	Whole	0.01	not set	52	-	-
tebufenozide	Whole	0.01	1	52	0	0
tebufenpyrad	Whole	0.01	1	52	0	0
temephos	Whole	0.01	not set	52	-	-
terbufos	Whole	0.005	not set	52	-	-
tetrachlorvinphos	Whole	0.01	not set	52	-	-
tetradifon	Whole	0.01	not set	52	-	-
tetramethrin	Whole	0.01	not set	52	-	-
tetraniliprole	Whole	0.01	0.5	52	0	0
thiacloprid	Whole	0.01	1	52	0	0
thiamethoxam	Whole	0.01	not set	52	-	-
thiodicarb	Whole	0.01	not set	52	-	-
triazofos	Whole	0.01	not set	52	-	-
trichlorfon	Whole	0.01	0.1	52	0	0
triflumuron	Whole	0.01	not set	52	-	-
vamidothion	Whole	0.01	not set	52	-	-

Table 6: METALS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
arsenic (total)	Whole	0.05	no limit	33	0	0

cadmium	Whole	0.01	no limit	33	0	0
copper	Whole	0.05	no limit	33	0	0
lead	Whole	0.01	0.1	33	4	0
mercury (total)	Whole	0.01	no limit	33	0	0
nickel	Whole	0.05	not set	33	-	-

Table 7: MICROBIOLOGY*

Chemical	Matrix	LOR	MRL	Number of samples tested	>½MRL to ≤MRL	>MRL
E.coli	Whole	3	not set	25	-	-
Listeria spp	Whole	1	not set	25	-	-
Salmonella spp	Whole	1	not set	25	-	-
Staphylococcus coagulase positive	Whole	100	not set	25	-	-
Thermotolerant coliforms	Whole	3	not set	25	-	-

Table 8: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
diphenylamine	Whole	0.01	7	52	0	0
trinexapac-ethyl	Whole	0.01	not set	52	-	-
uniconazole	Whole	0.01	not set	52	-	-

Table 9: PLANT GROWTH REGULATOR

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
forchlorfenuron	Whole	0.01	not set	52	-	-
prohexadione-calcium	Whole	0.01	not set	52	-	-

Table 10: RODENTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
brodifacoum	Whole	0.01	not set	52	-	-

* Units for Microbiology testing

Microbial	Limit of Reporting (LOR)	DEFINITIONS:
Presumptive Thermotolerant Coliforms	<3.0 MPN/g	< = Less than -Most probable number < = Less than ~ = Estimated ND = Not detected MPN = Most probable number
Presumptive Escherichia coli	<3.0 MPN/g	< = Less than - Most probable number
Listeria spp	ND/25g	ND = Not detected
Salmonella spp	ND/25g	ND = Not detected
CP Staphylococci	<100 CFU/g	CFU = Colony forming units