



Australian Government

Department of Agriculture,
Fisheries and Forestry

Polenta residue testing annual datasets 2024-25

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Commonwealth has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the department disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: ANTHELMINTICS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	0.01	1	0	0
emamectin	Whole	0.01	0.002	1	0	0
fluensulfone	Whole	0.01	0.05	1	0	0

Table 2: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,4,6-Trichloroanisole	Whole	0.01	not set	1	-	-
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	0.02	1	0	0
benzo[a]pyrene	Whole	0.01	not set	1	-	-
chlordane	Whole	0.01	0.02	1	0	0
DDT	Whole	0.01	0.1	1	0	0

endosulfan	Whole	0.01	not set	1	-	-
endrin	Whole	0.01	not set	1	-	-
HCB (hexachlorobenzene)	Whole	0.01	0.05	1	0	0
HCH (BHC)	Whole	0.01	0.1	1	0	0
heptachlor	Whole	0.01	0.02	1	0	0
lindane (gamma-HCH)	Whole	0.01	0.5	1	0	0
mirex	Whole	0.01	not set	1	-	-
nonachlor-cis	Whole	0.01	not set	1	-	-
nonachlor-trans	Whole	0.01	not set	1	-	-
pentachloroanisole	Whole	0.01	not set	1	-	-
pentachlorophenol	Whole	0.01	not set	1	-	-
THPI	Whole	0.05	not set	1	-	-

Table 3: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2-phenylphenol	Whole	0.01	not set	1	-	-
azaconazole	Whole	0.01	not set	1	-	-
azoxystrobin	Whole	0.01	0.01	1	0	0
benalaxyl	Whole	0.01	not set	1	-	-
benzovindiflupyr	Whole	0.01	not set	1	-	-
bitertanol	Whole	0.01	not set	1	-	-
bixafen	Whole	0.01	0.01	1	0	0
boscalid	Whole	0.01	0.5	1	0	0
bupirimate	Whole	0.01	not set	1	-	-
captafol	Whole	0.01	not set	1	-	-
captan	Whole	0.01	not set	1	-	-
carbendazim	Whole	0.01	not set	1	-	-
carboxin	Whole	0.01	0.1	1	0	0
carboxin sulfoxide	Whole	0.01	not set	1	-	-
chlorothalonil	Whole	0.01	not set	1	-	-
chlorothalonil 4-hydroxy	Whole	0.01	not set	1	-	-
cyazofamid	Whole	0.01	not set	1	-	-
cyflufenamid	Whole	0.01	not set	1	-	-
cyproconazole	Whole	0.01	0.01	1	0	0
cyprodinil	Whole	0.01	not set	1	-	-
dichlofluanid	Whole	0.05	not set	1	-	-
dichloran	Whole	0.01	not set	1	-	-
difenoconazole	Whole	0.01	not set	1	-	-
dimethomorph (sum of E and Z isomers)	Whole	0.01	not set	1	-	-
dithianon	Whole	0.01	not set	1	-	-

dodine	Whole	0.01	not set	1	-	-
epoxiconazole	Whole	0.01	0.05	1	0	0
etridiazole	Whole	0.01	not set	1	-	-
fenarimol	Whole	0.01	not set	1	-	-
fenbuconazole	Whole	0.01	not set	1	-	-
fenhexamid	Whole	0.01	not set	1	-	-
fenpropidin	Whole	0.01	not set	1	-	-
fenpropimorph	Whole	0.01	not set	1	-	-
fenpyrazamine	Whole	0.01	not set	1	-	-
florylpicoxamid	Whole	0.01	not set	1	-	-
fluazinam	Whole	0.01	not set	1	-	-
fludioxonil	Whole	0.01	0.02	1	0	0
fluopicolide	Whole	0.01	0.01	1	0	0
fluopyram	Whole	0.01	0.03	1	0	0
fluquinconazole	Whole	0.01	not set	1	-	-
flusilazole	Whole	0.01	not set	1	-	-
flutriafol	Whole	0.01	0.1	1	0	0
fluxapyroxad	Whole	0.01	0.1	1	0	0
folpet	Whole	0.01	not set	1	-	-
hexaconazole	Whole	0.01	not set	1	-	-
imazalil	Whole	0.01	not set	1	-	-
ipconazole	Whole	0.01	0.01	1	0	0
iprodione	Whole	0.01	not set	1	-	-
iprodione-des-(N-isopropylcaboxamid)	Whole	0.01	not set	1	-	-
isofetamid	Whole	0.01	not set	1	-	-
isoprothiolane	Whole	0.01	not set	1	-	-
isopyrazam	Whole	0.01	not set	1	-	-
kresoxim-methyl	Whole	0.01	not set	1	-	-
mandipropamid	Whole	0.01	not set	1	-	-
mefentrifluconazole	Whole	0.01	not set	1	-	-
metalaxyl	Whole	0.01	0.01	1	0	0
metrafenone	Whole	0.01	not set	1	-	-
myclobutanil	Whole	0.01	not set	1	-	-
oxadixyl	Whole	0.01	not set	1	-	-
oxathiapiprolin	Whole	0.01	not set	1	-	-
oxycarboxin	Whole	0.01	not set	1	-	-
paclobutrazol	Whole	0.01	not set	1	-	-
penconazole	Whole	0.01	not set	1	-	-
pencycuron	Whole	0.01	not set	1	-	-
penflufen	Whole	0.01	0.01	1	0	0
penthiopyrad	Whole	0.01	not set	1	-	-

prochloraz	Whole	0.01	not set	1	-	-
procymidone	Whole	0.01	not set	1	-	-
propamocarb	Whole	0.01	not set	1	-	-
propiconazole	Whole	0.01	0.05	1	0	0
proquinazid	Whole	0.01	not set	1	-	-
prothioconazole	Whole	0.01	0.3	1	0	0
pydiflumetofen	Whole	0.01	0.05	1	0	0
pyraclostrobin	Whole	0.01	0.01	1	0	0
pyrimethanil	Whole	0.01	not set	1	-	-
pyriofenone	Whole	0.01	not set	1	-	-
quinoxifen	Whole	0.01	not set	1	-	-
quintozene	Whole	0.01	not set	1	-	-
sedaxane	Whole	0.01	0.01	1	0	0
spiroxamine	Whole	0.01	not set	1	-	-
tebuconazole	Whole	0.01	0.2	1	0	0
tecnazene	Whole	0.01	not set	1	-	-
tetraconazole	Whole	0.01	not set	1	-	-
TFNA-AM metabolite of flonicamid	Whole	0.01	not set	1	-	-
thiabendazole	Whole	0.01	not set	1	-	-
thiophanate methyl	Whole	0.01	not set	1	-	-
tolclofos methyl	Whole	0.01	not set	1	-	-
tolyfluanid	Whole	0.01	not set	1	-	-
triadimefon	Whole	0.01	0.5	1	0	0
triadimenol	Whole	0.01	0.01	1	0	0
tridemorph	Whole	0.01	not set	1	-	-
trifloxystrobin	Whole	0.01	not set	1	-	-
triforine	Whole	0.01	not set	1	-	-
triticonazole	Whole	0.01	0.05	1	0	0
vinclozolin	Whole	0.01	not set	1	-	-

Table 4: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	0.1	1	0	0
2,4-D	Whole	0.01	0.2	1	0	0
2,4-DB	Whole	0.01	0.02	1	0	0
acetochlor	Whole	0.01	not set	1	-	-
acifluorfen	Whole	0.01	not set	1	-	-
aclonifen	Whole	0.01	not set	1	-	-
alachlor	Whole	0.01	not set	1	-	-
ametryn	Whole	0.01	not set	1	-	-

amicarbazone	Whole	0.01	not set	1	-	-
aminopyralid	Whole	0.01	0.1	1	0	0
amitrole	Whole	0.01	0.01	1	0	0
atrazine	Whole	0.01	0.1	1	0	0
atrazine desethyl	Whole	0.01	not set	1	-	-
atrazine desisopropyl	Whole	0.01	not set	1	-	-
bentazone	Whole	0.01	not set	1	-	-
bicyclopyrone	Whole	0.01	not set	1	-	-
bixlozone	Whole	0.01	not set	1	-	-
bromacil	Whole	0.01	not set	1	-	-
bromoxynil	Whole	0.01	0.2	1	0	0
butafenacil	Whole	0.01	0.02	1	0	0
butroxydim	Whole	0.01	not set	1	-	-
carfentrazone-ethyl	Whole	0.01	0.05	1	0	0
chlormequat	Whole	0.01	not set	1	-	-
chlorpropham	Whole	0.01	not set	1	-	-
chlorsulfuron	Whole	0.01	0.05	1	0	0
chlorthal-dimethyl	Whole	0.01	not set	1	-	-
cinmethylin	Whole	0.01	not set	1	-	-
clethodim	Whole	0.01	not set	1	-	-
clodinafop acid	Whole	0.01	not set	1	-	-
clodinafop-propargyl	Whole	0.01	not set	1	-	-
clomazone	Whole	0.01	not set	1	-	-
clopyralid	Whole	0.01	2	1	0	0
cloquintocet	Whole	0.01	not set	1	-	-
cloquintocet-mexyl	Whole	0.01	0.1	1	0	0
cyanazine	Whole	0.01	0.01	1	0	0
dicamba	Whole	0.01	0.05	1	0	0
dichlobenil	Whole	0.01	not set	1	-	-
dichlorprop-P	Whole	0.01	not set	1	-	-
diclofop-methyl	Whole	0.01	0.1	1	0	0
diflufenican	Whole	0.01	not set	1	-	-
dimethenamid	Whole	0.01	0.02	1	0	0
dinoseb	Whole	0.01	not set	1	-	-
diquat	Whole	0.01	0.1	1	0	0
diuron	Whole	0.01	0.1	1	0	0
EPTC	Whole	0.01	0.04	1	0	0
ethofumesate	Whole	0.01	not set	1	-	-
fenoprop	Whole	0.01	not set	1	-	-
fenoxaprop-ethyl	Whole	0.01	not set	1	-	-
flamprop-M-methyl	Whole	0.01	not set	1	-	-
florasulam	Whole	0.01	0.01	1	0	0

florpyrauxifen-benzyl	Whole	0.01	not set	1	-	-
fluazifop-p-butyl	Whole	0.01	not set	1	-	-
flumetsulam	Whole	0.01	0.05	1	0	0
flumioxazin	Whole	0.01	0.05	1	0	0
fluometuron	Whole	0.01	not set	1	-	-
fluroxypyr	Whole	0.01	0.2	1	0	0
fomesafen	Whole	0.01	not set	1	-	-
glufosinate	Whole	0.01	0.1	1	0	0
glyphosate	Whole	0.01	2	1	0	0
halauxifen-methyl	Whole	0.01	0.01	1	0	0
halosulfuron-methyl	Whole	0.01	0.05	1	0	0
haloxyfop	Whole	0.005	not set	1	-	-
hexazinone	Whole	0.01	not set	1	-	-
iodosulfuron-methyl	Whole	0.01	not set	1	-	-
ioxynil	Whole	0.01	not set	1	-	-
isoproturon	Whole	0.01	not set	1	-	-
isoxaben	Whole	0.01	not set	1	-	-
isoxaflutole	Whole	0.01	0.02	1	0	0
linuron	Whole	0.01	0.05	1	0	0
maleic hydrazide	Whole	0.5	not set	1	-	-
MCPA	Whole	0.01	0.02	1	0	0
MCPB	Whole	0.01	0.02	1	0	0
mecoprop	Whole	0.01	not set	1	-	-
mefenpyr-diethyl	Whole	0.01	0.01	1	0	0
mesotrione	Whole	0.01	0.01	1	0	0
metamitron	Whole	0.01	not set	1	-	-
metazachlor	Whole	0.01	0.03	1	0	0
methabenzthiazuron	Whole	0.01	not set	1	-	-
metolachlor	Whole	0.01	0.1	1	0	0
metosulam	Whole	0.01	0.02	1	0	0
metribuzin	Whole	0.01	0.05	1	0	0
metsulfuron-methyl	Whole	0.01	0.02	1	0	0
molinate	Whole	0.01	not set	1	-	-
napropamide	Whole	0.01	not set	1	-	-
norflurazon	Whole	0.01	not set	1	-	-
oryzalin	Whole	0.01	0.01	1	0	0
oxadiazon	Whole	0.01	not set	1	-	-
oxyfluorfen	Whole	0.01	0.05	1	0	0
paraquat	Whole	0.01	0.1	1	0	0
pendimethalin	Whole	0.01	0.05	1	0	0
picloram	Whole	0.01	0.2	1	0	0
picolinafen	Whole	0.01	0.02	1	0	0

pinoxaden (parent)	Whole	0.01	not set	1	-	-
prometryn	Whole	0.01	0.1	1	0	0
propachlor	Whole	0.01	0.05	1	0	0
propaquizafop	Whole	0.01	not set	1	-	-
propazine	Whole	0.01	not set	1	-	-
propyzamide	Whole	0.01	not set	1	-	-
prosulfocarb	Whole	0.01	not set	1	-	-
pyraflufen-ethyl	Whole	0.01	0.02	1	0	0
pyrasulfotole	Whole	0.01	0.02	1	0	0
pyroxasulfone	Whole	0.01	0.02	1	0	0
pyroxsulam	Whole	0.01	not set	1	-	-
quizalofop methyl	Whole	0.01	not set	1	-	-
quizalofop-ethyl	Whole	0.01	not set	1	-	-
quizalofop-P-tefuryl	Whole	0.01	not set	1	-	-
saflufenacil	Whole	0.01	0.2	1	0	0
sethoxydim	Whole	0.01	not set	1	-	-
simazine	Whole	0.01	not set	1	-	-
sulfosulfuron	Whole	0.01	not set	1	-	-
tebuthiuron	Whole	0.01	not set	1	-	-
terbuthylazine	Whole	0.01	0.01	1	0	0
terbuthylazine 2-hydroxy (NR)	Whole	0.01	not set	1	-	-
terbuthylazine desethyl	Whole	0.01	not set	1	-	-
terbutryn	Whole	0.01	0.1	1	0	0
tiafenacil	Whole	0.01	0.01	1	0	0
topramezone	Whole	0.01	not set	1	-	-
tralkoxydim	Whole	0.01	0.02	1	0	0
triallate	Whole	0.01	0.05	1	0	0
triasulfuron	Whole	0.01	0.02	1	0	0
tribenuron-methyl	Whole	0.01	0.05	1	0	0
triclopyr	Whole	0.01	not set	1	-	-
trifloxysulfuron sodium	Whole	0.01	not set	1	-	-
trifludimoxazin	Whole	0.01	not set	1	-	-
trifluralin	Whole	0.01	0.05	1	0	0

Table 5: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
acephate	Whole	0.01	not set	1	-	-
acephate-M-C2H2N	Whole	0.01	not set	1	-	-
acetamiprid	Whole	0.01	not set	1	-	-
afidopyropen	Whole	0.01	not set	1	-	-
aldicarb	Whole	0.01	not set	1	-	-

amitraz	Whole	0.01	not set	1	-	-
azamethiphos	Whole	0.01	0.5	1	0	0
azinphos-ethyl	Whole	0.01	not set	1	-	-
azinphos-methyl	Whole	0.01	not set	1	-	-
bendiocarb	Whole	0.01	not set	1	-	-
bifenazate	Whole	0.01	not set	1	-	-
bifenthrin	Whole	0.01	0.02	1	0	0
bioresmethrin	Whole	0.01	not set	1	-	-
bromophos methyl	Whole	0.01	not set	1	-	-
bromophos-ethyl	Whole	0.01	not set	1	-	-
buprofezin	Whole	0.01	0.01	1	0	0
cadusafos	Whole	0.01	not set	1	-	-
carbaryl	Whole	0.01	5	1	0	0
carbofuran	Whole	0.01	not set	1	-	-
carbophenothion	Whole	0.01	not set	1	-	-
chlorantraniliprole	Whole	0.01	0.01	1	0	0
chlorfenapyr	Whole	0.01	not set	1	-	-
chlorfenvinphos (sum of isomers)	Whole	0.01	not set	1	-	-
chlorflazuron	Whole	0.01	not set	1	-	-
chlorpyrifos	Whole	0.01	0.1	1	0	0
chlorpyrifos-methyl	Whole	0.01	20	1	0	0
clofentezine	Whole	0.01	not set	1	-	-
clothianidin	Whole	0.01	0.01	1	0	0
coumaphos	Whole	0.01	not set	1	-	-
cyantraniliprole	Whole	0.01	0.01	1	0	0
cyflumetofen	Whole	0.01	not set	1	-	-
cyfluthrin (sum of isomers)	Whole	0.01	not set	1	-	-
cyhalothrin (sum of isomers)	Whole	0.01	0.01	1	0	0
cypermethrin (sum of isomers)	Whole	0.01	1	1	0	0
deltamethrin	Whole	0.01	5	1	0	0
demeton-S-methyl	Whole	0.01	not set	1	-	-
diafenthiuron	Whole	0.01	0.01	1	0	0
diazinon	Whole	0.01	0.1	1	0	0
dichlorvos	Whole	0.01	0.01	1	0	0
dicofol	Whole	0.01	not set	1	-	-
diflubenzuron	Whole	0.01	not set	1	-	-
dimethoate	Whole	0.01	0.5	1	0	0
dinotefuran	Whole	0.01	not set	1	-	-
dioxathion	Whole	0.01	not set	1	-	-
disulfoton	Whole	0.01	not set	1	-	-
esfenvalerate	Whole	0.01	2	1	0	0
ethion	Whole	0.01	not set	1	-	-

ethoprophos	Whole	0.005	not set	1	-	-
etofenprox	Whole	0.01	not set	1	-	-
etoxazole	Whole	0.01	not set	1	-	-
etrimfos	Whole	0.01	not set	1	-	-
fenamiphos	Whole	0.01	not set	1	-	-
fenbutatin oxide	Whole	0.01	not set	1	-	-
fenchlorphos	Whole	0.01	not set	1	-	-
fenchlorphos oxon	Whole	0.01	not set	1	-	-
fenitrothion	Whole	0.01	20	1	0	0
fenoxycarb	Whole	0.01	not set	1	-	-
fenpropathrin	Whole	0.01	not set	1	-	-
fenpyroximate	Whole	0.01	not set	1	-	-
fensulfothion	Whole	0.01	not set	1	-	-
fenthion	Whole	0.01	not set	1	-	-
fenthion-ethyl	Whole	0.01	not set	1	-	-
fenvalerate (sum of isomers)	Whole	0.01	2	1	0	0
fipronil	Whole	0.002	0.01	1	0	0
fipronil desulfinyl	Whole	0.002	not set	1	-	-
fipronil sulfide	Whole	0.002	not set	1	-	-
fipronil sulfone	Whole	0.002	not set	1	-	-
flonicamid	Whole	0.01	not set	1	-	-
fluazuron	Whole	0.01	not set	1	-	-
flubendiamide	Whole	0.01	not set	1	-	-
flupyradifurone	Whole	0.01	0.2	1	0	0
fluralaner	Whole	0.01	not set	1	-	-
fonofos	Whole	0.01	not set	1	-	-
formothion	Whole	0.01	not set	1	-	-
furathiocarb	Whole	0.01	not set	1	-	-
hexythiazox	Whole	0.01	not set	1	-	-
imidacloprid	Whole	0.01	0.05	1	0	0
indoxacarb	Whole	0.01	0.01	1	0	0
malaoxon	Whole	0.01	not set	1	-	-
malathion (maldison)	Whole	0.01	8	1	0	0
mecarbam	Whole	0.01	not set	1	-	-
methacrifos	Whole	0.01	not set	1	-	-
methamidophos	Whole	0.01	not set	1	-	-
methidathion	Whole	0.01	not set	1	-	-
methiocarb	Whole	0.01	0.06	1	0	0
methomyl	Whole	0.01	0.1	1	0	0
methomyl oxime (as metabolite of methomyl)	Whole	0.01	not set	1	-	-
methoprene	Whole	0.01	2	1	0	0

methoxychlor	Whole	0.01	not set	1	-	-
methoxyfenozide	Whole	0.01	0.02	1	0	0
mevinphos	Whole	0.01	not set	1	-	-
monocrotophos	Whole	0.01	not set	1	-	-
novaluron	Whole	0.01	not set	1	-	-
octachlorodipropyl ether (S 421)	Whole	0.01	not set	1	-	-
omethoate	Whole	0.01	0.05	1	0	0
oxamyl	Whole	0.01	not set	1	-	-
paraoxon	Whole	0.01	not set	1	-	-
paraoxon methyl	Whole	0.01	not set	1	-	-
parathion	Whole	0.01	not set	1	-	-
parathion-methyl	Whole	0.01	not set	1	-	-
permethrin (sum of isomers)	Whole	0.01	5	1	0	0
phenothrin (sum of isomers)	Whole	0.01	not set	1	-	-
phorate	Whole	0.01	not set	1	-	-
phosalone	Whole	0.01	not set	1	-	-
phosmet	Whole	0.01	0.05	1	0	0
phosphamidon	Whole	0.01	not set	1	-	-
phoxim	Whole	0.01	not set	1	-	-
piperonyl butoxide	Whole	0.01	20	1	0	0
pirimicarb	Whole	0.01	0.02	1	0	0
pirimiphos ethyl	Whole	0.01	not set	1	-	-
pirimiphos-methyl	Whole	0.01	7	1	0	0
profenofos	Whole	0.01	not set	1	-	-
propargite	Whole	0.01	not set	1	-	-
propoxur	Whole	0.01	not set	1	-	-
prothiofos	Whole	0.01	not set	1	-	-
pymetrozine	Whole	0.01	not set	1	-	-
pyrethrins	Whole	0.01	3	1	0	0
pyridaben	Whole	0.01	not set	1	-	-
pyriproxyfen	Whole	0.01	not set	1	-	-
quinalphos	Whole	0.01	not set	1	-	-
safole	Whole	0.01	not set	1	-	-
spinetoram	Whole	0.01	0.01	1	0	0
spinosad	Whole	0.01	1	1	0	0
spirotetramat	Whole	0.01	not set	1	-	-
sulfoxaflor	Whole	0.01	0.01	1	0	0
tau-fluvalinate	Whole	0.01	not set	1	-	-
tebufenozide	Whole	0.01	not set	1	-	-
tebufenpyrad	Whole	0.01	not set	1	-	-
temephos	Whole	0.01	not set	1	-	-
terbufos	Whole	0.01	0.01	1	0	0

tetrachlorvinphos	Whole	0.01	not set	1	-	-
tetradifon	Whole	0.01	not set	1	-	-
tetramethrin	Whole	0.01	not set	1	-	-
tetraniliprole	Whole	0.01	0.02	1	0	0
thiacloprid	Whole	0.01	not set	1	-	-
thiamethoxam	Whole	0.01	0.02	1	0	0
thiodicarb	Whole	0.01	0.1	1	0	0
triazofos	Whole	0.01	not set	1	-	-
trichlorfon	Whole	0.01	0.1	1	0	0
triflumuron	Whole	0.01	0.05	1	0	0
vamidothion	Whole	0.01	not set	1	-	-

Table 6: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
diphenylamine	Whole	0.01	not set	1	-	-
trinexapac-ethyl	Whole	0.01	0.2	1	0	0
uniconazole	Whole	0.01	not set	1	-	-

Table 7: PLANT GROWTH REGULATOR

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
benzyladenine	Whole	0.01	not set	1	-	-
forchlorfenuron	Whole	0.01	not set	1	-	-
prohexadione-calcium	Whole	0.01	not set	1	-	-

Table 8: RODENTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
brodifacoum	Whole	0.01	not set	1	-	-