

Indicator 2.1b: Age class and growing stock of plantations (2024)



This indicator uses the area, age class and growing stock of native and exotic species plantations to assess the volume of timber that Australia's plantation forests can supply now and into the future.

What is a plantation forest?

Plantation forests are intensively managed stands of trees of either native or exotic species, created by the regular placement of seedlings or seeds. Commercial plantations are softwood or hardwood plantations managed for the purpose of commercial wood production (predominantly sawlogs and pulplogs) for domestic and international markets. They are usually grown over set rotations, defined as the planned number of years between establishment of a stand of trees, and final harvesting. Non-commercial plantations and other planted forests are reported in the 'Other forest' category. These and other terms can be found in [Australia's forests and forestry glossary](#).

Commercial plantations are reported through the National Plantations Inventory. The first data for the National Plantations Inventory were collected in 1995, with the first comprehensive map-based report published in 1997, when Australia had 1.2 million hectares of plantations. Most commercial plantations occur within [National Plantation Inventory regions](#), which were established to represent economic wood supply zones.



Hardwood plantation (shining gum, *Eucalyptus nitens*) (Photo: ABARES)



Softwood plantation (radiata pine, *Pinus radiata*) (Photo: ABARES)

Area of Australia's commercial plantation estate


There were 1.71 million hectares of commercial plantations in Australia in 2022-23, as reported in the Australian plantation statistics update 2024. This includes:

- 1.01 million hectares of softwood plantation (59% of total commercial plantation area)
- 0.68 million hectares of hardwood plantation (40% of total commercial plantation area)
- 23 thousand hectares of plantations for which the type is unknown (1% of total commercial plantation area).

These are updated values from those reported in the vector-format spatial coverage in [Australian plantation statistics and log availability report 2021](#), which was used to develop the rasterised (gridded) spatial coverage reported in [Indicator 1.1a.i Forest area by forest type](#).

The 2022-23 total commercial plantation area is 13% lower than the 1.95 million hectares reported for 2016-17. The softwood plantation area remained relatively stable over the period 2016-17 to 2022-23 (Figure 2.1b-1), but the hardwood plantation area has declined year-on-year since 2008-09, with some hardwood plantation land being converted to agriculture and other land uses, and other hardwood plantations being reclassified as non-commercial.

Figure 2.1b-1: Area of Australia’s commercial plantations




Source: ABARES (2024).

[Click here for a Microsoft Excel workbook of the data for Figure 2.1b-1.](#)

A small area of new mostly softwood commercial plantations was established in recent years. Since 2011-12, there has been 4,500 or fewer hectares of new commercial plantations established annually, compared to at least 42,000 hectares of new plantations established annually between 1998-99 and 2008-09 (which included at least 31,000 hectares of new hardwood plantations annually) (Figure 2.1b-2). This reduction in new commercial plantation establishment has been driven, amongst other influences, by increasing competition for land between commercial plantations and other land uses.

Figure 2.1b-2 Area of new commercial plantation establishment



Source: ABARES (2024).


[Click here for a Microsoft Excel workbook of the data for Figure 2.1b-2.](#)

Age class and species of commercial plantations

Most (77%) of the current rotation of the existing hardwood plantation estate has been established since 2000, including 236 thousand hectares planted in 2006-10. The majority (also 77%) of the current rotation of Australia’s softwood plantation estate was planted since the 1990s, with between 120 thousand and 176 thousand hectares replanted in each five-year period since 1996 (Figure 2.1b-3).

The age-class distribution of the current rotation of Australia’s current commercial plantation estate is shown Figure 2.1b-3. The range of older age classes of the current softwood plantation estate reflects management for long-rotation sawlog production, compared to management of the current hardwood plantation estate in some parts of Australia for short-rotation pulplog production.

Figure 2.1b-3: Area of Australia’s commercial plantation growing stock, as at 2020, by year of establishment of the current rotation



Areas fallow in 2020 (between rotations) or of unknown planting age are not allocated to an age class.

Source: ABARES (2024).

[Click here for a Microsoft Excel workbook of the data for Figure 2.1b-3.](#)

Softwood plantations

Commercial softwood plantations are mainly radiata pine (*Pinus radiata*) (690 thousand hectares, 68% of total commercial softwood plantation area), with areas of southern pines (hybrids of *P. elliottii* and *P. caribaea*) (140 thousand hectares, 14%), hoop pine (*Araucaria cunninghamii*) (42 thousand hectares, 4%) and maritime pine (*P. pinaster*) (31 thousand hectares, 3%), with the balance other pines, other softwoods and areas fallow (Table 2.1b-1).

Radiata pine plantations are located across south-eastern and south-western Australia, while southern pines are planted in south-east Queensland and (to a lesser extent) in northern New South Wales. Hoop pine is planted in Queensland, while maritime pine is planted in drier parts of Western Australia (Table 2.1b-1).

The majority of softwood species are managed for sawlog production on a 25-35 year rotation, while hoop pines are managed on a 45-year rotation. Areas are typically replanted with softwood species upon harvesting, sometimes following a short fallow period.

Table 2.1b-1: Australia’s main commercial softwood plantation species by National Plantation Inventory region

NPI region	Softwood plantation area ('000 hectares)					Total
	Radiata pine	Southern pines	Hoop pine	Maritime pine	Other softwood	
Western Australia	54.5	0.0	0.0	30.8	13.0	98.3
Northern Territory	0.0	0.2	0.0	0.0	0.6	0.8
Mt Lofty Ranges and Kangaroo Island	13.4	0.0	0.0	0.1	0.1	13.6
Green Triangle	176.6	0.0	0.0	0.0	4.1	180.7
Northern Queensland	0.0	16.0	1.0	0.0	4.4	21.4
South East Queensland	0.0	113.0	40.1	0.0	8.3	161.4
Northern Tablelands	9.2	1.6	0.0	0.0	3.5	14.3
North Coast	0.3	9.1	0.5	0.0	4.4	14.3
Central Tablelands	73.1	0.0	0.0	0.0	13.6	86.7
Southern Tablelands	14.8	0.0	0.0	0.0	1.3	16.1
Murray Valley	153.3	0.0	0.0	0.2	30.7	184.2
Central Victoria	24.2	0.0	0.0	0.0	2.2	26.4
Central Gippsland	55.7	0.0	0.0	0.0	10.2	65.9
East Gippsland-Bombala	37.7	0.0	0.0	0.0	8.6	46.3
Tasmania	77.2	0.0	0.0	0.0	0.3	77.5
Total	690.0	139.9	41.6	31.1	105.2	1007.9

Data as at June 2023.

Source: ABARES (2024).

[Click here for a Microsoft Excel workbook of the data for Table 2.1b-1.](#)

Hardwood plantations

The commercial hardwood plantation estate is dominated by Tasmanian blue gum (*Eucalyptus globulus*) (324 thousand hectares, 48% of total commercial hardwood plantation area), and shining gum (*E. nitens*) (176 thousand hectares, 26%), both of which are predominantly managed for pulplog production on a 12-14 year rotation, with the balance comprising blackbutt (*E. pilularis*), flooded gum (*E. grandis*), other eucalypts and other species (Table 2.1b-2).

The largest areas of hardwood plantation are in Tasmania (190 thousand hectares, 28%), Western Australia (177 thousand hectares, 26%) and the Green Triangle area (133 thousand hectares, 20%).

Most (90%) of the shining gum plantation is in Tasmania.

Hardwood plantations managed for sawlogs represent a small proportion of the hardwood estate, and are mainly located in northern New South Wales and Tasmania. The main species planted in northern New South Wales for sawlog production are blackbutt (*E. pilularis*) and flooded gum (*E. grandis*). Hardwood plantations managed for sawlogs are managed on 25-50 year rotations.

Table 2.1b-2: Australia’s main commercial hardwood plantation species by National Plantation Inventory region

NPI region	Hardwood plantation area ('000 hectares)					Total
	Tasmanian blue gum	Shining gum	Blackbutt/ Flooded gum	Other eucalypts	Other	
Western Australia	148.6	0.0	0.0	17.4	11.1	177.0
Northern Territory	0.0	0.0	0.0	0.3	36.1	36.4
Mt Lofty Ranges and Kangaroo Island	13.4	0.4	0.0	0.2	0.1	14.1
Green Triangle	120.3	0.0	0.0	0.2	12.4	132.9
Northern Queensland	0.0	0.0	0.0	0.2	0.2	0.4
South East Queensland	0.0	0.0	0.3	4.1	13.3	17.7
Northern Tablelands	0.0	0.4	0.0	0.1	0.3	0.8
North Coast	0.0	0.4	20.2	14.7	17.8	53.1
Central Tablelands	0.0	0.0	0.0	0.0	0.0	0.0
Southern Tablelands	0.0	0.0	0.0	0.0	0.0	0.0
Murray Valley	4.7	0.4	0.0	0.5	0.1	5.7
Central Victoria	19.1	3.7	0.0	1.0	1.1	24.9
Central Gippsland	5.1	8.6	0.0	2.8	4.0	20.5
East Gippsland-Bombala	0.0	2.9	0.0	0.0	1.3	4.2
Tasmania	12.6	159.2	0.0	4.3	13.7	189.9
Total	323.8	176.0	20.5	45.8	111.5	677.6

Data as at June 2023.


Source: ABARES (2024).

[Click here for a Microsoft Excel workbook of the data for Table 2.1b-2.](#)

Commercial plantation ownership structure

Private ownership of commercial plantations has declined in area, and ownership proportion, since peaking in 2013-14. The area and proportion of publicly owned commercial plantations increased slightly over the same time (Figure 2.1b-4). The small increase since 2014-15 in the proportion of the commercial plantation estate that is publicly owned is due to conversion to agriculture or other uses of some privately owned hardwood plantations. Institutional investors, such as pension funds, have continued to own the largest proportion of commercial plantations (Figure 2.1b-5).


Figure 2.1b-4: Commercial plantations by public and private ownership, 2004-05 to 2022-23



Data for all years are available in *Australian plantation statistics 2024 update* (ABARES 2024).

[Click here for a Microsoft Excel workbook of the data for Figure 2.1b-4.](#)

Figure 2.1b-5: Commercial plantations by ownership type, 2004-05 to 2022-23



Data for all years are available in *Australian plantation statistics 2024 update* (ABARES 2024).

[Click here for a Microsoft Excel workbook of the data for Figure 2.1b-5.](#)

References

ABARES (2024). *Australian plantation statistics 2024 update*, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra, in press. CC BY 4.0.

Legg, P Frakes, I & Gavran, M (2021). *Australian plantation statistics and log availability report 2021*, ABARES research report, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra, October. CC BY 4.0. doi.org/10.25814/xj7c-p829

More information

Learn more about [Criterion 2 of Australia's State of the Forest Report](#).

Web agriculture.gov.au/abares/forestsaustralia/sofr/

[Download a Microsoft Excel workbook of the data presented in Indicator 2.1b.](#)

Email Info.ABARES@aff.gov.au

Acknowledgement of Country

We acknowledge the Traditional Custodians of Australia and their continuing connection to land and sea, waters, environment and community. We pay our respects to the Traditional Custodians of the lands we live and work on, their culture, and their Elders past and present.

© Commonwealth of Australia 2024

Unless otherwise noted, copyright (and any other intellectual property rights) in this publication is owned by the Commonwealth of Australia (referred to as the Commonwealth).

All material in this publication is licensed under a [Creative Commons Attribution 4.0 International Licence](#) except content supplied by third parties, logos and the Commonwealth Coat of Arms.

Citation and cataloguing data

This publication (and any material sourced from it) should be attributed as Montreal Process Implementation Group for Australia (MIG) and National Forest Inventory Steering Committee (NFISC) 2024, Indicator 2.1b: Age class and growing stock of plantations, *Australia's State of the Forests Report*, Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra, July. CC BY 4.0.

The Australian Government acting through the Department of Agriculture, Fisheries and Forestry, represented by the Australian Bureau of Agricultural and Resource Economics and Sciences, has exercised due care and skill in preparing and compiling the information and data in this publication. Notwithstanding, the Department of Agriculture, Fisheries and Forestry, ABARES, its employees and advisers disclaim all liability, including liability for negligence and for any loss, damage, injury, expense or cost incurred by any person as a result of accessing, using or relying on any of the information or data in this publication to the maximum extent permitted by law.