



# Canola residue testing annual datasets

## 2018–19

National Residue Survey, Department of Agriculture

### Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum residue limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

### Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Fungicides**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.01	373	0	1
benalaxyl	whole	0.01	not set	373	–	0
bitertanol	whole	0.01	not set	373	–	0
bixafen-P	whole	0.01	0.01	254	0	0
boscalid	whole	0.01	0.5	373	0	0
bupirimate	whole	0.01	not set	373	–	0
captafol	whole	0.02	not set	373	–	0
captan	whole	0.01	not set	373	–	0
carbendazim	whole	0.01	not set	373	–	0
carboxin	whole	0.01	not set	254	–	0
chlorothalonil	whole	0.01	not set	373	–	0
ciproconazole	whole	0.01	0.02	373	0	0
cyprodinil	whole	0.01	not set	373	–	0

Canola residue testing annual datasets 2018–19

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>MRL (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
difenconazole	whole	0.01	not set	373	—	1
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	373	—	0
dithianon	whole	0.01	not set	373	—	0
dodine	whole	0.01	not set	373	—	0
epoxiconazole	whole	0.01	not set	373	—	0
etridiazole	whole	0.01	not set	373	—	0
fenarimol	whole	0.01	not set	373	—	0
fenbuconazole	whole	0.01	not set	254	—	0
fenzhexamid	whole	0.01	not set	373	—	0
fluazinam	whole	0.01	not set	373	—	0
fludioxonil	whole	0.01	0.01	373	0	0
fluquinconazole	whole	0.01	0.01	373	0	3
flusilazole	whole	0.01	not set	373	—	0
flutriafol	whole	0.01	0.07	373	2	0
fluxapyroxad	whole	0.01	0.1	373	0	0
hexaconazole	whole	0.01	not set	373	—	0
imazalil	whole	0.01	not set	373	—	0
ipconazole	whole	0.01	not set	373	—	0
iprodione	whole	0.01	0.5	373	0	0
isoprothiolane	whole	0.01	not set	254	—	0
kresoxim-methyl	whole	0.01	not set	373	—	0
metalaxyll	whole	0.01	not set	373	—	0
myclobutanil	whole	0.01	not set	373	—	0
oxadixyl	whole	0.01	not set	373	—	0
penconazole	whole	0.01	not set	373	—	0
penflufen	whole	0.01	0.01	254	0	0
prochloraz	whole	0.01	not set	373	—	0
procymidone	whole	0.01	1	373	0	0
propiconazole	whole	0.01	not set	373	—	0
prothioconazole	whole	0.01	0.02	373	0	0
pyraclostrobin	whole	0.01	not set	373	—	0
pyrimethanil	whole	0.01	not set	373	—	0
quinoxyfen	whole	0.01	not set	373	—	0
sedaxane	whole	0.01	not set	254	—	0
spiroxamine-P	whole	0.01	not set	373	—	0
tebuconazole	whole	0.01	0.3	373	0	0
thiabendazole-P	whole	0.01	not set	373	—	0
tolclofos methyl	whole	0.01	not set	373	—	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>MRL (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
triadimefon	whole	0.01	not set	373	—	0
triadimenol	whole	0.01	not set	373	—	0
trifloxystrobin	whole	0.01	0.02	373	0	0
triticonazole	whole	0.01	not set	373	—	0
vinclozolin	whole	0.01	not set	373	—	0

**Table 2 Herbicides**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	not set	373	—	0
2,4-D	whole	0.01	0.05	373	0	0
2,4-DB	whole	0.01	not set	254	—	0
aminopyralid	whole	0.01	not set	254	—	0
amitrole	whole	0.01	0.01	150	0	0
atrazine	whole	0.01	0.02	373	0	0
bentazone	whole	0.01	not set	254	—	0
bromacil	whole	0.01	not set	373	—	0
bromoxynil	whole	0.01	not set	373	—	0
butroxydim	whole	0.01	0.01	254	0	0
carfentrazone-ethyl	whole	0.01	not set	373	—	0
chlorpropham	whole	0.01	not set	373	—	0
chlorsulfuron	whole	0.01	not set	373	—	0
chlorthal-dimethyl	whole	0.01	not set	373	—	0
clethodim (parent only)	whole	0.01	0.5	373	0	0
clodinafop-propargyl	whole	0.01	not set	373	—	0
clopyralid	whole	0.01	0.5	373	0	0
cyanazine	whole	0.01	not set	373	—	0
dicamba	whole	0.01	not set	373	—	0
dichlobenil	whole	0.01	not set	373	—	0
dichlorprop-P	whole	0.02	not set	295	—	0
diclofop-methyl	whole	0.01	0.1	150	0	0
diflufenican	whole	0.01	not set	373	—	0
diquat	whole	0.01	5	150	0	0
diuron	whole	0.01	0.5	373	0	0
ethofumesate	whole	0.01	not set	373	—	0
fenoxaprop-ethyl	whole	0.01	not set	150	—	0
flamprop-M-methyl	whole	0.01	not set	150	—	0
fluazifop-p-butyl	whole	0.01	0.5	150	0	0

Canola residue testing annual datasets 2018–19

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
flumetsulam	whole	0.01	not set	373	—	0
flumioxazin	whole	0.01	0.1	254	0	0
fluroxypyr	whole	0.01	not set	254	—	0
glufosinate	whole	0.01	0.1	150	0	0
glyphosate	whole	0.01	20	150	0	0
haloxyfop	whole	0.01	0.1	150	14	10
imazamox	whole	0.01	0.05	373	0	0
imazapic	whole	0.01	0.05	373	0	0
imazapyr	whole	0.01	0.05	373	0	0
imazaquin	whole	0.01	not set	373	—	0
imazethapyr	whole	0.01	not set	373	—	0
iodosulfuron-methyl	whole	0.01	not set	373	—	0
ioxynil	whole	0.01	not set	373	—	0
isoxaben	whole	0.01	not set	373	—	0
linuron	whole	0.01	not set	373	—	0
MCPA	whole	0.01	not set	373	—	0
methabenzthiazuron	whole	0.01	not set	373	—	0
metolachlor	whole	0.01	0.02	373	0	0
metosulam	whole	0.01	not set	373	—	0
metribuzin	whole	0.01	0.02	373	0	0
metsulfuron-methyl	whole	0.01	not set	373	—	0
napropamide	whole	0.01	0.01	373	0	0
norflurazon	whole	0.01	not set	373	—	0
oryzalin	whole	0.01	0.05	373	0	0
oxyfluorfen	whole	0.01	not set	373	—	0
paraquat	whole	0.01	0.05	150	0	0
pendimethalin	whole	0.01	0.05	373	0	0
picloram	whole	0.01	not set	373	—	0
propachlor	whole	0.01	not set	373	—	0
propaquizafop	whole	0.02	0.05	56	0	0
propyzamide	whole	0.01	0.02	373	0	0
quizalofop-ethyl	whole	0.01	0.02	150	0	0
quizalofop-P-tefuryl	whole	0.01	0.02	150	0	0
saflufenacil	whole	0.01	0.03	373	0	0
sethoxydim	whole	0.01	0.5	373	0	0
simazine	whole	0.01	0.02	373	0	0
terbutryn	whole	0.01	not set	254	—	0
tralkoxydim	whole	0.01	not set	373	—	0
triallate	whole	0.01	0.1	254	0	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
triasulfuron	whole	0.01	not set	373	—	0
triclopyr	whole	0.01	not set	373	—	0
trifluralin	whole	0.01	0.05	373	0	0

**Table 3 Insecticides**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
abamectin	whole	0.01	not set	373	—	0
acephate	whole	0.01	not set	373	—	0
acetamiprid-P	whole	0.01	not set	373	—	0
aldicarb	whole	0.01	not set	373	—	0
amitraz	whole	0.01	not set	373	—	0
azamethiphos	whole	0.01	not set	373	—	0
azinphos-methyl	whole	0.01	not set	373	—	0
bifenazate	whole	0.01	not set	373	—	0
bifenthrin	whole	0.01	0.02	373	0	0
bioresmethrin	whole	0.01	not set	373	—	0
buprofezin	whole	0.01	not set	373	—	0
cadusafos	whole	0.01	not set	373	—	0
carbaryl	whole	0.01	0.1	373	0	0
carbofuran	whole	0.01	not set	373	—	0
chlorantraniliprole	whole	0.01	0.01	373	0	0
chlorfenapyr	whole	0.01	not set	373	—	0
chlorfenvinphos (sum of isomers)	whole	0.01	not set	373	—	0
chlorpyrifos	whole	0.01	0.01	373	0	0
chlorpyrifos-methyl	whole	0.01	0.15	373	0	0
clofentezine	whole	0.01	not set	373	—	0
clothianidin	whole	0.01	0.01	373	0	0
cyfluthrin (sum of isomers)	whole	0.01	0.05	373	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.02	373	0	0
cypermethrin (sum of isomers)	whole	0.01	0.2	373	0	0
deltamethrin	whole	0.01	0.1	373	0	0
diafenthuron	whole	0.01	0.01	373	0	0
diazinon	whole	0.01	not set	373	—	0
dichlorvos	whole	0.01	0.01	373	0	0
dicofol	whole	0.01	not set	373	—	0
diflubenzuron	whole	0.01	not set	373	—	0

Canola residue testing annual datasets 2018–19

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
dimethoate	whole	0.01	0.2	373	0	0
disulfoton	whole	0.01	not set	373	—	0
emamectin	whole	0.01	0.01	373	0	0
esfenvalerate	whole	0.01	0.5	373	0	0
ethion	whole	0.01	not set	373	—	0
ethoprophos	whole	0.005	not set	373	—	0
etoxazole	whole	0.01	not set	373	—	0
fenamiphos	whole	0.01	not set	373	—	0
fenbutatin oxide	whole	0.01	not set	373	—	0
fenitrothion	whole	0.01	0.1	373	1	0
fenoxy carb	whole	0.01	not set	373	—	0
fenpyroximate	whole	0.01	not set	373	—	0
fenthion	whole	0.01	not set	373	—	0
fenvalerate (sum of isomers)	whole	0.01	0.5	373	0	0
fipronil	whole	0.002	0.01	373	0	0
hexythiazox	whole	0.01	not set	373	—	0
imidacloprid	whole	0.01	0.05	373	0	2
indoxacarb	whole	0.01	0.05	373	0	0
malathion (maldison)	whole	0.01	10	373	0	0
methacrifos	whole	0.01	not set	373	—	0
methamidophos	whole	0.01	not set	373	—	0
methidathion	whole	0.01	1	373	0	0
methiocarb	whole	0.01	not set	373	—	0
methomyl	whole	0.01	0.5	373	0	0
methoprene	whole	0.01	not set	373	—	0
methoxychlor	whole	0.01	not set	373	—	0
methoxyfenozide	whole	0.01	not set	373	—	0
mevinphos	whole	0.01	not set	373	—	0
monocrotophos	whole	0.01	not set	373	—	0
omethoate	whole	0.01	0.05	373	0	0
parathion	whole	0.01	not set	373	—	0
parathion-methyl	whole	0.01	not set	373	—	0
permethrin (sum of isomers)	whole	0.01	0.2	373	0	1
phenothrin (sum of isomers)	whole	0.01	not set	373	—	0
phorate	whole	0.01	not set	373	—	0
phosmet	whole	0.01	not set	373	—	0
piperonyl butoxide	whole	0.01	8	373	0	0

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
pirimicarb	whole	0.01	0.2	373	0	0
pirimiphos-methyl	whole	0.01	not set	373	—	0
profenofos	whole	0.01	not set	373	—	0
propargite	whole	0.01	not set	373	—	0
prothiofos	whole	0.01	not set	373	—	0
pymetrozine	whole	0.01	not set	373	—	0
pyrethrins	whole	0.01	1	373	0	0
pyriproxyfen	whole	0.01	not set	373	—	0
spinetoram	whole	0.01	0.01	373	0	0
spinosad	whole	0.01	not set	373	—	1
spirotetramat	whole	0.01	not set	373	—	0
sulfoxaflor	whole	0.01	0.01	373	0	0
tau-fluvalinate	whole	0.01	not set	373	—	0
tebufenozide	whole	0.01	not set	373	—	0
tebufenpyrad	whole	0.01	not set	373	—	0
terbufos	whole	0.01	not set	373	—	0
tetradifon	whole	0.01	not set	373	—	0
thiacloprid	whole	0.01	not set	373	—	0
thiamethoxam	whole	0.01	0.01	373	0	0
thiodicarb	whole	0.01	not set	373	—	0
triazofos	whole	0.01	not set	373	—	0
trichlorfon	whole	0.01	0.1	373	0	0
triflumuron	whole	0.01	not set	373	—	0

**Table 4 Contaminants**

<b>Chemical</b>	<b>Matrix</b>	<b>LOR (mg/kg)</b>	<b>Australian standard (mg/kg)</b>	<b>No. of samples tested</b>	<b>&gt; ½ MRL to ≤ MRL</b>	<b>&gt; MRL</b>
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	not set	373	—	0
chlordane	whole	0.01	not set	373	—	0
DDT	whole	0.01	not set	373	—	0
endosulfan	whole	0.01	not set	373	—	0
endrin	whole	0.01	not set	373	—	0
HCB (hexachlorobenzene)	whole	0.01	not set	373	—	0
HCH (BHC)	whole	0.01	not set	373	—	0
heptachlor	whole	0.01	not set	373	—	0
lindane (gamma-HCH)	whole	0.01	0.05	373	0	0
mirex	whole	0.01	not set	373	—	0