

## References

- Abraham, E.R. (unpublished). 'Probability of mild traumatic brain Injury for sea lions interacting with SLEDs.' Final Research Report for Ministry of Fisheries project SRP2011-03 (unpublished report held by the Ministry of Fisheries, 2011, Wellington).
- ACAP (2013a). 'ACAP Summary Advice for Reducing Impact of Pelagic and Demersal Trawl Gear on Seabirds.' Available at [http://acap.aq/en/bycatch-mitigation/cat\\_view/128-english/392-bycatch-mitigation/391-mitigation-advice](http://acap.aq/en/bycatch-mitigation/cat_view/128-english/392-bycatch-mitigation/391-mitigation-advice) [accessed 15 August 2014].
- ACAP (2013b). 'Bycatch Mitigation Fact-Sheet 13 (Version 1): Practical information on seabird mitigation measures.' Available at [http://acap.aq/en/bycatch-mitigation/cat\\_view/128-english/392-bycatch-mitigation/320-bycatch-mitigation-fact-sheets](http://acap.aq/en/bycatch-mitigation/cat_view/128-english/392-bycatch-mitigation/320-bycatch-mitigation-fact-sheets) [accessed 17 August 2014].
- ACAP (2013c). 'Bycatch Mitigation Fact-Sheet 14 (Version 1): Practical information on seabird mitigation measures.' Available at: [http://acap.aq/en/bycatch-mitigation/cat\\_view/128-english/392-bycatch-mitigation/320-bycatch-mitigation-fact-sheets](http://acap.aq/en/bycatch-mitigation/cat_view/128-english/392-bycatch-mitigation/320-bycatch-mitigation-fact-sheets) [accessed 1 September 2014].
- AFMA (2003). 'Draft Assessment Report Small Pelagic Fishery.' Available at <http://www.environment.gov.au/system/files/pages/9a3e43af-b719-43f1-b11a-5ac502fb1375/files/pelagic.pdf> [accessed 10 February 2014].
- AFMA (2004). 'Small Pelagic Fishery Working Group Agenda item 3 – SPF management issues: 3.1 Investment warning and freeze on boat nominations. SPF Working Group Meeting 5. 15 October 2004.' Available at <http://www.afma.gov.au/home/afma-archives/small-pelagic-fishery-rag-past-meetings/> [accessed 18 February 2014].
- AFMA (2008). 'Small Pelagic Fishery Harvest Strategy, June 2008 Last Revised April 2013.' Available at <http://www.afma.gov.au/wp-content/uploads/2013/04/Small-Pelagic-Fishery-Harvest-Strategy.pdf?afba77> [accessed 29 January 2014].
- AFMA (2009). 'Southern and Eastern Scalefish and Shark Fishery Wildlife Trade Operation Re-assessment 2009.' Available at <http://www.environment.gov.au/node/16974> [accessed 15 August 2014].
- AFMA (2010a). 'Australian Sea Lion Management Strategy: Southern and Eastern Scalefish and Shark Fishery (SESSF).' Available at <http://www.afma.gov.au/managing-our-fisheries/fisheries-a-to-z-index/southern-and-eastern-scalefish-and-shark-fishery/notices-and-announcements/australian-sea-lion-management-strategy-and-sessf-closure-direction-no-3/> [accessed 18 August 2014].
- AFMA (2010b). 'Ecological Risk Management Report for the Midwater Trawl Sector of the Small Pelagic Fishery.' Available at <http://www.afma.gov.au/managing-our-fisheries/environment-and-sustainability/ecological-risk-management/> [accessed 7 July 2013].
- AFMA (2011). 'Small Pelagic Fishery Bycatch and Discarding Workplan 2011-2013.' Available at <http://www.afma.gov.au/wp-content/uploads/2010/06/SPF-Bycatch-Discarding-Workplan-2011-20131.pdf?afba77> [accessed 11 February 2014].
- AFMA (2012a). *Australian Fisheries Management Authority Annual Report 2011/12*. (AFMA: Canberra.)
- AFMA (2012b). 'Historical Total Allowable Catches.' Available at <http://www.afma.gov.au/home/afma-archives/historical-total-allowable-catch-and-effort/> [accessed 10 February 2014].
- AFMA (2012c). 'EPBC Act Reassessment of the southern and Eastern Scalefish and Shark Fishery.' Available at <http://www.environment.gov.au/system/files/pages/e99a3274-9a89-41a8-9ea5-2224c067eebe/files/submission-2011.pdf> [accessed 20 August 2014].
- AFMA (2013a). *Australian Fisheries Management Authority Annual Report 2012/13*. (AFMA: Canberra.)
- AFMA (2013b). 'Small Pelagic Fishery Total Allowable Catches for 2013/14 Season.' Available at <http://www.afma.gov.au/managing-our-fisheries/fisheries-a-to-z-index/small-pelagic-fishery/notices-and-announcements/small-pelagic-fishery-total-allowable-catches-for-2012-2013-season/> [accessed 6 February 2014].
- AFMA (2013c). 'Future Directions for the Gillnet Hook and Trap Sector.' Available at <http://www.afma.gov.au/wp-content/uploads/2013/10/Future-Directions-for-the-Gillnet-Hook-and-Trap-Fishery-Publication-version.pdf> [accessed 6 September 2014].
- AFMA (2013d). 'Re-opening of Australian Sea Lion Management Zone D'. Available at <http://www.afma.gov.au/managing-our-fisheries/fisheries-a-to-z-index/southern-and-eastern-scalefish-and-shark-fishery/notices-and-announcements/>

- australian-sea-lion-management-zone-d/ [accessed 27 September 2014].
- AFMA (2013e). 'Small Pelagic Fishery Management Arrangements Booklet 2013-2014.' Available at <http://www.afma.gov.au/wp-content/uploads/2010/07/SPF-Management-Arrangements-Booklet-2013-FINAL-Web-accessible.pdf?afba77> [accessed 28 January 2014].
- AFMA (2013f). 'Regulation Impact statement. Managing interactions with dolphins in the Gillnet Hook and Trap sector of the Southern and Eastern Scalefish and Shark Fishery.' Available at <http://ris.dpmc.gov.au/2013/09/24/managing-interactions-with-dolphins-in-the-gillnet-hook-and-trap-sector-of-the-southern-and-eastern-scalefish-and-shark-fishery-single-stage-regulation-impact-statement-australian/> [accessed 30 September 2014].
- AFMA (2013g). 'Agenda Item 2. Total allowable Catches (TACs) for the Small Pelagic Fishery 2013-14. Paper to SEMAC out-of-session 2012/13 No. 11 March 2013.' Available at [http://www.afma.gov.au/wp-content/uploads/2010/06/South\\_East\\_MAC\\_Teleconference\\_5\\_April\\_2013\\_Papers\\_Agenda\\_Items\\_1\\_to\\_3.pdf?afba77](http://www.afma.gov.au/wp-content/uploads/2010/06/South_East_MAC_Teleconference_5_April_2013_Papers_Agenda_Items_1_to_3.pdf?afba77) [accessed 13 February 2014].
- AFMA (2014a). 'Small Pelagic Fishery Sub-areas.' Available at <http://www.afma.gov.au/wp-content/uploads/2010/07/SPF-subareas-2009.pdf?afba77> [accessed 28 January 2014].
- AFMA (2014b). 'Small Pelagic Fishery Total Allowable Catches for 2014-15 Season.' Available at <http://www.afma.gov.au/managing-our-fisheries/fisheries-a-to-z-index/small-pelagic-fishery/notices-and-announcements/small-pelagic-fishery-total-allowable-catches-for-2014-15-season/> [accessed 25 May 2014].
- AFMA (2014c). 'Interactions with Protected Species.' Available at <http://www.afma.gov.au/managing-our-fisheries/environment-and-sustainability/Protected-Species/> [accessed 14 February 2014].
- AFMA (2014d). 'Dolphin Strategy: Minimising Dolphin Bycatch September 2014.' Available at <http://www.afma.gov.au/managing-our-fisheries/fisheries-a-to-z-index/southern-and-eastern-scalefish-and-shark-fishery/notices-and-announcements/new-strategy-to-protect-dolphins-2/> [accessed 28 September 2014].
- AFMA (2014e). 'Fisheries Management Paper No. 12 Information Disclosure.' Available at <http://www.afma.gov.au/resource-centre/publications-and-forms/fisheries/fisheries-management-papers/information-disclosure/> [accessed 17 September 2014].
- Aguilar, A. (2009). 'Fin Whale *Balaenoptera physalus*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 433-437. (Academic Press: Amsterdam.)
- Ainley, D.G., Ballard, G. and Olmastroni, S. (2009). An apparent decrease in the prevalence of "Ross Sea Killer Whales" in the southern Ross Sea. *Aquatic Mammals* **35**, 334-346.
- Alheit, J. and Niquen, M. (2004). Regime shifts in the Humboldt Current ecosystem. *Progress in Oceanography* **60**, 201-222.
- Alheit, J., Roy, C. and Kifani, S. (2009). 'Decadal-scale variability in populations.' In *Climate Change and Small Pelagic Fish*. Cambridge Books Online edn. (Eds D. Checkley, J. Alheit, Y. Oozeki and C. Roy) pp. 64-87. (Cambridge University Press: Cambridge.)
- Allen, B.M. and Angliss, R.P. (2013). Alaska marine mammal stock assessments, 2012. US Department of Commerce, NOAA Technical Memorandum. NMFS-AFSC-245.
- Allen, S. and Loneragan, N. (2010). Reducing dolphin bycatch in the Pilbara Finfish Trawl Fishery. FRDC Project No. 2008/048 Final Report. Murdoch University, Murdoch.
- Allen, S.J., Cagnazzi, D.D.B., Hodgson, A.J., Loneragan, N.R. and Bejder, L. (2012). Tropical inshore dolphins of north-western Australia: unknown populations in a rapidly changing region. *Pacific Conservation Biology* **18**, 56-63.
- Allen, S.J., Tyne, J.A., Kobryn, H.T., Bejder, L., Pollock, K.H. and Loneragan, N.R. (2014). Patterns of dolphin bycatch in a north-western Australian trawl fishery. *PLoS ONE* **9**, e93178.
- Alverson, D.L. (1992). A review of commercial fisheries and the steller sea lion (*Eumetopias jubatus*) - the conflict arena. *Reviews in Aquatic Sciences* **6**, 203-256.
- Amaral, A.R., Beheregaray, L.B., Bilgmann, K., Boutov, D., Freitas, L., Robertson, K.M., Sequeira, M., Stockin, K.A., Coelho, M.M. and Möller, L.M. (2012). Seascape genetics of a globally distributed, highly mobile mammal: the short-beaked common dolphin (genus *Delphinus*). *PLoS ONE* **7**, e31482.

- Anderson, D.W. and Gress, F. (1984). 'Brown pelicans and the anchovy fishery off southern California.' In *Marine Birds: Their Feeding Ecology and Commercial Fisheries Relationships*. Proceedings of the eighth annual meeting of the Pacific Seabird Group. (Eds. D.N. Nettleship, G.A. Sanger and P.F. Springer) pp. 128–135. (Pacific Seabird Group, Canadian Wildlife Service: Canada)
- Anderson, M., Steel, D., Franklin, W., Franklin, T., Paton, D., Burns, D., Harrison, P., Baverstock, P.R., Garrigue, C., Olavarria, C., Poole, M.M., Hauser, N., Constantine, R., Thiele, D., Clapham, P., Donoghue, M. and Baker, C.S. (2010). Microsatellite genotype matches of eastern Australian humpback whales to Area V feeding and breeding grounds. Paper SC/62/SH7 presented to the IWC Scientific Committee.
- Anderson, R.C. (2014). Cetaceans and tuna fisheries in the Western and Central Indian Ocean. IPNLF Technical Report 2, International Pole and Line Foundation, London.
- Andrews, L., Eltink, A. and Lockwood, S.J. (2010). 'Public Certification Report for Pelagic Freezer-Trawler Association Atlanto-Scandian Herring Fishery.' Available at <http://www.msc.org/track-a-fishery/fisheries-in-the-program/certified/north-east-atlantic/pelagic-freezer-trawler-association-atlanto-scandian-herring/assessment-downloads> [accessed 18 February 2014].
- Andrews, L., Eltink, A. and Nichols, J. (2009). 'Public Certification Report for Pelagic Freezer-Trawler Association Mackerel Trawl Fishery.' Available at <http://www.msc.org/track-a-fishery/fisheries-in-the-program/certified/north-east-atlantic/pelagic-freezer-trawler-association-ne-atlantic-mackerel/assessment-downloads> [accessed on 18 February 2014].
- Andrews, L., Eltink, A. and Nichols, J. (2011). 'Public Certification Report for Pelagic Freezer-Trawler Association North Sea Herring Fishery.' Available at <http://www.msc.org/track-a-fishery/fisheries-in-the-program/certified/north-east-atlantic/pfa-north-sea-herring/reassessment-downloads> [accessed 18 February 2014].
- Andrews-Goff, V., Olson, P.A., Gales, N.J. and Double, M.C. (2013). Satellite telemetry derived summer movements of Antarctic blue whales. Paper SC/65/SH03 presented to the IWC Scientific Committee.
- Ansmann, I.C., Lanyon, J.M., Seddon, J.M. and Parra, G.J. (2013). Monitoring dolphins in an urban marine system: total and effective population size estimates of Indo-Pacific bottlenose dolphins in Moreton Bay, Australia. *PLoS ONE* **8**, e65239.
- Anon. (2009). 'Explanatory Statement Small Pelagic Fishery Management Plan (2009).' Available at <http://www.comlaw.gov.au/Details/F2010L00081/Download> [accessed 7 February 2014].
- Archer, F.I. (2009). 'Striped dolphin *Stenella coeruleoalba*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 1127–1129. (Academic Press: Amsterdam.)
- Arnold, P.W. (2008). 'Bryde's Whale *Balaenoptera edeni*.' In *The mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 798–799. (Reed New Holland: Chatswood.)
- Arnould, J.P.Y. and Kirkwood, R. (2008). Habitat selection in a benthic diver: the foraging areas of female Australian fur seals (*Arctocephalus pusillus doriferus*). *Aquatic Conservation: Marine and Freshwater Ecosystems* **17**, S53–S67.
- Atkinson, A., Siegel, V., Pakhomov, E. and Rothery, P. (2004). Long-term decline in krill stock and increase in salps within the Southern Ocean. *Nature* **432**, 100–103.
- Attard, C.R.M., Beheregaray, L.B., Jenner, K.C.S., Gill, P., Jenner, M.N., Morrice, M., Bannister, J., LeDuc, R. and Moller, L. (2010). Genetic diversity and structure of blue whales (*Balaenoptera musculus*) in Australian feeding aggregations. *Conservation Genetics* **11**, 2437–2441.
- Attard, C.R.M., Beheregaray, L.B., Jenner, K.C.S., Gill, P.C., Jenner, M.N., Morrice, M.G., Robertson, K.M. and Moller, L.M. (2012). Hybridization of Southern Hemisphere blue whale subspecies and a sympatric area off Antarctica: impacts of whaling or climate change? *Molecular Ecology* **21**, 5715–5727.
- Bailey, R.S., Furness, R.W., Gauld, J.A. and Kunzlik, P.A. (1991). Recent changes in the population of the sandeel (*Ammodytes marinus* Raitt) at Shetland in relation to estimates of seabird predation. *ICES Marine Science Symposia* **1993**, 209–216.
- Baird, R.W. (2000). 'The killer whale: foraging specializations and group hunting' in *Cetacean societies: field studies of dolphins and whales*. (Eds J. Mann, R.C. Connor, P.L. Tyack and H. Whitehead.) pp. 127–153. (University of Chicago Press: Chicago.)
- Baird, R.W. (2009). 'False Killer Whale – *Pseudorca crassidens*' in *Encyclopedia of marine mammals*. (Eds W. F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 405–406. (Academic Press: Amsterdam.)
- Bakun, A. and Weeks, S.J. (2006). Adverse feedback sequences in exploited marine systems: are deliberate interruptive actions warranted? *Fish and Fisheries* **7**, 316–333.

- Bannister, J.L. (1968). An aerial survey for sperm whales off the coast of Western Australia. *Australian Journal of Marine and Freshwater Research* **19**, 31–51.
- Bannister, J.L. (1986). Notes on nineteenth century catches of Southern Right Whales (*Eubalaena australis*) off the southern coasts of Western Australia. *Report of the International Whaling Commission* **10**, 255–259.
- Bannister, J.L. (2008). *Great Whales*. (CSIRO Publishing: Collingwood.)
- Bannister, J.L. (2011). Population trend in right whales off southern Australia 1933–2010. Paper SC/S11/RW10 presented to the IWC Scientific Committee.
- Bannister, J.L. and Hedley, S.L. (2001). Southern Hemisphere Group IV humpback whales: their status from recent aerial survey. *Memoirs of the Queensland Museum* **47**, 587–598.
- Bannister, J.L., Kemper, C.M. and Warneke, R.M. (1996). 'The Action Plan for Australian Cetaceans.' (Australia Nature Conservation Agency: Canberra.)
- Bannister, J.L., Pastene, L.A. and Burnell, S.R. (1999). First record of movement of a southern right whale (*Eubalaena australis*) between warm water breeding grounds and the Antarctic Ocean, south of 60 degrees South. *Marine Mammal Science* **15**, 1337–1342.
- Barange, M., Coetzee, J., Takasuka, A., Hill, K., Gutierrez, M., Oozeki, Y., Lingen, C.V.D. and Agostini, V. (2009). Habitat expansion and contraction in anchovy and sardine populations. *Progress in Oceanography* **83**, 251–260.
- Basson, M., Hobday, A.J., Eveson, J.P. and Patterson, T.A. (2012). Spatial interactions among juvenile southern bluefin tuna at the global scale: a large scale archival tag experiment. FRDC Project No. 2003/002 Final Report. CSIRO, Hobart.
- Battaille, B.C. and Quinn II, T.J. (2006). A Delury depletion estimator for walleye pollock (*Theragra chalcogramma*) in the eastern Bering Sea. *Natural Resource Modelling* **19**, 655–674.
- Baum, J.K. and Worm, B. (2009). Cascading top-down effects of changing oceanic predator abundances. *Journal of Animal Ecology* **78**, 699–714.
- Bax, N.J. and Williams, A. (2000). Habitat and fisheries production in the Southeast Fishery ecosystem. FRDC Project No 94/040 Final Report. CSIRO Marine Research, Hobart.
- Baylis, A.M.M., Page, B. and Goldsworthy, S.D. (2008a). Effect of seasonal changes in upwelling activity on the foraging locations of a wide-ranging central-place forager, the New Zealand fur seal. *Canadian Journal of Zoology* **86**, 774–789.
- Baylis, A.M.M., Page, B. and Goldsworthy, S.D. (2008b). Colony-specific foraging areas of lactating New Zealand fur seals. *Marine Ecology Progress Series* **361**, 279–290.
- Baylis, A.M.M., Page, B., McKenzie, J. and Goldsworthy, S.D. (2012). Individual foraging site fidelity in lactating New Zealand fur seals: continental shelf versus oceanic habitats. *Marine Mammal Science* **28**, 276–294.
- Baylis, A.M.M., Page, B., Peters, K., McIntosh, R., McKenzie, J. and Goldsworthy, S. (2005). The ontogeny of diving behaviour in New Zealand fur seal pups (*Arctocephalus forsteri*). *Canadian Journal of Zoology* **89**, 1149–1161.
- Bearzi, G., Agazzi, S., Gonzalvo, J., Costa, M., Bonizzoni, S., Politi, E., Piroddi, C. and Reeves, R.R. (2008). Overfishing and the disappearance of short-beaked common dolphins from western Greece. *Endangered Species Research* **5**, 1–12.
- Bearzi, G., Bjørge, A., Forney, K.A., Hammond, P.S., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2012). *Stenella longirostris* in 'IUCN Red List of Threatened Species. Version 2012.2.' Available at <http://www.iucnredlist.org/details/20733/0> [accessed 30 April 2013].
- Bejder, L., Samuels, A., Whitehead, H., Gales, N., Mann, J., Connor, R.C., Heithaus, M.R., Watson-Capps, J.J., Flaherty, C. and Krützen, M. (2006). Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology* **20**, 1791–1798.
- Bell, C.H., Kemper, C.M. and Conran, J.G. (2002). Common Dolphins (*Delphinus delphis*) in southern Australia: a morphometric study. *Australian Mammalogy* **24**, 1–10.
- Berrow S., Cosgrove R., Leeuney R., O'Brien J., McGraith D., Dalgard J. and Le Gall, Y. (2009). Effect of acoustic deterrents on the behaviour of common dolphins. *Journal of Cetacean Research and Management* **10**, 227–233.

- Berruti, A. and Colclough, J. (1987). 'Comparison of the abundance of pilchard in Cape Gannet diet and commercial catches off Western Cape, South Africa' in 'The Benguela and Comparable Ecosystems' (1987) (Eds A.I.L. Payne, J.A. Gulland and K.H. Brink) *South African Journal of Marine Science* **5**, 863–869.
- Bertram, D.F. and Kaiser, G.W. (1993). Rhinoceros auklet (*Cerorhinca monocerata*) nestling diet may gauge Pacific sand lance (*Ammodytes hexapterus*) recruitment. *Canadian Journal of Fisheries and Aquatic Sciences* **50**, 1908–1915.
- Bertrand, A., Segura, M., Gutiérrez, M. and Vásquez, L. (2004). From small-scale habitat loopholes to decadal cycles: a habitat-based hypothesis explaining fluctuation in pelagic fish populations off Peru. *Fish and Fisheries* **5**, 296–316.
- Bertrand, S., Joo, R., Arbulu Smet, C., Tremblay, Y., Barbraud, C. and Weimerskirch, H. (2012). Local depletion by a fishery can affect seabird foraging. *Journal of Applied Ecology* **49**, 1168–1177.
- Best, P.B. (2001). Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. *Marine Ecology Progress Series* **220**, 277–289.
- Beverton, R.J.H. (1990). Small marine pelagic fish and the threat of fishing; are they endangered? *Journal of Fish Biology* **37**, 5–16.
- Bilgmann, K., Möller, L.M., Harcourt, A.H., Gibbs, S. and Beheregaray, L.B. (2007). Genetic differentiation in bottlenose dolphins from South Australia: association with local oceanography and coastal geography. *Marine Ecology Progress Series* **341**, 265–276.
- Bilgmann, K., Möller, L.M., Harcourt, R.G., Gales, R. and Beheregaray, L.B. (2008). Common dolphins subject to fisheries impacts in Southern Australia are genetically differentiated: implications for conservation. *Animal Conservation* **11**, 518–528.
- Bilgmann, K., Parra, G.J., Zanardo, N., Beheregaray, L.B. and Möller, L.M. (2014). Multiple management units of short-beaked common dolphins subject to fisheries bycatch off southern and southeastern Australia. *Marine Ecology Progress Series* **500**, 265–279.
- BirdLife International (2013). 'Spheniscus demersus. The IUCN Red List of Threatened Species. Version 2014.2.' Available at: <http://www.iucnredlist.org/details/22697810/0> [accessed 8 September 2014].
- BirdLife International (2014). 'Species fact sheet: *Ardena tenuirostris*.' Available at <http://www.birdlife.org/datazone/speciesfactsheet.php?id=3934> [accessed 22 September 2014].
- Blaber, S.J.M. and Bulman, C.M. (1987). Diets of fishes of the upper continental slope of eastern Tasmania: content, calorific values, dietary overlap and trophic relationships. *Marine Biology* **95**, 345–356.
- Blackburn, M. (1950). A Biological Study of the Anchovy, *Engraulis australis* in Australian Waters. *Marine and Freshwater Research* **1**, 3–84.
- Bond, A.L. and Lavers, J.L. (2014). Climate change alters the trophic niche of a declining apex marine predator. *Global Change Biology* **20**, 2100–2107.
- Boren, L.J., Muller, C.G. and Gemmell, N.J. (2006). Colony growth and pup condition of the New Zealand fur seal (*Arctocephalus forsteri*) on the Kaikoura coastline compared with other east coast colonies. *Wildlife Research* **33**, 497–505.
- Bouma, S., Hickman, G. and Taucher, D. (2008). Abundance and reproduction of the New Zealand fur seal (*Arctocephalus forsteri*) along the West Coast of the Waikato Region, New Zealand. *Journal of the Royal Society of New Zealand* **38**, 89–96.
- Boyd, I.L. (2010). Assessing the effectiveness of conservation measures: Resolving the "wicked" problem of the Steller sea lion. *Biological Conservation* **143**, 1664–1674.
- Boyd, I.L. and Murray, A.W.A. (2001). Monitoring a marine ecosystem using responses of upper trophic level predators. *Journal of Animal Ecology* **70**, 747–760.
- Boyd, I.L., Wanless, S. and Camphuysen, C.J. (2006). 'Introduction.' In *Top Predators in Marine Ecosystems: Their Role in Monitoring and Management*. (Eds I.L. Boyd and S. Wanless and C.J. Camphuysen) pp. 1–10. (Cambridge University Press: Cambridge)
- Branch, T.A. (2008). Biological parameters for pygmy blue whales. Paper SC/60/SH6 presented to the IWC Scientific Committee.
- Branch, T.A., Allison, C., Mikhalev, Y.A., Tormosov, D. and Brownell, R.L. Jr. (2008). Historical catch series for Antarctic and pygmy blue whales. Paper SC/60/SH9 presented to the IWC Scientific Committee.
- Branch, T.A., Matsuoka, K. and Miyashita, T. (2004). Evidence for increases in Antarctic blue whales based on Bayesian modelling. *Marine Mammal Science* **20**, 726–754.

- Branch, T.A., Mikhalev, Y.A. and Kato, H. (2009). Separating pygmy and Antarctic blue whales using long-forgotten ovarian data. *Marine Mammal Science* **25**, 833–854.
- Branch, T.A., Stafford, K.M., Palacios, D.M., Allison, C., Bannister, J.L., Burton, C.L.K., Cabrera, E., Carlson, C.A., Galletti Vernazzani, B., Gill, P.C., Huckle-Gaete, R., Jenner, K.C.S., Jenner, M.N., Matsuoka, K., Mikhalev, Y.A., Miyashita, T., Morrice, M.G., Nishiwaki, S., Sturrock, V.J., Tormosov, D., Anderson, R.C., Baker, A.N., Best, P.B., Borsa, P., Brownell, R.L. Jr., Childerhouse, S., Findlay, K.P., Gerrodette, T., Ilangakoon, A.D., Joergensen, M., Kahn, B., Ljungblad, D.K., Maughan, B., McCauley, R.D., McKay, S., Norris, T.F., Oman Whale and Dolphin Research Group, Rankin, S., Samaran, F., Thiele, D., Van Waerebeek, K. and Warneke, R.M. (2007). Past and present distribution, densities and movements of blue whales *Balaenoptera musculus* in the Southern Hemisphere and northern Indian Ocean. *Mammal Review* **37**, 116–175.
- Breen, P.A., Hilborn, R., Maunder, M.N. and Kim, S.W. (2003). Effects of alternate control rules on the conflict between a fishery and a threatened sea lion (*Phocartos hookeri*). *Canadian Journal of Fisheries and Aquatic Sciences* **60**, 527–541.
- Breiwick, J.M. (2013). North Pacific marine mammal bycatch estimation methodology and results, 2007–2011. US Department of Commerce, NOAA Technical Memorandum NMFS-AFSC-26.
- Broadhurst, M. (1998). Bottlenose dolphins, *Tursiops truncatus*, removing bycatch from prawn-trawl codends during fishing in New South Wales, Australia. *Marine Fisheries Review* **60**, 9–14.
- Brothers, N., Gales, R. and Pemberton, D. (1993). Prey harvest of the Australasian gannet (*Sula serrator*) in Tasmania. *Wildlife Research* **20**, 777–783.
- Brown, C.J., Fulton, E.A., Hobday, A.J., Matear, R.J., Possingham, H.P., Bulman, C., Christensen, V., Forrest, R.E., Gehrke, P.C., Gribble, N.A., Griffiths, S.P., Lozano-Montes, H., Martin, J.M., Metcalf, S., Okey, T.A., Watson, R. and Richardson, A.J. (2010). Effects of climate-driven primary production change on marine food webs: implications for fisheries and conservation. *Global Change Biology* **16**, 1194–1212.
- Browne, A., Welsford, D. and Lyle, J. (2005). Monitoring marine mammal interactions in the Small Pelagic Fishery: Stage one pilot study. Report to AFMA, Canberra.
- Bryden, M.M., Kirkwood, G.P. and Slade, R.W. (1990). 'Humpback whales, Area V. An increase in numbers off Australia's east coast; in *Antarctic ecosystems: Ecological change and conservation*. (Eds K.R. Kerry and G. Hempel.) pp. 271–277. (Springer-Verlag: Berlin.)
- Bulman, C., Althaus, F., He, X., Bax, N.J. and Williams, A. (2001). Diets and trophic guilds of demersal fishes of the south-eastern Australian shelf. *Marine and Freshwater Research* **52**, 537–548.
- Bulman, C., Condie, S., Furlani, D., Cahill, M., Klaer, N., Goldsworthy, S. and Knuckey, I. (2006). Trophic dynamics of the eastern shelf and slope of the South East Fishery: impacts of and on the fishery. FRDC Project No. 2002/028 Final Report. CSIRO Marine and Atmospheric Research, Hobart.
- Bulman, C., Condie, S., Findlay, J., Ward, B. and Young, J. (2008). Management zones from small pelagic fish species stock structure in southern Australian waters. FRDC Project No. 2006/076 Final Report. CSIRO Marine and Atmospheric Research, Hobart.
- Bulman, C.M., Condie, S.A., Neira, F.J., Goldsworthy, S.D. and Fulton, E.A. (2011) The trophodynamics of small pelagic fishes in the southern Australian ecosystem and the implications for ecosystem modelling of southern temperate fisheries. FRDC Project 2008/023 Final Report. CSIRO, Hobart.
- Bunce, A. (2004). Do dietary changes of Australasian gannets (*Morus serrator*) reflect variability in pelagic fish stocks? *Wildlife Research* **31**, 383–387.
- Bunce, A. and Norman, F.I. (2000). Changes in the diet of the Australasian gannet (*Morus serrator*) in response to the 1998 mortality of pilchards (*Sardinops sagax*). *Marine and Freshwater Research* **51**, 349–353.
- Bunce, A., Norman, F.I., Brothers, N. and Gales, R. (2002). Long-term trends in the Australasian gannet (*Morus serrator*) population in Australia: the effect of climate change and commercial fisheries. *Marine Biology* **141**, 263–269.
- Bunce, A., Ward, S.J. and Norman, F.I. (2005). Are age-related variations in breeding performance greatest when food availability is limited? *Journal of Zoology* **266**, 163–169.
- Burnell, S.R. (2001). Aspects of the reproductive biology, movements and site fidelity of right whales off Australia. *The Journal of Cetacean Research and Management* **2**, 89–102.



- Burnell, S.R. (2008). 'Southern Right Whale *Eubalaena australis*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 788–789. (Reed New Holland: Sydney).
- Burns, D., Brooks, L., Harrison, P.L., Franklin, T., Franklin, W., Paton, D. and Clapham, C. (2014). Migratory movements of individual humpback whales photographed off the eastern coast of Australia. *Marine Mammal Science* **30**, 562–578.
- Butterworth, D.S., Brandao, A., C.L., d.M. and Robinson, W.M.L. (2011). Claim by Pichegru *et al.* that marine no-take zone benefits penguins remains premature. *Biological Letters*, eLetter in response to 6, 498–501. Available at [http://rsbl.royalsocietypublishing.org/content/6/4/498/reply#roybiolett\\_el\\_15](http://rsbl.royalsocietypublishing.org/content/6/4/498/reply#roybiolett_el_15) [accessed 30 September 2014].
- Cairns, D.K. (1992). Bridging the gap between ornithology and fisheries science: use of seabird data in stock assessment models. *Condor* **94**, 811–824.
- Campbell, R. (2008). 'Interaction between Australian sea lions and the demersal gillnet fisheries in Western Australia.' Report produced by the Department of Fisheries Research Division to the Australian Centre for Applied Marine Mammal Science.
- Campbell, R., Holley, D., Collins, P. and Armstrong, S. (in press). Changes in the abundance and distribution of the New Zealand fur seal (*Arctocephalus forsteri*) in Western Australia: Are they approaching carrying capacity? *Australian Journal of Zoology*.
- Campbell, R.A., Gales, N.J., Lento, G.M. and Baker, C.S. (2008). Islands in the sea: extreme female natal site fidelity in the Australian sea lion, *Neophoca cinerea*. *Biology Letters* **4**, 139–142.
- Camphuysen, C.J., Scott, B.E. and Wanless, S. (2006). Distribution and foraging interactions of seabirds and marine mammals in the North Sea: multispecies foraging assemblages and habitat-specific feeding strategies in *Top Predators in Marine Ecosystems: Their Role in Monitoring and Management*. (Eds I.L. Boyd, S. Wanless and C.J. Camphuysen) pp. 82–97. (Cambridge University Press: Cambridge.)
- Cardinale, M., Nugroho, D. and Jonson, P. (2011). Serial depletion of fishing grounds in an unregulated, open access fishery. *Fisheries Research* **108**, 106–111.
- Carr, M-E. and Kearns, E.J. (2003). Production regimes in four eastern boundary current systems. *Deep Sea Research Part II: Topical Studies in Oceanography* **50**, 3199–3221.
- Carretta, J.V. and Barlow, J. (2011). Long-term effectiveness, failure rates and "Dinner Bell" properties of acoustic pingers in a gillnet fishery. *Marine Technology Society Journal* **45**, 7–19.
- Carretta, J.V., Oleson, E., Weller, D.W., Lang, A.R., Forney, K.A., Baker, J., Hanson, B., Martien, K., Muto, M.M., Lowry, M.S., Barlow, J., Lynch, D., Carswell, L., Brownell Jr., R.L., Mattila, D.K. and Hill, M.C. (2013). U.S. Pacific Marine Mammal Stock Assessments: 2012. US Department of Commerce, NOAA Technical Memorandum, NMFS-SWFSC-504.
- Carroll, E., Patenaude, N., Alexander, A., Steel, D., Harcourt, R., Childerhouse, S., Smith, S., Bannister, J., Constantine, R. and Baker, C.S. (2011). Population structure and individual movement of southern right whales around New Zealand and Australia. *Marine Ecology Progress Series* **432**, 257–268.
- Carroll, G., Hedley, S., Bannister, J., Ensor, P. and Harcourt, R. (2013). No evidence for recovery in the population of sperm whale bulls off Western Australia, 30 years since the cessation of whaling. Paper SC/65/SH14 presented to the IWC Scientific Committee.
- Cassoff, R.M., Moore, K.M., McLellan, W.A., Barco, S.G., Rotstein, D.S. and Moore, M.J. (2011). Lethal entanglement in baleen whales. *Diseases of Aquatic Organisms* **96**, 175–185.
- Caton, A. (Ed) (2005). 'Fishery Status Reports 2002-03.' (Bureau of Rural Sciences: Canberra.)
- Caton, A. and McLoughlin, K. (Eds) (2000). 'Fishery Status Reports 1999.' (Bureau of Rural Sciences: Canberra.)
- Caton, A. and McLoughlin, K. (Eds) (2004). 'Fishery Status Reports 2004: Status of Fish Stocks Managed by the Australian Government.' (Bureau of Rural Sciences: Canberra.)
- CCAMLR (2011). Report of the thirtieth meeting of the scientific committee, SC-CCAMLR-XXX. Hobart, Australia.
- CCAMLR (2012). Schedule of Conservation Measures in Forces, 2011/12. CCAMLR Hobart, Australia.
- CCSBT (2011). 'Southern bluefin tuna - report from CCSBT 2011. IOTC 2011-SC14-12.' Available at <http://www.iotc.org/sites/default/files/documents/proceedings/2011/sc/IOTC-2011-SC14-12%5BE%5D.pdf> [accessed 14 August 2014].

- Chabanne, D., Finn, H., Salgado-Kent, C. and Bejder, L. (2012). Identification of a resident community of bottlenose dolphins (*Tursiops aduncus*) in the Swan Canning Riverpark, Western Australia, using behavioural information. *Pacific Conservation Biology* **18**, 247–262.
- Chaloupka, M., Osmond, M. and Kaufman, G. (1999). Estimating seasonal abundance trends and survival probabilities of humpback whales in Hervey Bay (east coast Australia). *Marine Ecology Progress Series* **184**, 291–301.
- Charlton-Robb, K., Gershwin, L., Thompson, R., Austin, J., Owen, K. and McKechnie, S. (2011). A new dolphin species, the Burruran dolphin *Tursiops australis* sp. nov., endemic to southern Australian coastal waters. *PLoS ONE* **6**, e24047.
- Chatto, R. and Warneke, R.M. (2000). Records of cetacean strandings in the Northern Territory of Australia. *The Beagle Records of the Museums and Art Galleries of the Northern Territory* **16**, 163–175.
- Chavez, F., Bertrand, A., Guevara-Carrasco, R., Soler, P. and Csirke, J. (2008). The northern Humboldt Current System: brief history, present status and a view towards the future. *Progress in Oceanography* **79**, 95–1051.
- Chavez, F.P., Ryan, J., Lluch-Cota, S.E. and Niquen, M. (2003). From anchovies to sardines and back: Multidecadal change in the Pacific Ocean. *Science* **299**, 217–221.
- Cheung, W.W.L., Lam, V.W.Y., Sarmiento, J.L., Kearney, K., Watson, R. and Pauly, D. (2009). Projecting global marine biodiversity impacts under climate change scenarios. *Fish and Fisheries* **10**, 235–251.
- Cheung, W.W.L., Pitcher, T.J. and Pauly, D. (2005). A fuzzy logic expert system to estimate intrinsic extinction vulnerabilities of marine fishes to fishing. *Biological Conservation* **124**, 97–111.
- Chiaradia, A., Costalunga, A. and Kerry, K. (2003). The diet of little penguins (*Eudyptula minor*) at Phillip Island, Victoria, in the absence of a major prey - pilchard (*Sardinops sagax*). *Emu* **103**, 43–48.
- Chiaradia, A., Dann, P., Jessop, R. and Collins, P. (2002). The diet of crested tern (*Sterna bergii*) chicks on Phillip Island, Victoria, Australia. *Emu* **102**, 367–371.
- Chiaradia, A., Forero, M., Hobson, K. and Cullen, J. (2010). Changes in diet and trophic position of a top predator 10 years after a mass mortality of a key prey. *ICES Journal of Marine Science* **67**, 1710–1720.
- Chilvers, B.L. (2008). New Zealand sea lions *Phocartos hookeri* and squid trawl fisheries: bycatch problems and management options. *Endangered Species Research* **5**, 193–204.
- Chilvers, B.L., Amey, J.M., Huckstadt, L.A. and Costa, D.P. (2011). Partitioning of breeding area foraging locations in New Zealand sea lions. *Polar Biology* **34**, 565–574.
- Chilvers, B.L. and Corkeron, P.J. (2001). Trawling and bottlenose dolphins' social structure. *Proceedings of the Royal Society of London. Series B. Biological Sciences* **268**, 1901–1905.
- Chilvers, B.L. and Corkeron, P.J. (2003). Abundance of Indo-Pacific bottlenose dolphins, *Tursiops aduncus*, off Point Lookout, Queensland, Australia. *Marine Mammal Science* **19**, 85–95.
- Chittleborough, R.G. (1965). Dynamics of two populations of the humpback whale, *Megaptera novaeangliae* (Borowski). *Australian Journal of Marine and Freshwater Research* **16**, 33–128.
- Clapham, P. and Ivashchenko, Y. (2009). A whale of a deception. *Marine Fisheries Review* **71**, 44–52.
- Clapham, P., Aguilar, A. and Hatch, L.T. (2008). Determining spatial and temporal scales for management of cetaceans: lessons from whaling. *Marine Mammal Science* **24**, 183–201.
- Clapham, P.J. (2000). 'The humpback whale: Seasonal feeding and breeding in a baleen whale.' In *Cetacean societies: field studies of dolphins and whales*. (Eds J. Mann, R.C. Connor, P.L. Tyack and H. Whitehead.) pp. 183–196. (University of Chicago Press: Chicago.)
- Clapham, P.J. (2009). 'Humpback whales *Megaptera novaeangliae*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 582–585. (Academic Press: Amsterdam.)
- Clapham, P.J. and Baker, C.S. (2009). 'Whaling, Modern.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 1239–1243. (Academic Press: Amsterdam.)



- Clapham, P.J. and Mead, J.G. (1999). *Megaptera novaeangliae*. *Mammalian Species* **604**, 1–9.
- Coetzee, J.C. (2010). Claim by Pichegru *et al.* that marine no-take zone benefits penguins is premature. *Biological Letters*, eLetter in response to **6** (4), 498–501.
- Coetzee, J.C., van der Lingen, C.D., Hutchings, L. and Fairweather, T.P. (2008). Has the fishery contributed to a major shift in the distribution of South African sardine? *ICES Journal of Marine Science* **65**, 1676–1688.
- Coll, M., Libralato, S., Tudela, S., Palomera, I. and Pranovi, F. (2008). Ecosystem overfishing in the ocean. *PLoS ONE* **3**.
- Coll, M., Palomera, I. and Tudela, S. (2009a). Decadal changes in a NW Mediterranean Sea food web in relation to fishing exploitation. *Ecological Modelling* **220**, 2088–2102.
- Coll, M., Santojanni, A., Palomera, I. and Arneri, E. (2009b). Food-web changes in the Adriatic Sea over the last three decades. *Marine Ecology-Progress Series* **381**, 17–37.
- Collette, B.B. and Nauen, C.E. (1983). FAO Species Catalogue. Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date. FAO Fisheries Synopsis (125) Vol 2. FAO, Rome.
- Committee on Taxonomy (2014). List of marine mammal species and subspecies. Society for Marine Mammalogy. Available at [www.marinemammalscience.org](http://www.marinemammalscience.org) [accessed 10 May 2014].
- Committee on the Alaska Groundfish Fishery and Steller Sea Lions (2003). 'Decline of the Steller Sea Lion in Alaskan Waters: Untangling Food webs and Fishing Nets.' (The National Academies Press: Washington, D.C.)
- Condie, S.A., Mansbridge, J.V. and Cahill, M.L. (2011). Contrasting local retention and cross-shore transports of the East Australian Current and the Leeuwin Current and their relative influences on the life histories of small pelagic fishes. *Deep Sea Research Part II: Topical Studies in Oceanography* **58**, 606–615.
- Connor, R.C., Wells, R.S., Mann, J. and Read, A.J. (2000). 'The bottlenose dolphin: social relationships in a fission-fusion society' in *Cetacean societies: field studies of dolphins and whales*. (Eds J. Mann, R.C. Connor, P.L. Tyack and H. Whitehead.) pp. 91–126. (University of Chicago Press: Chicago.)
- Constable, A. and Nicol, S. (2002). Defining smaller-scale management units to further develop the ecosystem approach in managing large-scale pelagic krill fisheries in Antarctica. *CCAMLR Science* **9**, 117–131.
- Constable, A.J. (2011). Lessons from CCAMLR on the implementation of the ecosystem approach to managing fisheries. *Fish and Fisheries* **12**, 138–151.
- Constable, A.J., de la Mare, W.K., Agnew, D.J., Everson, I. and Miller, D. (2000). Managing fisheries to conserve the Antarctic marine ecosystem: practical implementation of the Convention on the Conservation of Antarctic Marine Living Resources (CCAMLR). *ICES Journal of Marine Science* **57**, 778–791.
- Constantine, R. (2008). 'Dusky Dolphin *Lagenodelphis obscurus*.' In *The mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 850–851. (Reed New Holland: Chatswood.)
- Constantine, R., Brunton, D.H. and Dennis, T. (2004). Dolphin-watching tour boats change bottlenose dolphin (*Tursiops truncatus*) behaviour. *Biological Conservation* **117**, 299–307.
- Constantine, R., Steel, D., Allen, J., Anderson, M., Andrews, O., Baker, C.S., Beeman, P., Burns, D., Charrassin, J.B., Childerhouse, S., Double, M., Ensor, P., Franklin, T., Franklin, W., Gales, N., Garrigue, C., Gibbs, N., Harrison, P., Hauser, N., Hutsel, A., Jenner, C., Jenner, M.N., Kaufman, G., Macie, A., Mattila, D., Olavarria, C., Oosterman, A., Paton, D., Poole, M., Robbins, J., Schmitt, N., Stevick, P., Tagarino, A., Thompson, K. and Ward, J. (2014). Remote Antarctic feeding ground important for east Australian humpback whales. *Marine Biology* **161**, 1087–1093.
- Corkeron, P.J., Bryden, M.M. and Hedstrom, K. (1990). 'Feeding by bottlenose dolphins in association with trawling operations in Moreton Bay, Australia.' In *The Bottlenose Dolphin*. (Eds S. Leatherwood and R.R. Reeves.) pp. 329–336. (Academic Press: San Diego.)
- Corkeron, P.J., Brown, M., Slade, R.W. and Bryden, M.M. (1994). Humpback whales, *Megaptera novaeangliae* (Cetacea: Balaenopteridae), in Hervey Bay, Queensland. *Wildlife Research* **21**, 293–305.
- Couperus, A.S. (1994). Killer whales (*Orcinus orca*) scavenging on discards of freezer trawlers north east of the Shetland Islands. *Aquatic Mammals* **20**, 47–51.

- Couperus, A.S. (1997). Interactions between Dutch midwater trawl and Atlantic white-sided Dolphins (*Lagenorhynchus acutus*) southwest of Ireland. *Journal Northwest Atlantic Fisheries Science* **22**, 209–218.
- Couperus, A.S., Patberg, W., van Keeken, O.A. and Pastors, M.A. (2004). Discard sampling of the Dutch pelagic freezer fishery in 2002. Centre for Fishery Research Report No: CVO 04.022, Netherlands.
- Crawford, R.J.M., Barham, P.J., Underhill, L.G., Shannon, L.J., Coetzee, J.C., Dyer, B.M., Leshoro, T.M. and Upfold, L. (2006a). The influence of food availability on breeding success of African penguins *Spheniscus demersus* at Robben Island, South Africa. *Biological Conservation* **132**, 119–125.
- Crawford, R.J.M., Goya, E., Roux, J.P. and Zavalaga, C.B. (2006b). Comparison of assemblages and some life history traits of seabirds in the Humboldt and Benguela systems. *African Journal of Marine Science* **28**, 553–560.
- Crawford, R.J.M., Underhill, L.G., Upfold, L. Dyer, B.M. (2007). An altered carrying capacity of the Benguela upwelling ecosystem for African penguins (*Spheniscus demersus*). *ICES Journal of Marine Science* **64**, 570–576.
- Crespo, E.A., Pedraza, S.N., Dans, S.L., Alonso, M.K., Reyes, L.M., Garcia, N.A., Coscarella, M. and Schiavini, A.C.M. (1997). Direct and indirect effects of the highseas fisheries on the marine mammal populations in the northern and central Patagonian coast. *Journal of Northwest Atlantic Fishery Science* **22**, 189–207.
- Cribb, N., Miller, C. and Seuront, L. (2013). Indo-Pacific bottlenose dolphin (*Tursiops aduncus*) habitat preference in a heterogeneous, urban, coastal environment. *Aquatic Biosystems* **9**, 3.
- Croxall, J.P. (2006). 'Monitoring predator-prey interactions using multiple predator species: the South Georgia experience.' In *Top Predators in Marine Ecosystems: Their Role in Monitoring and Management*. (Eds I.L. Boyd, S. Wanless and C.J. Camphuysen) pp. 157–176. (Cambridge University Press: Cambridge.)
- Croxall, J.P., McCann, T.S., Prince, P.A. and Rothery, P. (1988). 'Reproductive performance of seabirds and seals at South Georgia and Signy Island, South Orkney Islands, 1976–1987: implications for Southern Ocean monitoring studies.' In *Antarctic Ocean Resources Variability*. (Ed. D. Sahrhage) pp. 261–285. (Springer-Verlag: Berlin)
- Croxall, J.P., Reid, K. and Prince, P.A. (1999). Diet, provisioning and productivity responses of marine predators to differences in availability of Antarctic krill. *Marine Ecology Progress Series* **177**, 115–131.
- Cullen, J.M., Montague, T.L. and Hull, C. (1991). Food of little penguins *Eudyptula minor* in Victoria: comparison of three localities between 1985 and 1988. *Emu* **91**, 318–341.
- Cunningham, C.L. and Butterworth, D.S. (2006). Issues surrounding the development of a revised OMP for the SA Pelagic Fishery for Sardine and Anchovy. SWG/MAY2006/PEL/09. Available at [http://www.mth.uct.ac.za/maram/pub/2006/SWG\\_MAY2006\\_PEL\\_07.pdf](http://www.mth.uct.ac.za/maram/pub/2006/SWG_MAY2006_PEL_07.pdf) [accessed 20 August 2014].
- Cury, P. and Shannon, L. (2004). Regime shifts in upwelling ecosystems: observed changes and possible mechanisms in the northern and southern Benguela. *Progress in Oceanography* **60**, 223–243.
- Cury, P., Shannon, L. and Shin, Y.-J. (2003). The Functioning of Marine Ecosystems: A Fisheries Perspective. In 'Responsible Fisheries in the Marine Ecosystem.' (Eds. M. Sinclair and G. Valdimarsson). pp 103 - 124. (FAO: Rome.)
- Cury, P.M. and Christenson, V. (2005). Quantitative ecosystem indicators for fisheries management: introduction. *ICES Journal of Marine Science* **62**, 307–310.
- Cury, P., Bakun, A., Crawford, R.J.M., Jarre, A., Quiñones, R.A., Shannon, L.J. and Verhye, H.M. (2000). Small pelagics in upwelling systems: patterns of interaction and structural changes in "wasp-waist" ecosystems. *ICES Journal of Marine Science* **57**, 603–618.
- Cury, P.M., Boyd, I.L., Bonhommeau, S., Anker-Nilssen, T., Crawford, R.J.M., Furness, R.W., Mills, J.A., Murphy, E.J., Osterblom, H., Paleczny, M., Piatt, J.F., Roux, J.P., Shannon, L. and Sydeman, W.J. (2011). Global seabird response to forage fish depletion—one-third for the birds. *Science* **334**, 1703–1706.
- Cusick, J., Andrews-Goff, V. and Double, M.C. (2012). 'Australia. Progress report on cetacean research, January 2011 to December 2011, with statistical data for the calendar year 2011.' Report to the IWC. Available at [http://www.marinemammals.gov.au/\\_data/assets/pdf\\_file/0011/104312/SC-64-ProgRepAustralia.pdf](http://www.marinemammals.gov.au/_data/assets/pdf_file/0011/104312/SC-64-ProgRepAustralia.pdf) [accessed 7 October 2014].
- DAFF (2007). 'Commonwealth Fisheries Harvest Strategy: Policy and Guidelines.' (Australian Government: Canberra.)

- Daley, R., Dowdney, J., Bulman, C., Sporcic, M., Fuller, M., Ling, S., Milton, D. and Hobday, A. (2007a). 'Draft ecological risk assessment for the effects of fishing.' Report for the purse seine sub-fishery of the Small Pelagic Fishery. Report for AFMA, Canberra.
- Daley, R., Dowdney, J., Bulman, C., Sporcic, M., Fuller, M., Ling, S. and Hobday, A. (2007b). 'Ecological risk assessment for the effects of fishing.' Report for the midwater trawl sub-fishery of the Small Pelagic Fishery. Report for AFMA, Canberra.
- Dann, P., Norman, F.I., Cullen, J.M., Neira, F.J. and Chiaradia, A. (2000). Mortality and breeding failure of little penguins, *Eudyptula minor*, in Victoria, 1995-96, following a widespread mortality of pilchard, *Sardinops sagax*. *Marine and Freshwater Research* **51**, 355-362.
- Dans, S., Alonso, M.K., Crespo, E.A., Pedraza, S.N. and Garcia, N.A. (2003). 'Interactions between marine mammals and high seas fisheries in Patagonia: an integrated approach.' In *Marine Mammals and Humans: Fisheries, tourism and management*. (Eds N.J. Gales, M. Hindell and R. Kirkwood) pp. 100-115. (CSIRO Publications: Hobart.)
- Daunt, F., Wanless, S., Greenstreet, S.P.R., Jensen, H., Hamer, K.C. and Harris, M.P. (2008). The impact of the sandeel fishery closure on seabird food consumption, distribution and productivity in the northwestern North Sea. *Canadian Journal of Fisheries and Aquatic Sciences* **65**, 362-381.
- Daunt, F., Wanless, S., Peters, G., Benvenuti, S., Sharples, J., Gremillet, D. and Scott, B. (2006). 'Impacts of oceanography on the foraging dynamics of seabirds in the North Sea.' In *Top Predators in Marine Ecosystems: Their Role in Monitoring and Management*. (Eds I.L. Boyd, S. Wanless and C.J. Camphuysen) pp. 177-190. (Cambridge University Press: Cambridge)
- David, J. and Wickens, P. (2003). 'Management of Cape fur seals and fisheries in South Africa.' In *Marine Mammals and Humans: Fisheries, tourism and management*. (Eds N.J. Gales, M. Hindell and R. Kirkwood) pp. 116-135. (CSIRO Publications: Hobart.)
- Dawbin, W.H. (1966). 'The seasonal migratory cycle of humpback whales.' In *Whales, Dolphins and Porpoises*. (Ed K. S. Norris.) pp. 145-171. (University of California Press: Berkeley.)
- Dawson, S. M. and Slooten, E. (2005). Management of gillnet bycatch of cetaceans in New Zealand. *Journal of Cetacean Research and Management* **7**, 59-64.
- Dawson, S., Northridge, S. P., Waples, D. and Read, A. (2013). To ping or not to ping: the use of active acoustic devices in mitigating interactions between small cetaceans and gillnet fisheries. *Endangered Species Research* **19**, 201-221.
- Deagle, B.E., Chiaradia, A., McInnes, J. and Jarman, S.N. (2010). Pyrosequencing faecal DNA to determine diet of little penguins: is what goes in what comes out? *Conservation Genetics* **11**, 2039-2048.
- Deagle, B.E., Kirkwood, R. and Jarman, S.N. (2009). Evaluating trophic links by pyrosequencing prey DNA in faeces: a population level dietary study on Australian fur seals. *Molecular Ecology* **18**, 2022-2038.
- de Boer, M.N., Saulino, J.T., Leopold, M.F., Reijnders, P.J.F. and Simmonds, M.P. (2012). Interactions between short-beaked common dolphin [*Delphinus delphis*] and the winter pelagic pair-trawl fishery off Southwest England (UK). *International Journal of Biodiversity and Conservation* **4**, 481-499.
- Deepwater Group (2011). Operational procedures marine mammals, Version 7. 1 October 2011. Deepwater Group Ltd, New Zealand.
- Deméré, T.A., Berta, A. and Adam, P.J. (2003). Pinnipedimorph evolutionary biogeography. *Bulletin of the American Museum Natural History* **279**, 32-76.
- de Moor, C.L., Butterworth, D.S. and De Oliveira, J.A.A. (2011). Is the management procedure approach equipped to handle short-lived pelagic species with their boom and bust dynamics? The case of the South African fishery for sardine and anchovy. *ICES Journal of Marine Science* **68**, 2075-2085.
- Department for Environment, Food and Rural Affairs (2003). UK Small cetacean bycatch response strategy. DEFRA, UK.
- Department of the Environment and Heritage (2005). Australian National Guidelines for Whale and Dolphin Watching. Available at <http://www.environment.gov.au/coasts/publications/whale-watching-guidelines-2005.html> [accessed 10 April 2013].
- Dichmont, C.M., Ovenden, J.R., Welch, D.J. and Buckwirth, R.C. (2012). Scoping current and future genetic tools, their limitations and their applications for wild fisheries management. FRDC Project No. 2011/035 Final Report. CSIRO, Brisbane.
- Di Iorio, L. and Clark, C.W. (2010). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* **6**, 51-54.

- Dimmlich, W.F. and Ward, T.M. (2006). Ontogenetic shifts in the distribution and reproductive patterns of Australian anchovy (*Engraulis australis*) determined by otolith microstructure analysis. *Marine and Freshwater Research* **57**, 373–381.
- Dimmlich, W.F., Ward, T.M. and Breed, W.G. (2009). Spawning dynamics and biomass estimates of an anchovy *Engraulis australis* population in contrasting gulf and shelf environments. *Journal of Fish Biology* **75**, 1560–1576.
- Dixon, J.M. (2008). 'Fraser's Dolphin *Lagenodelphis hosei*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 847–848. (Reed New Holland: Chatswood.)
- Dixon, P.I., Worland, L.J. and Chan, B.H.Y. (1993). *Stock identification and discrimination of pilchards in Australian waters, using genetic criteria*. FRDC ProjectNo. 1989/025 Final Report. FRDC, Canberra
- Dolar, M.L.L. (2009). 'Fraser's dolphin *Lagenodelphis hosei*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 469–471. (Academic Press: Amsterdam.)
- Dotson, R.C., Griffith, D.A., King, D.L. and Emmett, R.L. (2010). Evaluation of a marine mammal excluder device (MMED) for a Nordic 263 midwater rope trawl. US Department of Commerce, NOAA Technical Memorandum-NMFS-SWFSC-455.
- Double, M.C., Andrews-Goff, V., Jenner, K.C.S., Jenner, M.-N., Laverick, S.M., Branch, T.A. and Gales, N.J. (2014). Migratory movements of pygmy blue whales (*Balaenoptera musculus brevicauda*) between Australia and Indonesia as revealed by satellite telemetry. *PLoS ONE* **9**, e93578.
- Double, M.C., Barlow, J., Miller, B.S., Olson, P.A., Andrews-Goff, V., Kelley, N., Peel, D., Leaper, R., Ensor, P., Calderan, S., Collins, K., Davidson, M., Deacon, C., Donnelly, D., Lindsay, M., Olavarria, C., Owen, K., Rekdahl, M., Schmitt, N., Wadley, V. and Gales, N.J. (2013). Cruise report of the 2013 Antarctic blue whale voyage of the Southern Ocean Research Partnership. Paper SC/65/SH21 presented to the 65th IWC Scientific Committee, 3–15 June.
- Double, M.C., Jenner, K.C.S., Jenner, M.N., Ball, I., Laverick, S. and Gales, N. (2012). 'Satellite tracking of pygmy blue whales (*Balaenoptera musculus brevicauda*) off Western Australia.' Final report. (Australian Marine Mammal Centre: Hobart).
- DSEWPac (2011). 'National Recovery Plan for Threatened Albatrosses and Giant Petrels 2011–2016.' (Commonwealth of Australia: Hobart.)
- DSEWPac (2012a). 'Conservation Management Plan for the Southern Right Whale.' (DSEWPac: Canberra).
- DSEWPac (2012b). 'Briefing Note: Environmental impacts of large mid-water trawl freezer vessels in the Small Pelagic Fishery.' Available at: <http://www.environment.gov.au/topics/marine/fisheries/commonwealth/small-pelagic> [accessed 10 January 2014].
- DSEWPac (2013). 'Issues paper for the Australian sea Lion (*Neophoca cinerea*).' Available at [www.environment.gov.au/coasts/species/seals/index.html](http://www.environment.gov.au/coasts/species/seals/index.html) [accessed 13 August 2014].
- Du Fresne, S.P., Grant, A.R., Norden, W.S. and Pierre, J.P. (2007). 'Factors affecting cetacean bycatch in a New Zealand trawl fishery.' DOC Research and Development Series 282. Science and Technical Publishing, New Zealand Department of Conservation.
- Dunsha, G., Barros, N.B., Berens McCabe, E.J., Gales, N.J., Hindell, M.A., Jarman, S.N. and Welss, R.S. (2013). Stranded dolphin stomach contents represent the free-ranging population's diet. *Biology Letters* **9**, 2012–1036.
- Durban, J.W. and Pitman, R.L. (2012). Antarctic killer whales make rapid, round-trip movements to subtropical waters: evidence for physiological maintenance migrations? *Biology Letters* **8**, 274–277.
- Einoder, L.D. (2009). A review of the use of seabirds as indicators in fisheries and ecosystem management. *Fisheries Research* **95**, 6–13.
- Elgin Associates (unpublished [a]). 'Literature Review on the impacts on *Environment Protection and Biodiversity Conservation Act 1999* (Cth) protected species by large mid-water trawl vessels.' Report prepared for the Department of Sustainability, Environment, Water, Population and Communities (on behalf of the expert panel) 17 June 2013.
- Elgin Associates (unpublished [b]). 'Technical review: development and application of bycatch mitigation devices for marine mammals in mid-water trawl gear.' Report prepared for the Department of the Environment (on behalf of the expert panel) 12 May 2014.
- Elizarov, A.A., Grechina, A.S., Kotenev, B.N. and Kuzetsov, A.N. (1993). Peruvian jack mackerel *Trachurus symmetricus murphyi*, in the open water of the South Pacific. *Journal of Ichthyology* **33**, 86–104.

- Environment Tasmania (2014). 'Supertrawler facts.' Available at [http://www.et.org.au/supertrawler\\_faq](http://www.et.org.au/supertrawler_faq) [accessed 29 August 2014].
- Essington, T.E. and Munch, S.B. (2014). Trade-offs between supportive and provisioning ecosystem services of forage species in marine food webs. *Ecological Applications* **24**, 1543–1557.
- Evans, K. (2003). 'Pollution and marine mammals in the Southern Hemisphere: potential or present threat?' In *Marine Mammals: Fisheries, Tourism and Management Issues*. (Eds N.J. Gales, M. Hindell and R. Kirkwood.) pp. 400–441. (CSIRO Publishing: Collingwood.)
- Evans, K. and Hindell, M. (2004). The diet of sperm whales (*Physeter macrocephalus*) in southern Australian waters. *ICES Journal of Marine Science* **61**, 1313–1329.
- Evans, K., Hindell, M. and Hince, G. (2004). Concentrations of organochlorines in sperm whales (*Physeter macrocephalus*) from southern Australian waters. *Marine Pollution Bulletin* **48**, 486–503.
- Evans, K., Morrice, M., Hindell, M. and Thiele, D. (2002). Three mass strandings of sperm whales (*Physeter macrocephalus*) in southern Australian waters. *Marine Mammal Science* **18**, 622–643.
- Evans, K., Thresher, R., Warnecke, R.M., Bradshaw, C.J.A., Pook, M., Thiele, D. and Hindell, M.A. (2005). Periodic variability in cetacean strandings: links to large-scale climate events. *Biology Letters* **1**, 147–150.
- Ewing, G.P. and Lyle, J. M. (2008). 'Appendix 3. Estimation of age and growth of redbait in Tasmanian waters.' In 'Evaluation of Egg Production as a Method of Estimating Spawning Biomass of Redbait off the East Coast of Tasmania.' FRDC Project No. 2004/039 Final Report.' (Eds F.J. Neira, J.M. Lyle, G.P. Ewing, J.P. Keane and S.R. Tracey.) pp 116–129. TAFI, Hobart.
- Ewing, G.P. and Lyle, J. M. (2009). Reproductive dynamics of redbait, *Emmelichthys nitidus* (Emmelichthyidae), from south-eastern Australia. *Fisheries Research* **97**, 206–215.
- FAO (2001–2014a). 'Fishing Techniques. Tuna purse seining. Technology Fact Sheets.' Available at <http://www.fao.org/fishery/fishtech/40/en> [accessed 3 April 2014].
- FAO (2001–2014b). 'Fishing Gear types. Midwater trawls. Technology Fact Sheets.' Available at <http://www.fao.org/fishery/geartype/207/en> [accessed 3 April 2014].
- FAO (2014a). 'The State of World Fisheries and Aquaculture 2014. Opportunities and challenges.' (FAO: Rome.)
- FAO (2014b). 'Global Capture Production.' Available at <http://www.fao.org/fishery/statistics/global-capture-production/en> [accessed 8 August 2014].
- Fernández-Contreras, M., Cardona, L., Lockyer, C. and Aguilar, A. (2010). Incidental by-catch of short beaked common dolphins (*Delphinus delphis*) in the pair trawler fishery off north-western Spain. *ICES Journal Marine Science* **67**, 1732–1738.
- Fertl, D. and Leatherwood, S. (1997). Cetacean interactions with trawls: A preliminary review. *Journal Northwest Atlantic Fisheries Science* **22**, 219–248.
- Field, J.C., MacCall, A.D., Bradley, R.W. and Sydeman, W.J. (2010). Estimating the impacts of fishing on dependent predators: a case study in the California Current. *Ecological Applications* **20**, 2223–2236.
- Filby, N.E., Bossley, M., Sanderson, K.J., Martinez, E. and Stockin, K.A. (2010). Distribution and population demographics of common dolphins (*Delphinus delphis*) in the Gulf St. Vincent, South Australia. *Aquatic Mammals* **36**, 33–45.
- Fleming, A. and Jackson, J. (2011). 'Global review of humpback whales (*Megaptera novaeangliae*).' US Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-474.
- Flores, H., Atkinson, A., Kawaguchi, S., Krafft, B.A., Milinevsky, G., Nicol, S., Reiss, C., Tarling, G.A., Werner, R., Bravo Rebolledo, E., Cirelli, V., Cuzin-Roudy, J., Fielding, S., Groeneveld, J.J., Haraldsson, M., Lombana, A., Marschoff, E., Meyer, B., Pakhomov, E.A., Rombolá, E., Schmidt, K., Siegel, V., Teschke, M., Tonkes, H., Toullec, J.Y., Trathan, P.N., Tremblay, N., Van de Putte, A.P., van Franeker, J.A. and Werner, T. (2012). Impact of climate change on Antarctic krill. *Marine Ecology Progress Series* **458**, 1–19.
- Ford, J.K.B. (2009). 'Killer whale *Orcinus orca*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 650–657. (Academic Press: Amsterdam.)

- Forney, K.A. and Wade, P. (2006). 'Worldwide distribution and abundance of killer whales.' In *Whales, Whaling and Ocean Ecosystems*. (Eds J.A. Estes, R.L. Brownell Jr., D.P. DeMaster, D.F. Doak and T.M. Williams.) pp. 145–162. (University of California Press: Los Angeles.)
- Fraguito, K. (2013). Identifying the foraging behaviour and foraging habitat of the Australian sea lion, *Neophoca cinerea* using National Geographic Crittercam. Honours thesis, University of Adelaide.
- Franklin, T. and Burns, D. (2005). A southern right whale (*Eubalaena australis*) in Hervey Bay, Qld and Ballina, NSW. *Memoirs of the Queensland Museum* **51**, 308.
- Franklin, T., Franklin, W., Brooks, L., Harrison, P.L., Baverstock, P and Clapham, P. (2011). Seasonal changes in group characteristics of eastern Australian humpback whales (*Megaptera novaeangliae*), Hervey Bay 1992–2005. *Marine Mammal Science* **27**, E134–E152.
- Franklin, W., Franklin, T., Brooks, L., Gibbs, N., Childerhouse, S., Smith, F., Burns, D., Paton, D., Garrigue, C., Constantine, R., Poole, M.M., Hauser, N., Donoghue, M., Russell, K., Mattila, D.K., Robbins, J., Oosterman, A., Leaper, R., Harrison, P.L., Baker, C.S. and Clapham, P. (2012). Antarctic waters (Area V) near the Balleny Islands are a summer feeding area for some Eastern Australian (E(i) breeding group) humpback whales (*Megaptera novaeangliae*). *The Journal of Cetacean Research and Management* **12**, 321–327.
- Frederiksen, M., Jensen, H., Daunt, F., Mavor, R.A. and Wanless, S. (2008). Differential effects of a local industrial sand lance fishery on seabird breeding performance. *Ecological Applications* **18**, 701–710.
- Freon, P. and Misund, O.A. (1999). *Dynamics of Pelagic Fish Distribution and Behaviour: Effects on Fisheries and Stock Assessment*. (Fishing News Books: Oxford.)
- Freon, P., Cury, P., Shannon, L. and Roy, C. (2005). Sustainable exploitation of small pelagic fish stocks challenged by environmental and ecosystem changes: A review. *Bulletin of Marine Science* **76**, 385–462.
- Frid, C., Paramor, O. and Scott, C. (2005). Ecosystem-based fisheries management: progress in the NE Atlantic. *Marine Policy* **29**, 461–469.
- Fritz, L.W. (1999). 'Do trawl fisheries off Alaska create localized depletions of Atka mackerel (*Pleurogrammus monopterygius*)?' Appendix 1 in 'Environmental Assessment/Regulatory Impact Review and Final Regulatory Flexibility Analysis for a Regulatory Amendment to Reapportion Total Allowable Catch of Atka Mackerel and Reduce Effects on Steller Sea Lions.' National Marine Fisheries Service, Alaska Fisheries Science Centre, Juneau.
- Froese, R. and D. Pauly. Editors. 2014. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), version (08/2014).
- Fulton, B. (2011). Interesting times: winners and losers and system shifts under climate change around Australia. *ICES Journal of Marine Science* **68**, 1329–1342.
- Fulton, E.A. (2013). Simulation analysis of jack mackerel stock sizes. Report for AFMA, Canberra.
- Fulton, E.A., Fuller, M., Smith, A.D.M. and Punt, A. (2004). Ecological indicators of the ecosystem effects of fishing. Report to AFMA, Canberra.
- Fulton, E.A., Smith, A.D.M. and Punt, A.E. (2005). Which ecological indicators can robustly detect effects of fishing? *ICES Journal of Marine Science* **62**, 540551.
- Fulton, E.A., Smith, A.D.M. and Smith, D.C. (2007). 'Alternative Management Strategies for Southeast Australian Commonwealth Fisheries: Stage 2: Quantitative Management Strategy Evaluation.' (CSIRO Marine and Atmospheric Research: Hobart.)
- Furlani, D., Williams, A. and Bax, N. (2000). 'Fish Biology.' In 'Habitat and Fisheries Production in the Southwest Fishery Ecosystem.' FRDC Project No. 94/040 Final Report. (Eds N.J. Bax and A. Williams.) pp 271–315. CSIRO, Hobart.
- Furness, R.W. (2002). Management implications of interactions between fisheries and sandeel-dependent seabirds and seals in the North Sea. *ICES Journal of Marine Science* **59**, 261–269.
- Furness, R.W. (2007). Responses of seabirds to depletion of food fish stocks. *Journal of Ornithology* **148**, S247–S252.
- Furness, R.W. and Camphuysen, C.J. (1997). Seabirds as monitors of the marine environment. *ICES Journal of Marine Science* **54**, 726–737.



- Furness, R.W. and Tasker, M.L. (2000). Seabird-fishery interactions: quantifying the sensitivity of seabirds to reductions in sandeel abundance and identification of key areas for sensitive seabirds in the North Sea. *Marine Ecology Progress Series* **202**, 253–264.
- Fury, C.A., Ruckstuhl, K.E. and Harrison, P.L. (2013). Spatial and social sexual segregation patterns in Indo-Pacific bottlenose dolphins (*Tursiops aduncus*). *PLoS ONE* **8**, e52987.
- Fury, C. and Harrison, P.L. (2008). Abundance, site fidelity and range patterns of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in two Australian subtropical estuaries. *Marine and Freshwater Research* **59**, 1015–1027.
- Fury, C.A. and Harrison, P.L. (2011). Impact of flood events on dolphin occupancy patterns. *Marine Mammal Science* **27**, E185–E205.
- Gales, N. (1991). 'New Zealand Fur Seals and Oil: An Overview of Assessment, Treatment, Toxic Effects and Survivorship. 1991 Sanko Harvest Oil Spill.' Report to the Western Australian Department of Conservation and Land Management.
- Gales, N., Double, M., Robinson, S., Jenner, C., Jenner, M.N., King, E., Gedamke, J., Paton, D. and Raymond, B. (2009). Satellite tracking of southbound East Australian humpback whales (*Megaptera novaeangliae*): challenging the feast or famine model for migrating whales. Paper SC/61/ SH17 presented to the IWC Scientific Committee.
- Gales, N., Double, M.C., Robinson, S., Jenner, C., Jenner, M., King, E., Gedamke, J., Childerhouse, S. and Paton, D. (2010). Satellite tracking of Australian humpback (*Megaptera novaeangliae*) and pygmy blue whales (*Balaenoptera musculus brevicauda*). Paper SC/62/SH21 presented to the IWC Scientific Committee.
- Gales, N.J. and Cheal, A.J. (1992). Estimating diet composition of the Australian sea lion (*Neophoca cinerea*) from scat analysis: an unreliable technique. *Wildlife Research* **19**, 447–456.
- Gales, N.J. and Hindell, M.A. (2008). 'Long-finned pilot whale *Globicephala melas*.' In *The mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 863–864. (Reed New Holland: Chatswood.)
- Gales, R., Alderman, R., Thalmann, S. and Carlyon, K. (2012). Satellite tracking of long-finned pilot whales (*Globicephala melas*) following stranding and release in Tasmania, Australia. *Wildlife Research* **39**, 520–531.
- Gales, R., Pemberton, D., Clarke, M. and Lu, C. C. (1992). Stomach contents of long-finned pilot whales (*Globicephala melas*) and bottlenose dolphins (*Tursiops truncatus*) in Tasmania. *Marine Mammal Science* **8**, 405–413.
- Garrigue, C., Franklin, T., Constantine, R., Russell, K., Burns, D., Poole, M., Paton, D., Hauser, N., Oremus, M., Childerhouse, S., Mattila, D., Gibbs, N., Franklin, W., Robbins, J., Clapham, P. and Baker, C.S. (2011). First assessment of interchange of humpback whales between Oceania and the east coast of Australia. *Journal of Cetacean Research and Management*, Special Issue **3**, 269–274.
- Garcia, S.M., Kolding, J., Rice, J., Rochet, M.-J., Zhou, S., Arimoto, T., Beyer, J.E., Borges, L., Bundy, A., Dunn, D., Fulton, E.A., Hall, M., Heino, M., Law, R., Makino, M., Rijnsdorp, A.D., Simard, F. and Smith, A.D.M. (2013). Reconsidering the consequences of selective fisheries. *Science* **335**, 1045–1047.
- Gaughan, D.J., Mitchell, R.W. and Blight, S.J. (2000). Impact of mortality, possibly due to herpesvirus, on pilchard *Sardinops sagax* stocks along the south west coast of Western Australia in 1998–99. *Marine and Freshwater Research* **51**, 601–612.
- Gedamke, J., Gales, N., Hildebrand, J. and Wiggins, S. (2007). Seasonal occurrence of low frequency whale vocalisations across eastern Antarctic and southern Australian waters, February 2004 to February 2007. Paper SC/59/ SH5 presented to the IWC Scientific Committee.
- Gedamke, J. and Robinson, S.M. (2010). Acoustic survey for marine mammal occurrence and distribution off East Antarctica (30–80°E) in January–February 2006. *Deep-sea Research. Part II, Topical Studies in Oceanography* **57**, 968–981.
- Geijer, C.K.A. and Read, A.J. (2013). Mitigation of marine mammal bycatch in U.S. fisheries since 1994. *Biological Conservation* **159**, 54–60.
- Gerrodette, T. and Forcada, J. (2005). Non-recovery of two spotted and spinner dolphin populations in the eastern tropical Pacific Ocean. *Marine Ecology Progress Series* **291**, 1–21.
- Gerrodette, T. and Rojas-Bracho, L. (2011). Estimating the success of protected areas for the vaquita, *Phocoena sinus*. *Marine Mammal Science* **27**, E101–E125.
- Gibbs, S.E., Harcourt, R.G. and Kemper, C.M. (2011). Niche differentiation of bottlenose dolphin species in South Australia revealed by stable isotopes and stomach contents. *Wildlife Research* **38**, 261–270.

- Gill, P.C. (2002). A blue whale (*Balaenoptera musculus*) feeding ground in a southern Australian coastal upwelling zone. *The Journal of Cetacean Research and Management* **4**, 179–184.
- Gill, P.C., Morrice, M.G., Page, B., Pirzl, R., Levings, A.H. and Coyne, M. (2011). Blue whale habitat selection and within-season distribution in a regional upwelling system off southern Australia. *Marine Ecology Progress Series* **421**, 243–263.
- Gill, P.C., Ross, G.J.B., Dawbin, W.H. and Wapstra, H. (2000). Confirmed sightings of dusky dolphins (*Lagenorhynchus obscurus*) in southern Australian waters. *Marine Mammal Science* **16**, 452–459.
- Goetz, T. and Janik, V.M. (2013). Acoustic deterrent devices to prevent pinniped depredation: efficiency, conservation concerns and possible solutions. *Marine Ecology Progress Series* **492**, 285–302.
- Goldbogen, J.A., Southall, B.L., DeRuiter, S.L., Calambokidis, J., Friedlaender, A.S., Hazen, E.L., Falcone, E.A., Schorr, G.S., Douglas, A., Moretti, D.J., Kyburg, C., McKenna, M.F. and Tyack, P.L. (2013). Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society Series B Biological Sciences* **280**.
- Goldsworthy, S. and Gales, N. (2008). IUCN Species Survival Commission Pinniped Specialist Group 2008. *Neophoca cinerea*. IUCN Red List of Threatened Species. Version 2014.1.
- Goldsworthy, S., Calvert, N., Hamer, D., Kirkwood, R. and Tilzey, R. (2003b). 'The biology of seal bycatch in the blue grenadier fishery off western Tasmania.' Draft report and discussion paper to the Southern and Eastern Scafish and Shark Fishery Ecological Advisory Group. AFMA, Canberra.
- Goldsworthy, S.D. (2006). Maternal strategies of the New Zealand fur seal: evidence for interannual variability in provisioning and pup growth strategies. *Australian Journal of Zoology* **54**, 31–44.
- Goldsworthy, S.D. (in review). IUCN Species Survival Commission Pinniped Specialist Group 2014. *Neophoca cinerea*. IUCN Red List of Threatened Species. Version 2014.1.
- Goldsworthy, S.D., Ahonen, H., Bailleul, F. and Lowther, A.D. (2014b). 'Determining spatial distribution of foraging effort by Australian sea lions in southern Western Australia: assisting in spatial and temporal management of commercial fisheries.' Report to the Australian Marine Mammal Centre. SARDI Research Report Series No. 784, Adelaide.
- Goldsworthy, S.D. and Lowther, A.D. (2010). 'Genetic population structure and bycatch: assessment of management measures for reducing the bycatch of Australian sea lions in the demersal gillnet fishery off South Australia.' Report to the Department of Sustainability, Environment, Water, Population and Communities. SARDI Research Report Series No. 515, Adelaide.
- Goldsworthy, S.D. and Page, B.C. (2007). A risk-assessment approach to evaluating the significance of seal bycatch in two Australian fisheries. *Biological Conservation* **139**, 269–285.
- Goldsworthy, S.D. and Shaughnessy, P.D. (1994). Breeding biology and haul-out pattern of the New Zealand fur seal, *Arctocephalus forsteri*, at Cape Gantheaume, South Australia. *Wildlife Research* **21**, 365–376.
- Goldsworthy, S.D., Bulman, C., He, X., Larcombe, J. and Littnan, C. (2003a). 'Trophic interactions between marine mammals and Australian fisheries: an ecosystem approach.' In *Marine Mammals and Humans: Fisheries, Tourism and Management*. (Eds N.J. Gales, M. Hindell and R. Kirkwood.) pp. 62–99. (CSIRO Publications: Hobart.)
- Goldsworthy, S.D., Kennedy, C., Shaughnessy, P.D. and Mackay, A.I. (2014a). 'Monitoring of Seal Bay and other pinniped populations on Kangaroo Island: 2012–2015.' Report to the Department of Environment, Water and Natural Resources. SARDI Research Report Series No. 782, Adelaide.
- Goldsworthy, S.D., Lowther, A., Shaughnessy, P.D., McIntosh, R.R. and Page, B. (2007). 'Assessment of pup production and the maternal investment strategies of the Australian sea lion *Neophoca cinerea* at Dangerous Reef in the 2006–07 breeding season.' Report to the Department for Environment and Heritage, Wildlife Conservation Fund South Australia. SARDI Research Report Series No 249, Adelaide.
- Goldsworthy, S.D., Lowther, A.D. and Shaughnessy, P.D. (2013b). Maintaining the monitoring of pup production at key Australian sea lion colonies in South Australia (2011/12). SARDI Research Report Series No. 739, Adelaide.
- Goldsworthy, S.D., McKenzie, J., Shaughnessy, P.D., Macintosh, R.R., Page, B. and Campbell, R. (2009a). 'An update of the report: understanding the impediments to the growth of Australian sea lion populations.' Report to the Department of the Environment, Water, Heritage and the Arts. SARDI Research Report series No. 356, Adelaide.
- Goldsworthy, S.D., Page, B., Lowther, A. and Shaughnessy, P.D. (2012). Maintaining the monitoring of pup production at key Australian sea lion colonies in South Australia (2010/11). SARDI Research Report Series No. 601, Adelaide.

- Goldsworthy, S.D., Page, B., Rogers, P. and Ward, T. (2011). Establishing ecosystem-based management for the South Australian Sardine Fishery: developing ecological performance indicators and reference points to assess the need for ecological allocations. FRDC Project No. 2005/031 Final Report. SARDI Research Report Series No. 529, Adelaide.
- Goldsworthy, S.D., Page, B., Shaughnessy, P.D. and Linnane, A. (2010). Mitigating seal interactions in the SRLF and the gillnet sector SESSF in South Australia. FRDC Project No. 2007/041 Final Report. SARDI Research Report Series No. 405, Adelaide.
- Goldsworthy, S.D., Page, B., Shaughnessy, P.D., Hamer, D.J., Peters, K.D., McIntosh, R.R., Baylis, A.M.M. and McKenzie, J. (2009b). Innovative solutions for aquaculture planning and management: addressing seal interactions in the finfish aquaculture industry. FRDC Project No. 2004/201 Final Report. SARDI Research Report Series No. 288, Adelaide.
- Goldsworthy, S.D., Page, B., Rogers, P.J., Bulman, C., Wiebkin, A., McLeay, L.J., Einoder, L., Baylis, A.M.M., Braley, M., Caines, R., Daly, K., Huveneers, C., Peters, K., Lowther, A.D. and Ward, T.M. (2013a). Trophodynamics of the eastern Great Australian Bight ecosystem: Ecological change associated with the growth of Australia's largest fishery. *Ecological Modelling* **255**, 38–57.
- Goldsworthy, S.D., Pemberton, D. and Warneke, R.M. (1997). 'Field identification of Australian and New Zealand fur seals (*Arctocephalus* spp.).' In *Marine Mammal Research in the Southern Hemisphere Volume 1: Status, Ecology and Medicine*. (Eds M.A. Hindell and C. Kemper.) pp. 63–71. (Surrey Beatty and Sons: Sydney).
- Goldsworthy, S.D., Shaughnessy, P.D. and Page, B. (2014c). 'Seals in Spencer Gulf.' In *Natural History of Spencer Gulf*. (Eds S.A. Shepherd, S. Madigan, B.M. Gillanders, S. Murray-Jones and D. Wiltshire.) pp. 254–265. (Royal Society of South Australia: Adelaide.)
- Gomon, M., Glover, J. and Kuiter, R. (Eds) (1994). *The Fishes of Australia's South Coast*. (State Print: Adelaide.)
- Goodall, R.N.P. (2008). 'Hourglass Dolphin *Lagenodelphis cruciger*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 848–850. (Reed New Holland: Chatswood.)
- Goodall, R.N.P. (2009). 'Hourglass dolphin *Lagenodelphis cruciger*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 573–576. (Academic Press: Amsterdam.)
- Gould, P., Ostrom, P. and Walker, W. (1997). Food of flesh-footed shearwaters *Puffinus carneipes* associated with high-seas driftnets in the central North Pacific Ocean. *Emu* **97**, 168–173.
- Griffiths, S.P., Young, J.W., Lansdell, M.J., Campbell, R.A., Hampton, J., Hoyle, S.D., Langley, A., Bromhead, D. and Hinton, M.G. (2010). Ecological effects of longline fishing and climate change on the pelagic ecosystem off eastern Australia. *Reviews in Fish Biology and Fisheries* **20**, 239–272.
- Haddon, M. (2009). 'Review Research on Atlantic Menhaden (*Brevoortia tyrannus*).' Available at <http://chesapeakebay.noaa.gov/images/stories/pdf/haddon2009.pdf> [accessed 28 January 2014].
- Hale, P.T. (2008). 'Offshore bottlenose dolphin *Tursiops truncatus*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 839–840. (Reed New Holland: Chatswood.)
- Hale, P.T., Barreto, A.S., Ross, G.J.B. (2000). Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans. *Aquatic Mammals* **26**, 101–110.
- Hall, M.A., Alverson, D.L. and Metuzals, K.I. (2000). By-Catch: problems and solutions. *Marine Pollution Bulletin* **41**, 204–219.
- Hamer, D.J., Childerhouse, S.J. and Gales, N.J. (2012). Odontocete bycatch and depredation in longline fisheries: a review of available literature and potential solution. *Marine Mammal Science* **28**, E345–E374.
- Hamer, D.J. and Goldsworthy, S.D. (2006). Seal–fishery operational interactions: Identifying the environmental and operational aspects of a trawl fishery that contributes to by-catch and mortality of Australian fur seals (*Arctocephalus pusillus doriferus*). *Biological Conservation* **130**, 517–529.
- Hamer, D.J., Ward, T.M. and McGarvey, R. (2008). Measurement, management and mitigation of operational interactions between the South Australian Sardine Fishery and short-beaked common dolphins (*Delphinus delphis*). *Biological Conservation* **141**, 2865–2878.
- Hamer, K.C., Lewis, S., Wanless, S., Phillips, R.A., Sherratt, T.N., Humphreys, E.M., Hennenke, J. and Garthe, S. (2006). 'Use of gannets to monitor prey availability in the northeast Atlantic Ocean; colony size, diet and foraging behaviour.' In *Top Predators in Marine Ecosystems: Their Role in Monitoring and Management*. (Eds I.L. Boyd, S. Wanless and C.J. Camphuysen.) pp. 236–248. (Cambridge University Press: Cambridge.)

- Hamilton, S. and Baker, B. (2015). Review of research and assessments on the efficacy of sea lion exclusion devices in reducing the incidental mortality of New Zealand sea lions *Phocarctos hookeri* in the Auckland Islands squid trawl fishery. *Fisheries Research* **161**, 200–206.
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008a). '*Lagenodelphis hosei*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 14 May 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K., Karczmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008b). '*Lagenorhynchus cruciger*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 13 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008c). '*Lissodelphis peronii*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 6 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008d). '*Stenella coeruleoalba*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 13 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008e). '*Tursiops aduncus*.' In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 13 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008f). '*Tursiops truncatus*.' In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 13 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008g). '*Delphinus delphis*.' In IUCN Red List of Threatened Species. Version 2013.1. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 13 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008h). '*Stenella attenuata*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 13 April 2013].
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K.A., Karkzmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S. and Wilson, B. (2008i). '*Lagenorhynchus obscurus*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].
- Hannesson, R. (2013). Strictly for the birds? On ecosystem services of forage fish. *Marine Policy* **38**, 109–115.
- Harris, G.P., Griffiths, F.B. and Clementson, L.A. (1992). Climate and the fisheries off Tasmania-interactions of physics, food chains and fish. *South African Journal of Marine Science* **12**, 585–597.
- Harris, G.P., Griffiths, F.B., Clementson, L.A., Lyne, V. and Vanderdoe, H. (1991). Seasonal and Interannual variability in physical processes, nutrient cycling and the structure of the food-chain in Tasmanian shelf waters. *Journal of Plankton Research* **13**, S109–S131.
- Hartmann, K. (2012). 'Reproducing the Mortality Model in Neira 2011.' Available at <http://www.afma.gov.au/2012/09/report-by-the-institute-of-marine-and-antarctic-studies-reproducing-the-mortality-model-in-neira-2011/> [accessed 2 September 2014].
- Harwood, M.B. and Hembree, E.D. (1987). Incidental catch of small cetaceans in the offshore gillnet fishery in northern Australian waters: 1981–1985. *Report of the International Whaling Commission* **37**, 363–367.
- Hatch, S.A. and Sanger, G.A. (1992). Puffins as samplers of juvenile pollock and other forage fish in the Gulf of Alaska. *Marine Ecology Progress Series* **80**, 1–14.
- Hawkins, E. (2007). 'Behaviour and acoustics of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in the Byron Bay region, NSW, Australia.' PhD thesis, Southern Cross University, Lismore.
- Hawkins, E. and Gartside, D. (2008). Social and behavioural characteristics of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in northern New South Wales, Australia. *Australian Mammalogy* **30**, 71–82.

- Hedd, A. and Gales, R. (2001). The diet of shy albatrosses (*Thalassarche cauta*) at Albatross Island, Tasmania. *Journal of Zoology* **253**, 69–90.
- Hedley, S.L., Dunlop, R.A. and Bannister, J.L. (2011). 'Evaluation of WA Humpback surveys 1999, 2005, 2008: Where to from here?'. Project 2009/23. Report to the Australian Marine Mammal Centre, Hobart.
- Heessen, H.J.L., Tjoe-awie, P.J., de Haan, D. and Ybema, S. (2007). Pelagic Project Mauritania 2005–2006 Report Number: C018/07, IMARES.
- Hennen, D. (2006). Associations between the Alaska Steller sea lion decline and commercial fisheries. *Ecological Applications* **16**, 704–717.
- Hesp, S.A., Tweedley, J.R., McAuley, R., Tink, C.J., Campbell, R.A., Chuwen, B.M. and Hall, N.G. (2012). Informing risk assessment through estimating interaction rates between Australian sea lions and Western Australia's temperate demersal gillnet fisheries. FRDC Project No. 2009/096 Final Report. Murdoch University, Murdoch.
- Hewitt, R., Watters, G., Trathan, P., Croxall, J., Goebel, M., Ramm, D., Reid, K., Trivelpiece, W. and Watkins, J. (2004). Options for allocating the precautionary catch limit of krill among small-scale management units in the Scotia Sea. *CCAMLR Science* **11**, 81–97.
- Higgins, L.V. and Gass, L. (1993). Birth to weaning: parturition, duration of lactation and attendance cycles of Australian sea lions (*Neophoca cinerea*). *Canadian Journal of Zoology* **71**, 2047–2055.
- Hindell, M.A. and Gales, N.J. (2008). Short-finned Pilot Whale *Globicephala macrorhynchus*. In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 862–863. (Reed New Holland: Chatswood.)
- Hobday, A.J. (2010). Ensemble analysis of the future distribution of large pelagic fishes off Australia. *Progress in Oceanography* **86**, 291–301.
- Hobday, A.J. (2011). Sliding baselines and shuffling species: implication of climate change for marine conservation. *Marine Ecology* **32**, 392–403.
- Hobday, A.J., Smith, A.D.M., Webb, H., Daley, R., Wayte, S., Bulman, C., Dowdney, J., Williams, A., Sporcic, M., Dambacher, J., Fuller, M., Walker, T., (2007). Ecological risk assessment for the effects of fishing: methodology. Report R04/1072. AFMA, Canberra.
- Hobsbawn, P., Summerson, R. and Ansell, E. (2009). 'Small Pelagic Fishery.' In *Fishery Status Reports 2008: status of fish stocks and fisheries managed by the Australian Government*. (Eds D. Wilson, R. Curtotti, G. Begg, G. and K. Phillips.) (Bureau of Rural Sciences and Australian Bureau of Agricultural and Resource Economics: Canberra.)
- Hooper, J., Clark, J.M., Charman, C. and Agnew, D. (2005). Seal mitigation measures on trawl vessels fishing for krill in CCAMLR subarea 48.3. *CCAMLR Science* **12**, 195–205.
- Horwood, J. (2009). Sei Whale '*Balaenoptera borealis*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 1001–1003. (Academic Press: Amsterdam.)
- Howes, L., Scarpaci, C. and Parsons, E.C.M. (2012). Ineffectiveness of a marine sanctuary zone to protect burrunan dolphins (*Tursiops australis* sp. nov.) from commercial tourism in Port Phillip Bay, Australia. *Journal of Ecotourism* **11**, 188–201.
- Hume, F., Hindell, M.A., Pemberton, D. and Gales, R. (2004). Spatial and temporal variation in the diet of a high trophic level predator, the Australian fur seal (*Arctocephalus pusillus doriferus*). *Marine Biology* **144**, 407–415.
- Hume, F., Pemberton, D., Gales, R., Brothers, N. and Greenwood, M. (2002). Trapping and Relocating Seals from Salmonid Fish Farms in Tasmania, 1990–2000: Was it a success? *Papers and Proceedings of the Royal Society of Tasmania* **136**, 1–6.
- Hutton, I. and Harrison, P.L. (2004). *A field guide to the marine life of Lord Howe Island*. (Hutton: Lord Howe Island.)
- ICES (2014). Report of the Herring Assessment Working Group for the Area South of 62°N (HAWG). ICES HQ, Copenhagen, Denmark.
- International Seafood Sustainability Foundation (2013). 'Purse Seine Vessel Database Updated December 2013.' Available at <http://iss-foundation.org/purse-seine-vessel-database/> [accessed 13 August 2014].
- Ivashchenko, Y.V., Clapham, P.J. and Brownell, R.L. Jr. (2011). Soviet illegal whaling: the devil and the details. *Marine Fisheries Review* **73**, 1–19.

- IWC (2011). Report of the IWC workshop on the assessment of southern right whales, Paper SC/64/Report 5 presented to the IWC Scientific Committee.
- Jackson, J.A., Patenaude, N.J., Carroll, E.L. and Baker, C.S. (2008). How few whales were there after whaling? Inference from contemporary mtDNA diversity. *Molecular Ecology* **17**, 236–251.
- Jackson, J.A., Zerbini, A., Clapham, P., Constantine, R., Garrigue, C., Hauser, N., Poole, M.M. and Baker, C.S. (2009). (Working paper update to SC/60/SH14) Progress on a two-stock catch allocation model for reconstructing population histories of east Australia and Oceania. Paper SC/F09/SH8 presented to the IWC Scientific Committee.
- Jackson, J.B.C., Kirby, M.X., Berger, W.H., Bjorndal, K.A., Botsford, L.W., Bourque, B.J., Bradbury, R.H., Cooke, R., Erlandson, J., Estes, J.A., Hughes, T.P., Kidwell, S., Lange, C.B., Lenihan, H.S., Pandolfi, J.M., Peterson, C.H., Steneck, R.S., Tegner, M.J. and Warner, R.R. (2001). Historical overfishing and the recent collapse of coastal ecosystems. *Science* **293**, 629–638.
- Jaiteh, V.F., Allen, S.J., Meeuwig, J.J. and Loneragan, N.R. (2013). Subsurface behavior of bottlenose dolphins (*Tursiops truncatus*) interacting with fish trawl nets in northwestern Australia: implications for bycatch mitigation. *Marine Mammal Science* **29**, E266–E281.
- Jaramillo-Legorreta, A., Rojas-Bracho L., Brownell R. L., Jr., Read, A. J., Reeves, R. R., Ralls, K. and Taylor, B.L. (2007). Saving the vaquita: Immediate action, not more data. *Conservation Biology* **21**, 1653–1655.
- Jefferson, T.A., Webber, M.A. and Pitman, R.L. (2008). *Marine Mammals of the World*. (Elsevier: Amsterdam.)
- Jenner, C., Jenner, M.N., Burton, C., Sturrock, V., Salgado-Kent, C., Morrice, M., Attard, C., Moller, L. and Double, M.C. (2008). Mark recapture analysis of pygmy blue whales from the Perth Canyon, Western Australia 2000–2005. Paper SC/60/SH16 presented to the IWC Scientific Committee.
- Jenner, C.S., Jenner, M.N. and McCabe, K.A. (2001). Geographical and temporal movements of humpback whales in Western Australian waters. *APPEA Journal* **2001**, 749–765.
- Jennings, G., McGlashan, D.J. and Furness, R.W. (2012). Responses to changes in sprat abundance of common tern breeding numbers at 12 colonies in the Firth of Forth, east Scotland. *ICES Journal of Marine Science: Journal du Conseil* **69**, 572–577.
- Jennings, S., Kaiser, M.J. and Reynolds, J.D. (2001). *Marine Fisheries Ecology*. (Blackwell Science Ltd: Oxford)
- Jensen, F.H., Bejder, L., Wahlberg, M., Aguilar Soto, N., Johnson, M. and Madsen, P.T. (2009). Vessel noise effects on delphinid communication. *Marine Ecology Progress Series* **395**, 161–175.
- Johnson, A., Salvador, G., Kenney, J., Robbins, J., Kraus, S., Landry, S. and Clapham, P. (2005). Fishing gear involved in entanglements of right and humpback whales. *Marine Mammal Science* **21**, 635–645.
- Johnson, C.R., Banks, S.C., Barrett, N.S., Cazassus, F., Dunstan, P.K., Edgar, G.J., Frusher, S.D., Gardner, C., Haddon, M., Helidoniotis, F., Hill, K.L., Holbrook, N.J., Hosie, G.W., Last, P.R., Ling, S.D., Melbourne-Thomas, J., Miller, K., Pecl, G.T., Richardson, A.J., Ridgway, K.R., Rintoul, S.R., Ritz, D.A., Ross, D.J., Sanderson, J.C., Shepherd, S.A., Slotwinski, A., Swadling, K.M. and Taw, N. (2011a). Climate change cascades: Shifts in oceanography, species' ranges and subtidal marine community dynamics in eastern Tasmania. *Journal of Experimental Marine Biology and Ecology* **400**, 17–32.
- Johnson, P., Bulman, C., Fulton, B. and Smith, T. (2010). MSC low trophic level project: South Eastern Australian case study. Marine Stewardship Council Science Series 1, 111–170.
- Johnson, P., Fulton, B., Smith, D., Jenkins, G. and Barrett, N. (2011b). The use of telescoping spatial scales to capture inshore to slope dynamics in marine ecosystem modelling. *Natural Resource Modeling* **24**, 335–364.
- Jones, J.B., Hyatt, A.D., Hine, P.M., Whittington, R.J., Griffin, D.A. and Bax, N.J. (1997). Australasian pilchard mortalities. *World Journal of Microbiology & Biotechnology* **13**, 383–392.
- Jordan, A., Pullen, G., Marshall, J. and Williams, H. (1995). Temporal and spatial patterns of spawning in jack mackerel, (Pisces: Carangidae), during 1988–91 in eastern Tasmanian waters. *Marine and Freshwater Research* **46**, 831–842.
- Jørgensen, C., Enberg, K., Dunlop, E.S., Arlinghaus, R., Boukal, D.S., Brander, K., Ernande, B., Gårdmark, A., Johnston, F., Matsumura, S., Pardoe, H., Raab, K., Silva, A., Vainikka, A., Dieckmann, U., Heino, M. and Rijnsdorp, A.D. (2007). Managing evolving fish stocks. *Science* **318**, 1247–1248.



- Kanda, N., Goto, M., Kato, H., McPhee, M.V. and Pastene, L.A. (2007). Population genetic structure of Bryde's whales (*Balaenoptera brydei*) at the inter-oceanic and trans-equatorial levels. *Conservation Genetics* **8**, 853–864.
- Kailola, P.J., Williams, M.J., Stewart, P., Reichelt, R., McNee, A. and Grieve, C. (1993). *Australian Fisheries Resources*. (Bureau of Resource Sciences and FRDC: Canberra.)
- Kato, H. and Perrin, W.F. (2009). 'Bryde's Whales *Balaenoptera edeni/brydei*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 158–163 (Academic Press: Amsterdam.)
- Kelly, P. (2014). 'Drivers of Eastern Australia zooplankton community composition, with emphasis on the distribution patterns at Maria Island.' Honours Thesis, University of Tasmania.
- Kemper, C.M. (2004). Osteological variation and taxonomic affinities of bottlenose dolphins, *Tursiops* spp., from South Australia. *Australian Journal of Zoology* **52**, 29–48.
- Kemper, C.M. (2008). 'Short-beaked Common Dolphin *Delphinus delphis*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 845–846. (Reed New Holland: Chatswood.)
- Kemper, C.M. and Gibbs, S.E. (2001). Dolphin interactions with tuna feedlots at Port Lincoln, South Australia and recommendations for minimising entanglements. *The Journal of Cetacean Research and Management* **3**, 283–292.
- Kemper, C., Coughran, D., Warneke, R., Pirzl, R., Watson, M., Gales, R. and Gibbs, S. (2008). Southern right whale (*Eubalaena australis*) mortalities and human interactions in Australia, 1950–2006. *The Journal of Cetacean Research and Management* **10**, 1–8.
- Kemper, C.M., Flaherty, A., Gibbs, S.E., Hill, M., Long, M. and Byard, R.W. (2005). Cetacean captures, stranding and mortalities in South Australia 1881–2000, with special reference to human interactions. *Australian Mammalogy* **27**, 37–47.
- Kirkwood, G.P., Allen, K.R. and Bannister, J.L. (1980). An assessment of the sperm whale stock subject to Western Australian catching. *Reports of the International Whaling Commission*. Special Issue **2**, 147–149.
- Kirkwood, R. and Arnould, J.P.Y. (2011). Foraging trip strategies and habitat use during late pup rearing by lactating Australian fur seals. *Australian Journal of Zoology* **59**, 216–226.
- Kirkwood, R. and Goldsworthy, S.D. (2013). 'Fur Seals and Sea Lions.' (CSIRO Publishing: Collingwood.)
- Kirkwood, R., Gales, R., Terauds, A., Arnould, J.P.Y., Pemberton, D., Shaughnessy, P.D., Mitchell, A.T. and Gibbens, J. (2005). Pup production and population trends of the Australian fur seal (*Arctocephalus pusillus doriferus*). *Marine Mammal Science* **21**, 260–282.
- Kirkwood, R., Hume, F. and Hindell, M. (2008). Sea temperature variations mediate annual changes in the diet of Australian fur seals in Bass Strait. *Marine Ecology Progress Series* **369**, 297–309.
- Kirkwood, R., Lynch, M., Gales, N., Dann, P. and Sumner, M. (2007). At-sea movements and habitat use of adult male Australian fur seals (*Arctocephalus pusillus doriferus*). *Canadian Journal of Zoology* **84**, 1781–1788.
- Kirkwood, R., Pemberton, D., Gales, R., Hoskins, A.J., Mitchell, A., Shaughnessy, P.D. and Arnould, J.P.Y. (2010). Continued population recovery by Australian fur seals. *Marine and Freshwater Research* **61**, 695–701.
- Kloser, R.J., Ryan, T.E., Macaulay, G.J. and Lewis, M.E. (2011). In situ measurements of target strength with optical and model verification: a case study for blue grenadier, *Macrurus novaezelandiae*. *ICES Journal of Marine Science: Journal du Conseil* **68**, 1986–1995.
- Knuckey, I., Bergh, M., Bodsworth, A., Koopman M. and Gaylard J. (2008). 'Review of the Draft Harvest Strategy for the Commonwealth Small Pelagic Fishery.' AFMA Project R2008/843. (Fishwell Consulting, Queenscliff.)
- Knuckey, I.A., Eayrs, S. and Bosschietter, B. (2002). Options for reducing incidental catch of seals on wet-boats in the SETF: a preliminary report. Marine and Freshwater Resources Institute. ARF Project No. R01/0887. Final Report to AFMA, Canberra.
- Kovacs, K.M., Aguilar, A., Auriolles, D., Burkanov, V., Campagna, C., Gales, N., Gelatt, T., Goldsworthy, S.D., Goodman, S.J., Hofmeyr, G.J.G., Harkonen, T., Lowry, L., Lydersen, C., Schipper, J., Sipila, T., Southwell, C., Stuart, S., Thompson, D. and Trillmich, F. (2012). Global threats to pinnipeds. *Marine Mammal Science* **28**, 414–436.
- Krützen, M. and Allen, S.J. (2008). 'Indo-Pacific bottlenose dolphin *Tursiops aduncus*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 862–863. (Reed New Holland: Chatswood.)

- Krützen, M., Mann, J., Heithaus, M.R., Connor, R.C., Bejder, L. and Sherwin, W.B. (2005). Cultural transmission of tool use in bottlenose dolphins. *Proceedings of the National Academy of Sciences of the United States of America* **102**, 8939–8943.
- Krützen, M., Sherwin, W.B., Berggren, P. and Gales, N. (2004). Population structure of an inshore cetacean revealed by microsatellite and mtDNA analysis: bottlenose dolphins (*Tursiops* sp.) in Shark Bay, Western Australia. *Marine Mammal Science* **20**, 28–47.
- Laist, D.W., Knowlton, A.R., Mead, J.G., Collett, A.S. and Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science* **17**, 35–75.
- Lake, S. (1997). 'Analysis of the diet of New Zealand Fur Seals *Arctocephalus forsteri* in Tasmania.' In, *Marine Mammal Research in the Southern Hemisphere Volume 1: Status, ecology and medicine*. pp. 125–129. (Eds M.A. Hindell and C. Kemper.) (Surrey Beatty and Sons: Sydney.)
- Last, P.R., White, W.T., Gledhill, D.C., Hobday, A.J., Brown, R., Edgar, G.J. and Pecl, G. (2011). Long-term shifts in abundance and distribution of a temperate fish fauna: a response to climate change and fishing practices. *Global Ecology and Biogeography* **20**, 58–72.
- Lavery, T.J., Butterfield, N., Kemper, C.M., Reid, R. and Sanderson, K. (2008). Metals and selenium in the liver and bone of three dolphin species from South Australia, 1988–2004. *The Science of the Total Environment* **390**, 77–85.
- Leaper, R., Cooke, J.G., Trathan, P., Reid, K., Rowntree, V. and Payne, R. (2006). Global climate drives southern right whale (*Eubalaena australis*) population dynamics. *Biology Letters* **2**, 289–292.
- Leatherwood, S. and Reeves, R.R. (1990). *The Bottlenose Dolphin*. (Academic Press: San Diego.)
- Lehodey, P., Alheit, J., Barange, M., Baumgartner, T., Beaugrand, G., Drinkwater, K., Fromentin, J.M., Hare, S.R., Ottersen, G., Perry, R.I., Roy, C., Van der Lingen, C.D. and Werner, F. (2006). Climate variability, fish and fisheries. *Journal of Climate* **19**, 5009–5030.
- Lewis, S., Wanless, S., Wright, P.J., Harris, M.P., Bull, J. and Elston, D.A. (2001). Diet and breeding performance of black-legged kittiwakes *Rissa tridactyla* at a North Sea colony. *Marine Ecology Progress Series* **221**, 277–284.
- Lindholm, R. and Maxwell, J.G.H. (1988). Stock separation of jack mackerel *Trachurus declivis* (Jenyns, 1841) and yellowtail *T. novaezelandiae* (Richardson 1843) in southern Australian waters using principal component analysis. CSIRO Marine Laboratories Report No. 189, Hobart.
- Ling, J.K. (1992). *Neophoca cinerea*. *Mammalian Species* **392**, 1–7.
- Ling, J.K. (1999). Exploitation of fur seals and sea lions from Australian, New Zealand and adjacent subantarctic islands during the eighteenth, nineteenth and twentieth centuries. *Australian Zoologist* **31**, 323–350.
- Ling, J.K. and Walker, G.E. (1978). An 18-month breeding cycle in the Australian sea lion? *Search* **9**, 464–465.
- Lipsky, J.D. (2009). 'Right whale dolphins *Lissodelphis borealis* and *L. peronii*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 958–962 (Academic Press: Amsterdam.)
- Littnan, C.L., Arnould, J.P.Y. and Harcourt, R.G. (2007). Effect of proximity to the shelf edge on the diet of female Australian fur seals. *Marine Ecology-Progress Series* **338**, 257–267.
- Lluch-Belda, D., Crawford, R.J.M., Kawasaki, T., MacCall, A.D., Parrish, R.H., Schwartzlose, R.A. and Smith, P.E. (1989). World-wide fluctuations of sardine and anchovy stocks: the regime problem. *South African Journal of Marine Science* **8**, 195–205.
- Logan, J. (2014). 'Seafish Tasmania Pelagic Pty Ltd v Burke, Minister for Sustainability, Environment, Water, Population and Communities [No 2] [2014] FCA 117.' Available at <http://www.judgments.fedcourt.gov.au/judgments/Judgments/fca/single/2014/2014fca0117> [accessed 7 August 2014].
- Lowe, S.A. and Fritz, L.W. (1997). 'Atka mackerel.' In 'Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea-Aleutian Islands regions as projected for 1998.' p. 653, Pacific Fishery Management Council, Anchorage.
- Lowther, A.D. and Goldsworthy, S.D. (2011). Detecting alternate foraging ecotypes in Australian sea lion (*Neophoca cinerea*) colonies using stable isotope analysis. *Marine Mammal Science* **27**, 567–586.
- Lowther, A.D., Harcourt, R.G., Goldsworthy, S.D. and Stow, A. (2012). Population structure of adult female Australian sea lions is driven by fine scale foraging site fidelity. *Animal Behaviour* **83**, 691–701.

- Lowther, A.D., Harcourt, R.G., Hamer, D.J. and Goldsworthy, S.D. (2011). Creatures of habit: foraging habitat fidelity of adult female Australian sea lions. *Marine Ecology-Progress Series* **443**, 249–263.
- Lusseau, D., Slooten, L. and Currey, R. (2006). Unsustainable dolphin-watching tourism in Fiordland, New Zealand. *Tourism in Marine Environments* **3**, 173–178.
- Lyle, J.M. (2011). Fur seal interactions with SED excluder device. SRP2010-03: Report for Ministry for Fisheries, Wellington.
- Lyle, J., Hartmann, K., Buxton, C. and Gardner, C. (2012). 'Reanalysis of Mean Daily Egg Production in Jack Mackerel.' Available at [http://www.afma.gov.au/wp-content/uploads/2012/08/IMAS\\_reanalysis-of-Neira2011.pdf](http://www.afma.gov.au/wp-content/uploads/2012/08/IMAS_reanalysis-of-Neira2011.pdf) [accessed 2 September 2014].
- Lyle, J.M. and Willcox, S.T. (2008). Dolphin and seal interactions with mid-water trawling in the Small Pelagic Fishery, including an assessment of bycatch mitigation strategies. Project No. R05/0996 Final Report to AFMA, Canberra.
- Lyle, J.M., Krusic-Golub, K. and Morison, A.K. (2000). Age and growth of jack mackerel and the age structure of the jack mackerel purse seine catch. FRDC Project No 1995/034 Final Report. Victorian Marine and Fisheries Research Institute and TAFI, Hobart.
- Lynch, M., Duignan, P.J., Taylor, T., Nielsen, O., Kirkwood, R., Gibbens, J. and Arnould, J.P.Y. (2011a). Epidemiology of Brucella infection in Australian fur seals. *Journal of Wildlife Diseases* **47**, 352–363.
- Lynch, M., Kirkwood, R., Mitchell, A. and Arnould, J.P.Y. (2011b). Prevalence and significance of an alopecia syndrome in Australian fur seals (*Arctocephalus pusillus doriferus*). *Journal of Mammalogy* **92**, 342–351.
- MacCall, A.D. (1990). *Dynamic Geography of Marine Fish Populations*. (University of Washington Press: Seattle.)
- Mace, P.M. and Sissenwine, M. P. (1993). How much spawning per recruit is enough? In 'Risk Evaluation and Biological Reference Points for Fisheries Management.' (Eds S.J. Smith, J.J. Hunt and D. Rivard).. *Canadian Special Publication of Fisheries and Aquatic Sciences* **120**, 101–118.
- Mackay, A.I., Shaughnessy, P.D. and Goldsworthy, S.D. (2013). 'Australian sea lion abundance in the Bunda Cliffs region, GAB Marine Park.' Final Report to the Department of Environment, Water and Natural Resources. SARDI Research Report Series No. 746, Adelaide.
- MacKereth, G.F., Webb, K.M., O'Keefe, J.S., Duignan, P.J. and Kittelberger, R. (2005). Serological survey of pre-weaned New Zealand fur seals (*Arctocephalus forsteri*) for brucellosis and leptospirosis. *New Zealand Veterinary Journal* **53**, 428–432.
- MacLeod, C.D. (2009). Global climate change, range changes and potential implications for the conservation of marine cetaceans: a review and synthesis. *Endangered Species Research* **7**, 125–136.
- Maguire, J.-J. (2009). Report on the evaluation of the Chesapeake Bay Fisheries Science program: Atlantic Menhaden Research Program Laurel, MD, April 22–24. Prepared for the Center for Independent Experts. May 2009. Available at [http://chesapeakebay.noaa.gov/images/stories/pdf/maguire\\_menhaden\\_review\\_final.pdf](http://chesapeakebay.noaa.gov/images/stories/pdf/maguire_menhaden_review_final.pdf) [accessed 28 January 2014].
- Mann, J., Connor, R.C., Barre, L.M. and Heithaus, M.R. (2000). Female reproductive success in bottlenose dolphins (*Tursiops* sp.): life history, habitat, provisioning and group size effects. *Behavioral Ecology* **11**, 210–219.
- Marshall, J., Pullen, G. and Jordan, A. (1993). Reproductive biology and sexual maturity of female jack mackerel, *Trachurus declivis* (Jenyns), in eastern Tasmanian waters. *Marine and Freshwater Research* **44**, 799–809.
- Martin, A.R. (1989). The diet of Atlantic puffin *Fratercula artica* and northern gannet *Sula bassana* chicks at a Shetland colony during a period of changing prey availability. *Bird Study* **36**, 170–180.
- Maxwell, J.G.H. (1979). 'Jack Mackerel. Fishery Situation Report 2.' (CSIRO Division of Fisheries and Oceanography: Hobart.)
- Maxwell, J.G.H. (1982). Infestation of the jack mackerel *Trachurus declivis* (Jenyns) with the cymothoid isopod *Ceratothoa imbricatus* (Fabricus) in south eastern Australian waters. *Journal of Fish Biology* **20**, 341–349.
- May, J.L. and Blaber, S.J.M. (1989). Benthic and pelagic fish biomass of the upper continental slope off eastern Tasmania. *Marine Biology* **101**, 11–25.
- McCauley, R.D. and Cato, D.H. (2003). 'Acoustics and marine mammals: introduction, importance, threats and potential as a research tool.' In *Marine mammals: fisheries, tourism and management issues*. (Eds N.J. Gales, M. Hindell and R. Kirkwood.) pp. 344–365. (CSIRO Publishing: Collingwood.)

- McCauley, R.D. and Jenner, C. (2010). Migratory patterns and estimated population size of pygmy blue whales (*Balaenoptera musculus brevicauda*) traversing the Western Australian coast based on passive acoustics. Paper SC/62/ SH26 presented to the IWC Scientific Committee.
- McCauley, R.D., Jenner, C., Bannister, J.L., Cato, D.H. and Duncan, A. (2000). Blue whale calling in the Rottnest trench, Western Australia, and low frequency sea noise. *Australian Acoustical Society Conference*, p. 6.
- McCauley, R.D., Jenner, C., Gedamke, J. and Salgado Kent, C. (2013). The blue whale species complex in Australian waters based on passive acoustics. 20th Biennial Conference on the Biology of Marine Mammals. Dunedin.
- McIntosh, R.R., Page, B. and Goldsworthy, S.D. (2006). Dietary analysis of regurgitates and stomach samples from free-living Australian sea lions. *Wildlife Research* **33**, 661–669.
- McIntosh, R.R., Sutherland, D., Dann, P., Kirkwood, R., Thalman, S., Alderman, R., Arnould, J.P.Y., Mitchell, A., Kirkman, S., Salton, M. and Slip, D. (2014). Pup production of Australian and New Zealand fur seals between 2007 and 2014. Report by the Phillip Island Nature Park.
- McLeay, L.J., Page, B., Goldsworthy, S.D., Ward, T.M., Paton, D.C., Waterman, M. and Murray, M.D. (2009). Demographic and morphological responses to prey depletion in a crested tern (*Sterna bergii*) population: can fish mortality events highlight performance indicators for fisheries management? *ICES Journal of Marine Science: Journal du Conseil* **66**, 237–247.
- McLeod, D.J., Hobday, A.J., Lyle, J.M. and Welsford, D.C. (2012). A prey-related shift in the abundance of small pelagic fish in eastern Tasmania? *ICES Journal of Marine Science* **69**, 953–960.
- McLoughlin, K. (2006). 'Fishery Status Reports 2005: Status of Fish Stocks Managed by the Australian Government.' (Bureau of Rural Sciences: Canberra.)
- Meillat, M., Morandeau, F., Larnaud, P., Morizur, Y. and Barthelemy P. (2006). Tests of dolphin excluder devices in flume tanks. NECESSITY Contract 501605 Periodic Activity Report No 2 - Annex 7.1 IFREMER (French Research Institute for Exploitation of the Sea).
- Miller, B.S., Kelly, N., Double, M.C., Childerhouse, S.J., Laverick, S. and Gales, N. (2012). Cruise report on SORP 2012 blue whale voyages: development of acoustic methods. Paper SC/64/SH11 presented to the IWC Scientific Committee.
- Ministry for Primary Industries (2013). 'National Plan of Action 2013 to Reduce the incidental Catch of Seabirds in New Zealand Fisheries.' Available at <http://www.mpi.govt.nz/Default.aspx?TabId=126&id=1760> [accessed 16 August 2014].
- Mizroch, S.A., Rice, D.W., Zwiefelhoer, D., Waite, J. and Perryman, W.L. (2009). Distribution and movements of fin whales in the North Pacific Ocean. *Mammal Review* **39**, 193–227.
- Möller, L., Valdez, F.P., Allen, S., Bilgmann, K., Corrigan, S. and Beheregaray, L.B. (2011). Fine-scale genetic structure in short-beaked common dolphins (*Delphinus delphis*) along the East Australian Current. *Marine Biology* **158**, 113–126.
- Möller, L.M. (2012). Sociogenetic structure, kin associations and bonding in delphinids. *Molecular Ecology* **21**, 745–764.
- Möller, L.M. and Beheregaray, L.B. (2004). Genetic evidence for sex-biased dispersal in resident bottlenose dolphins (*Tursiops aduncus*). *Molecular Ecology* **13**, 1607–1612.
- Möller, L.M., Allen, S.J. and Harcourt, R.G. (2002). Group characteristics, site fidelity and seasonal abundance of bottlenose dolphins *Tursiops aduncus* in Jervis Bay and Port Stephens, South-Eastern Australia. *Australian Mammalogy* **24**, 11–21.
- Möller, L.M., Beheregaray, L.B., Allen, S.J. and Harcourt, R.G. (2006). Association patterns and kinship in female Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) of southeastern Australia. *Behavioral Ecology and Sociobiology* **61**, 109–117.
- Möller, L.M., Bilgmann, K., Charlton-Robb, K. and Beheregaray, L.B. (2008). Multi-gene evidence for a new bottlenose dolphin species in southern Australia. *Molecular Phylogenetics and Evolution* **49**, 674–681.
- Möller, L.M., Wiszniewski, J., Allen, S.J. and Behergaray, L. (2007). Habitat type promotes rapid and extremely localized genetic differentiation in dolphins. *Marine and Freshwater Research* **58**, 640–648.
- Monaghan, P. (1992). Seabirds and sandeels: the conflict between exploitation and conservation in the northern North Sea. *Biodiversity Conservation* **1**, 98–111.
- Monaghan, P., Uttley, J.D. and Okill, J.D. (1989). Terns and sandeels: seabirds as indicators of changes in marine fish populations. *Journal of Fisheries Biology* **35**, 339–340.

- Montevecchi, W.A. (1993). 'Birds as indicators of change in marine prey stocks.' In *Birds as Monitors of Environmental Change*. (Eds. R.W. Furness and J.J.D. Greenwood) pp. 217–265. (Chapman and Hall: London.)
- Montevecchi, W.A., Birt, V.L. and Cairns, D.K. (1987). Dietary changes of seabirds associated with local fisheries failures. *Biological Oceanography* **5**, 153–162.
- Moore, J.E. (2013). Management reference points to account for direct and indirect impacts of fishing on marine mammals. *Marine Mammal Science* **29**, 446–473.
- Moore, A. and Skirtun, M. (2012). 'Small Pelagic Fishery.' In *Fishery Status Reports 2011: status of fish stocks and fisheries managed by the Australian Government*. (Eds J.S. Vieira and I. Stobutzki.) (ABARES: Canberra.)
- Moore, A., Hobsbawn, P., Summerson, R. and Skirtun, M. (2011). 'Small Pelagic Fishery.' In *Fishery Status Reports 2010: status of fish stocks and fisheries managed by the Australian Government*. (Eds J. Woodhams, I. Stobutzki, S. Viera, R. Curtotti and G. Begg.) (ABARES: Canberra.)
- Moore, A., Skirtun, M. and Vieira, S. (2013). 'Small Pelagic Fishery.' In *Fishery Status Reports 2012: status of fish stocks and fisheries managed by the Australian Government*. (Eds J. Woodhams, S. Vieira and I. Stobutzki.) (ABARES: Canberra.)
- Moore, J.E., Cox, T.M., Lewison, R.L., Read, A.J., Bjorkland, R., McDonald, S.L., Crowder, L.B., Aruna, E., Ayissi, I., Espeut, P., Joynton-Hicks, C., Pilcher, N., Poonian, C.N.S., Solarin, B. and Kiszka, J. (2010). An interview-based approach to assess marine mammal and sea turtle captures in artisanal fisheries. *Biological Conservation* **143**, 795–805.
- Moore, M.J. and van der Hoop, J.M. (2012). The painful side of trap and fixed net fisheries: Chronic entanglement of large whales. *Journal of Marine Biology*, 230–653.
- Moore, M.J., van der Hoop, J., Barco, S.G., Costidis, A.M., Gulland, F.M., Jepson, P.D., Moore, K.T., Raverty, S. and McLellan, W.A. (2013). Criteria and case definitions for serious injury and death of pinnipeds and cetaceans caused by anthropogenic trauma. *Diseases of Aquatic Organisms* **103**, 229–264.
- Morin, P.A., Archer, F.I., Foote, A.D., Vilstrup, J., Allen, E.E., Wade, P., Durvban, J., Parsons, K., Pitman, R., Li, L., Bouffard, P., Nielsen, S.C.A., Rasmussen, M., Willerslev, E., Gilbert, M.T.P. and Harkins, T. (2010). Complete mitochondrial genome phylogeographic analysis of killer whales (*Orcinus orca*) indicates multiple species. *Genome Research* **20**, 908–916.
- Morizur, Y., Berrow, S.D., Tregenza, N.J.C., Couperus, A.S. and Pouvreau, S. (1999). Incidental catches of marine-mammals in pelagic trawl fisheries of the northeast Atlantic. *Fisheries Research* **41**, 297–307.
- Morizur, Y., Le Gall, Y., Clais, C., Van Canneyt, O. and Larnaud, P. (2007). Setting Cetasaver\_3 and Cetasaver\_7 on pelagic trawls and comparative trials in the seabass fishery. NECESSITY Contract 501605 Periodic Activity Report No 2 – Annex 7.6. IFREMER (French Research Institute for Exploitation of the Sea).
- Morizur, Y., Le Gall, Y., Van Canneyt, O. and Gamblin, C. (2008). Tests d'efficacité du repulsive acoustique CETASAVER à bord des chalutiers commerciaux français - (Effectiveness of acoustic deterrent CETASAVER testing on board French commercial trawlers). IFREMER. (French Research Institute for Exploitation of the Sea).
- Morrice, M. (2007). 'Killer whales (*Orcinus orca*) in Australian Territorial waters.' Paper SC/59/SM7 presented to the IWC Scientific Committee.
- Morrice, M.G. and Gill, P.C. (2008). 'Killer Whale *Orcinus orca*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 860–861. (Reed New Holland: Chatswood.)
- Morrison, M., Taylore, P., Marriott, P. and Sutton, C. (2001). 'An assessment of information on blue mackerel (*Scomber australasicus*) stocks.' Ministry of Fisheries, Fisheries Assessment Report 2001/44. Wellington, New Zealand.
- Mullon, C., Freon, P. and Cury, P. (2005). The dynamics of collapse in world fisheries. *Fish and Fisheries* **6**, 111–120.
- Murray, A.G., O'Callaghan, M.O. and Jones, B. (2003). A model of spatially evolving herpesvirus epidemics causing mass mortality in Australian pilchard *Sardinops sagax*. *Diseases of Aquatic Organisms* **54**, 1–14.
- Musick, J.A. (1999). Criteria to define extinction risk in marine fishes: The American Fisheries Society Initiative. *Fisheries* **24**, 6–14.
- National Oceanic and Atmospheric Administration, NMFS Alaska Regional Office (2014). 'Steller Sea lion Critical Habitat and No-Entry Zones. Maps Western-south central Alaska.' Available at [http://alaskafisheries.noaa.gov/protectedresources/stellers/maps/criticalhabitat\\_map.pdf](http://alaskafisheries.noaa.gov/protectedresources/stellers/maps/criticalhabitat_map.pdf). [accessed 10 September 2014].

- National Research Council (2003). *Decline of the Steller Sea Lion in Alaskan Waters: Untangling Food Webs and Fishing Nets*. (The National Academies Press: Washington, D.C.)
- National Seal Strategy Group and Stewardson, C. (2007). 'National Strategy to Address Interactions between Humans and Seals: Fisheries, Aquaculture and Tourism.' (DAFF: Canberra.)
- Neira, F.J. (2011). 'Application of daily egg production to estimate biomass of jack mackerel, *Trachurus declivis* – a key fish species in the pelagic ecosystem of south-eastern Australia.' Final Report to Winifred Violet Scott Charitable Trust. Fisheries, Aquaculture and Coasts Centre, IMAS, University of Tasmania.
- Neira, F. J. and Lyle, J. M. (2011). DEPM-based spawning biomass of *Emmelichthys nitidus* (Emmelichthyidae) to underpin a developing mid-water trawl fishery in south-eastern Australia. *Fisheries Research* **110**, 236–243.
- Neira, F.J., Jenkins, G.P., Longmore, A. and Black, K.P. (1998). 'Spawning and larval recruitment processes of commercially important species in coastal waters off Victoria 1997–1998.' FRDC Project No. 1996/116 Final Report. Victorian Marine and Freshwater Resources Institute, Queenscliff.
- Neira, F.J., Lyle, J.M. and Keane, J.P. (2009). Shelf spawning habitat of *Emmelichthys nitidus* in south-eastern Australia – Implications and suitability for egg-based biomass estimation. *Estuarine Coastal and Shelf Science* **81**, 521–532.
- Neira, F.J., Lyle, J.M., Ewing, G.P., Keane, J.P. and Tracey, S.R. (2008). 'Evaluation of egg production as a method of estimating spawning biomass of redbait off the East Coast of Tasmania.' FRDC Project No. 2004/039 Final Report. TAFI, Hobart.
- Neira, F.J., Sporcic, M.I. and Longmore, A.R. (1999). Biology and fishery of pilchard, *Sardinops sagax* (Clupeidae), within a large south-eastern Australian bay. *Marine and Freshwater Research* **50**, 43–55.
- Nicol, S., Foster, J. and Kawaguchi, S. (2012). The fishery for Antarctic krill—recent developments. *Fish and Fisheries* **13**, 30–40.
- Nicol, S., Worby, A. and Leaper, R. (2008). Changes in the Antarctic sea ice ecosystem: potential effects on krill and baleen whales. *Marine and Freshwater Research* **59**, 361–382.
- NMFS (2010a). 'Recovery Plan for the Sperm Whale (*Physeter macrocephalus*).' (NMFS: Silver Spring.)
- NMFS (2010b) 'Endangered Species Act - Section 7 Consultation Biological Opinion.' Available at [http://alaskafisheries.noaa.gov/protectedresources/stellers/esa/biop/final/biop1210\\_chapters.pdf](http://alaskafisheries.noaa.gov/protectedresources/stellers/esa/biop/final/biop1210_chapters.pdf) [accessed 28 August 2014].
- NMFS (2014). '2014 Aleutian Islands Groundfish Fishery Biological Opinion.' Available at: <http://alaskafisheries.noaa.gov/protectedresources/stellers/esa/biop/2014/> [accessed 28 August 2014].
- Noad, M.J., Cato, D.H., Bryden, M.M., Jenner, M.N. and Jenner, K.C.S. (2000). Cultural revolution in whale songs. *Nature* **408**, 537.
- Noad, M., Dunlop, R.A., Paton, D. and Kniest, H. (2011). Abundance estimates of the east Australian humpback whale population: 2010 survey and update. Paper SC/63/SH22 presented to the IWC Scientific Committee.
- Noad, M.J., Dunlop, R.A., Paton, D. and Cato, D.H. (2008.) An update of the east Australian humpback whale population (E1) rate of increase. Paper SC/60/SH31 presented to the IWC Scientific Committee.
- Notarbartolo di Sciari, G. and Birkun, A., Jr. (2010). 'Conserving whales, dolphins and porpoises in the Mediterranean and Black Seas.' ACCOBAMS Status Report.
- Northridge, S. (2006). 'Dolphin bycatch: observations and mitigation work in the UK bass pair trawl fishery 2005–2006 season.' Occasional Report to DEFRA. Sea Mammal Research Unit (SMRU), University of St Andrews, St Andrews.
- Northridge, S. (2007). 'Investigations into cetacean bycatch in a pelagic trawl fishery in the English Channel: preliminary results.' Report on preliminary data. SMRU, University of St Andrews, St Andrews.
- Northridge, S., Kingston, A., Mackay, A. and Lonergan, M. (2011). 'Bycatch of Vulnerable Species: Understanding the process and mitigating the impacts.' Final Report to DEFRA Marine and Fisheries Science Unit, Project no. MF1003. University of St Andrews. DEFRA, London.



- Northridge, S., Mackay, A., Cross, T., Sanderson, D., Woodcock, R. and Kingston, A. (2005). 'Investigations into dolphin bycatch in a pelagic trawl fishery.' University of St Andrews, St Andrews.
- Nowacek, D.P., Thorne, L.H., Johnston, D.W. and Tyack, P.L. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review* **37**, 81–115.
- Olavarría, C., Baker, C.S., Garrigue, C., Poole, M., Hauser, N., Caballero, S., Flórez-González, L., Brasseur, M., Bannister, J., Capella, J., Clapham, P., Dodemont, R., Donoghue, M., Jenner, C., Jenner, M.N., Moro, D., Oremus, M., Paton, D., Rosenbaum, H. and Russell, K. (2007) Population structure of South Pacific humpback whales and the origin of the eastern Polynesian breeding grounds. *Marine Ecology Progress Series* **330**, 257–268.
- O'Keefe, C.E., Cadrin, S.X. and Stokesbury, K.D.E. (2014). Evaluating effectiveness of time/area closures, quotas/caps and fleet communications to reduce fisheries bycatch. *ICES Journal of Marine Science* **71**, 1286–1297.
- Olson, P.A. (2009). 'Pilot whales *Globicephala melas* and *G. macrorhynchus*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 847–852. [Academic Press: Amsterdam.]
- Oremus, M., Gales, R., Dalebout, M.L., Funahashi, N., Endo, T., Kage, T., Steel, D. and Baker, C.S. (2009). Worldwide mitochondrial DNA diversity and phylogeography of pilot whales (*Globicephala* spp.). *Biological Journal of the Linnean Society. Linnean Society of London* **98**, 729–744.
- Oremus, M., Gales, R., Kettles, H. and Baker, C.S. (2013). Genetic evidence of multiple matriline and spatial disruption of kinship bonds in mass strandings of long-finned pilot whales, *Globicephala melas*. *The Journal of Heredity* **104**, 301–311.
- Orensanz, J.M.L., Armstrong, J., Armstrong, D. and Hilborn, R. (1998). Crustacean resources are vulnerable to serial depletion - the multifaceted decline of crab and shrimp fisheries in the Greater Gulf of Alaska. *Reviews in Fish Biology and Fisheries* **8**, 117–176.
- Ovenden, J. (unpublished). Review of genetic connectivity in six species in the Small Pelagic Fishery. Prepared for the Department of the Environment (on behalf of the expert panel) 30 May 2014.
- Page, B., McKenzie, J. and Goldsworthy, S.D. (2005a). Dietary resource partitioning among sympatric New Zealand and Australian fur seals. *Marine Ecology Progress Series* **293**, 283–302.
- Page, B., McKenzie, J. and Goldsworthy, S.D. (2005b). Inter-sexual differences in New Zealand fur seal diving behaviour. *Marine Ecology Progress Series* **304**, 249–264.
- Page, B., McKenzie, J., McIntosh, R., Baylis, A., Morrissey, A., Calvert, N., Haase, T., Berris, M., Dowie, D., Shaugnessy, P. and Goldsworthy, S.D. (2004). Entanglement of Australian sea lions and New Zealand fur seals in lost fishing gear and other marine debris before and after Government and industry attempts to reduce the problem. *Marine Pollution Bulletin* **49**, 33–42.
- Page, B., McKenzie, J., Sumner, M.D., Coyne, M. and Goldsworthy, S.D. (2006). Spatial separation of foraging habitats among New Zealand fur seals. *Marine Ecology Progress Series* **323**, 263–279.
- Palka, D.L., Rossman, M.C., Vanatten, A.S. and Orphanides C.D. (2008). Effect of pingers on harbour porpoise (*Phocoena phocoena*) bycatch in the US Northeast gillnet fishery. *Journal of Cetacean Research and Management* **10**, 217–226.
- Parker, D.A.A. (1978). Observations of Whales on ANARE Voyages between Australia and Antarctica. *Australian Wildlife Research* **5**, 25–36.
- Paterson, R.A. (1990). Effects of long-term anti-shark measures on target and non-target species in Queensland, Australia. *Biological Conservation* **52**, 147–159.
- Paterson, R.A. (1991). The migration of humpback whales *Megaptera novaeangliae* in east Australian waters. *Memoirs of the Queensland Museum* **30**, 333–341.
- Paterson, R.A., Paterson, P. and Cato, D.H. (2001). Status of humpback whales, *Megaptera novaeangliae*, in east Australia at the end of the 20th century. *Memoirs of the Queensland Museum* **47**, 579–586.
- Paterson, R., Paterson, P. and Cato, D.H. (2004). Continued increase in east Australian humpback whales in 2001, 2002. *Memoirs of the Queensland Museum* **49**, 712.

- Paton, D., Brooks, L., Burns, D., Franklin, T., Franklin, W., Harrison, P. and Baverstock, P. (2011). Abundance of East coast Australian humpback whales (*Megaptera novaeangliae*) in 2005 estimated using multi-point sampling and capture-recapture analysis. *Journal of Cetacean Research and Management* (Special Issue **3**), 253–259.
- Patterson, T., Hilary, R., Arnould, J., Lea, M.-A. and Hindell, M. (unpublished). Provision of a technical assessment: role for spatial management strategies in mitigating the potential direct and indirect effects of fishing by large mid-water trawl vessels in the Small Pelagic Fishery on protected species. Prepared for the Department of the Environment (on behalf of the expert panel) 3 September 2014.
- Pemberton, D. and Shaughnessy, P.D. (1993). Interaction between seals and marine fish-farms in Tasmania and management of the problem. *Aquatic Conservation: Marine and Freshwater Ecosystems* **3**, 149–158.
- Peraltila, S. and Bertrand, S. (2014). In situ measurements of the speed of Peruvian anchovy schools. *Fisheries Research* **149**, 92–94.
- Perez, M.A. (2003). 'Compilation of marine mammal incidental take data from the domestic and joint venture groundfish fisheries in the U.S. EEZ of the North Pacific, 1989–2001.' US Department of Commerce, NOAA Technical Memorandum NMFS-AFSC-138.
- Perez, M.A. and Loughlin, T.R. (1991). 'Incidental catch of marine mammals by foreign joint venture trawl vessels in the U.S. EEZ of the North Pacific, 1973–88.' U.S. Department of Commerce, US Department of Commerce, NOAA Technical Report NMFS 105.
- Perrin, W.F. (2009a). 'Common dolphins *Delphinus delphis* and *D. capensis*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 255–259. (Academic Press: Amsterdam.)
- Perrin, W.F. (2009b). 'Pantropical spotted dolphin *Stenella attenuata*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 819–821. (Academic Press: Amsterdam.)
- Perrin, W.F. (2009c). 'Spinner dolphin *Stenella longirostris*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 1100–1103. (Academic Press: Amsterdam.)
- Perrin, W.F., Dolar, M.L.L. and D. Robineau, D. (1999). Spinner dolphins (*Stenella longirostris*) of the western Pacific and Southeast Asia: pelagic and shallow-water forms. *Marine Mammal Science* **15**, 1029–1053.
- Peters, K.J., Ophelkeller, K., Bott, N.J., Deagle, B.E., Jarman, S.N. and Goldsworthy, S.D. (2014). 'Fine-scale diet of the Australian sea lion (*Neophoca cinerea*) using DNA-based analysis of faeces.' Article first published online: 12 March 2014. *Marine Ecology*.
- Pichegru, L., Grémillet, D., Crawford, R.J.M. and Ryan, P.G. (2010). Marine no-take zone rapidly benefits endangered penguin. *Biological Letters* **6**, 498–501.
- Pierre, J., Gerner, M. and Penrose, L. (2014). Assessing the effectiveness of seabird mitigation devices in the trawl sectors of the Southern and Eastern Scalefish and Shark Fishery in Australia. JPEC Ltd, AFMA and ABARES, Canberra.
- Pikitch, E., Boersma, P.D., Boyd, I.L., Conover, D.O., Cury, P., Essington, T., Heppell, S.S., Houde, E.D., Mangel, M., Pauly, D., Plagányi, É., Sainsbury, K. and Steneck, R.S. (2012). 'Little Fish, Big Impact: Managing a Crucial Link in Ocean Food Webs.' (Lenfest Ocean Program: Washington, DC.)
- Pikitch, E.K., Rountos, K.J., Essington, T.E., Santora, C., Pauly, D., Watson, R., Sumaila, U.R., Boersma, P.D., Boyd, I.L., Conover, D.O., Cury, P., Heppell, S.S., Houde, E.D., Mangel, M., Plagányi, É., Sainsbury, K., Steneck, R.S., Geers, T.M., Gownaris, N. and Munch, S.B. (2014). The global contribution of forage fish to marine fisheries and ecosystems. *Fish and Fisheries* **15**, 43–64.
- Pirzl, R. (2008). 'Spatial ecology of *Eubalaena australis*: Habitat selection at multiple scales.' PhD thesis, Deakin University, Melbourne.
- Pirzl, R., Patenaude, N.J., Burnell, S. and Bannister, J.L. (2009). Movements of southern right whales (*Eubalaena australis*) between Australian and subantarctic New Zealand populations. *Marine Mammal Science* **25**, 455–461.
- Pirzl, R., Thiele, D., Bannister, J. and Burnell, S. (2008). 'ENSO and SAM affect reproductive output in southern right whales.' Report to the Department of Environment, Water, Heritage and the Arts, Canberra.
- Pitcher, T.J., Misund, O.A., Fernö, A., Totland, B. and Melle, V. (1996). Adaptive behaviour of herring schools in the Norwegian Sea as revealed by high-resolution sonar. *ICES Journal of Marine Science: Journal du Conseil* **53**, 449–452.

- Pitman, L.R., Haddy, J.A. and Kloser, R.J. (2013). Fishing and fecundity: The impact of exploitation on the reproductive potential of a deep-water fish, orange roughy (*Hoplostethus atlanticus*). *Fisheries Research* **147**, 312–319.
- Pitman, R.L. and Ensor, P. (2003). Three forms of killer whales (*Orcinus orca*) in Antarctic waters. *The Journal of Cetacean Research and Management* **5**, 131–139.
- Pitman, R.L., Perryman, W.L., Leroi, D. and Eilers, E. (2007). A dwarf form of killer whale in Antarctica. *Journal of Mammalogy* **88**, 43–48.
- Pitman, R.L., Durban, J.W., Greenfelder, M., Guinet, C., Jorgensen, M., Olson, P., Plana, J., Tixier, P. and Towers, J.R. (2011). Observations of a distinctive morphotype of killer whale (*Orcinus orca*), type D, from subantarctic waters. *Polar Biology* **34**, 303–306.
- Plagányi, É. and Butterworth, D.S. (2012). The Scotia Sea krill fishery and its possible impacts on dependent predators: modeling localized depletion of prey. *Ecological Applications* **22**, 748–761.
- Plagányi, É.E. and Essington, T.E. (2014). When the SURFs up, forage fish are key. *Fisheries Research* **159**, 68–74.
- Polacheck, T. (2012). Assessment of IUU fishing for Southern Bluefin Tuna. *Marine Policy* **36**, 1150–1165.
- Ponte, G., van den Berg, A. and Anderson, R.W.G. (2010). Impact characteristics of the New Zealand fisheries sea lion exclusion device stainless steel grid. Centre for Automotive Safety Research, The University of Adelaide.
- Porter, L.J. (2008a). 'Pantropical Spotted dolphin *Stenella attenuata*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 840–841. (Reed New Holland: Chatswood.)
- Porter, L.J. (2008b). 'Spinner dolphin *Stenella longirostris*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 843–845. (Reed New Holland: Chatswood.)
- Preen, A., Marsh, H., Lawler, I., Prince, R. and Shepherd, R. (1997). Distribution and abundance of dugongs, turtles, dolphins and other megafauna in Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. *Wildlife Research* **24**, 185–208.
- Priddel, D. and Wheeler, R. (1997). Rescue of a Bryde's whale *Balaenoptera edeni* trapped in the Manning River, New South Wales: unmitigated success or unwarranted intervention? *Australian Zoologist* **30**, 261–271.
- Prince, J. (2005). Combating the tyranny of scale for halibutids: Micro-management for microstocks. *Bulletin of Marine Science* **76**, 557–577.
- Pullen, G. (1994). 'Jack mackerel (*Trachurus declivis*).' In 'Finfish Assessment Section. Species Status Report: Key Scalefish Species.' Internal Report No 14, Marine Resources Division, Department of Primary Industries and Fisheries, Hobart.
- Raid, T., Kornilovs, G., Lankov, A., Nisumaa, A.M., Shpilev, H. and Jarvik, A. (2010). Recruitment dynamics of the Gulf of Riga herring stock: density-dependent and environmental effects. *ICES Journal of Marine Science* **67**, 1914–1920.
- Rasmussen, K., Palacios, D.M., Calambokidis, J., Saborio, M.T., Dalla Rosa, L., Secchi, E.R., Steiger, G.H., Allen, J.M. and Stone, G.S. (2007). Southern Hemisphere humpback whales wintering off Central America: insights from water temperature into the longest mammalian migration. *Biology Letters* **3**, 302–305.
- Rayne, S., Ikononou, M.G., Ellis, G.M., Barrett-Lennard, L.G. and Ross, P.S. (2004). PBDEs, PBBs and PCNs in three communities of free-ranging killer whales (*Orcinus orca*) from the northeastern Pacific Ocean. *Environmental Science & Technology* **38**, 4293–4299.
- Read, A.J., Drinker, P. and Northridge, S. (2006). Bycatch of marine mammals in US and global fisheries. *Conservation Biology* **20**, 163–169.
- Redfern, J.V., McKenna, M.F., Moore, T.J., Calambokidis, J., DeAngelis, M.L., Becker, E.A., Barlow, J., Forney, K.A., Fiedler, P.C. and Chivers, S.J. (2013). Assessing the risk of ships striking large whales in marine spatial planning. *Conservation Biology* **27**, 292–302.
- Reeves, R.R., McClellan, K. and Werner, T.B. (2013). Marine mammal bycatch in gillnet and other entangling net fisheries, 1990 to 2011. *Endangered Species Research* **20**, 71–97.
- Reeves, R.R., Smith, B.D., Crespo, E.A. and Notarbartolo di Sciara, G. (2003). 'Dolphins, Whales and Porpoises: 2002–2010 Conservation Action Plan for the World's Cetaceans.' (IUCN/Species Survival Commission Cetacean Specialist Group: IUCN, Gland and Cambridge.)
- Reid, K., Croxall, J.P., Briggs, D.R. and Murphy, E.J. (2005). Antarctic ecosystem monitoring: quantifying the response of ecosystem indicators to variability in Antarctic krill. *ICES Journal of Marine Science* **62**(3), 366–373.
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, R.L.Jr., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbán, J. and Zerbini, A.N. (2008a). *Eubalaena australis*. In 'IUCN Red List of Threatened Species. Version 2011.2.' Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].

- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, R.L.Jr., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbán, J. and Zerbini, A.N. (2008b). *Megaptera novaeangliae*. In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, R.L.Jr., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbán, J. and Zerbini, A.N. (2008c). *Balaenoptera edeni*. In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, R.L.Jr., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbán, J. and Zerbini, A.N. (2008d). *Balaenoptera borealis*. In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, R.L.Jr., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbán, J. and Zerbini, A.N. (2008e). *Balaenoptera physalus*. In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, R.L.Jr., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbán, J. and Zerbini, A.N. (2008f). *Balaenoptera musculus*. In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 April 2013].
- Rennie, S., Hanson, C.E., McCauley, R.D., Pattiaratchi, C., Burton, C., Bannister, J., Jenner, C. and Jenner, M.N. (2009). Physical properties and processes in the Perth Canyon, Western Australia: links to water column production and seasonal pygmy blue whale abundance. *Journal of Marine Systems* **77**, 21–44.
- Reyes, P., Huckle-Gaete, R. and Pablo Torres-Florez, J. (2013). First observations of operational interactions between bottom-trawling fisheries and South American sea lion, *Otaria flavescens* in south-central Chile. *Journal of the Marine Biological Association of the United Kingdom* **93**, 489–494.
- Reynolds, J.E. (2008). New Zealand can act to conserve Hector's and Maui's dolphins. Presidential Letter. The Society for Marine Mammalogy Presidential Letters.
- Rice, J. 1995. 'Food web theory, marine food webs and what climate change may do to northern marine fish populations.' In *Climate Change and Northern Fish Populations*. pp. 516–568. (Ed R.J. Beamish.) *Canadian Special Publication of Fisheries and Aquatic Sciences*, 121.
- Rice, D.W. (1998). 'Marine mammals of the world: systematics and distribution.' Special Publication 4. (Society for Marine Mammalogy: Lawrence.)
- Richardson, B.J. (1982). Geographical distribution of electrophoretically detected protein variation in Australian commercial fishes. I. Jack Mackerel, *Trachurus declivis* Jenyns. *Australian Journal of Marine and Freshwater Research* **33**, 917–26.
- Rindorf, A., Wanless, S. and Harris, M.P. (2000). Effects of changes in sandeel availability on the reproductive output of seabirds. *Marine Ecology Progress Series* **202**, 241–252.
- Robbins, J. and Mattila, D. (2004). Estimating humpback whale (*Megaptera novaeangliae*) entanglement rates on the basis of scar evidence. NMFS Report 43EANF030121.
- Robbins, J., Dalla Rosa, L., Allen, J.M., Mattila, D.K., Scchi, E.R., Friedlaender, A.S., Stevicj, P.T., Nowacek, D.P. and Steel, D. (2011). Return movement of a humpback whale between the Antarctic Peninsula and American Samoa: a seasonal migration record. *Endangered Species Research* **13**, 117–121.
- Robertson, B.C. and Chilvers, B.L. (2011). The population decline of the New Zealand sea lion *Phocarctos hookeri*: a review of possible causes. *Mammal Review* **41**, 253–275.
- Robinson, S., Terauds, A., Gales, R. and Greenwood, M. (2008a). Mitigating fur seal interactions: relocation from Tasmanian aquaculture farms. *Aquatic Conservation: Marine and Freshwater Ecosystems* **18**, 1180–1188.
- Robinson, S., Terauds, A., Gales, R. and Greenwood, M. (2008b). Movements of fur seals following relocation from fish farms. *Aquatic Conservation: Marine and Freshwater Ecosystems* **18**, 1189–1199.
- Robinson, W.M.L. (2013). Modelling the impact of the South African small pelagic fishery on African penguin dynamics. PhD Thesis, University of Cape Town, Cape Town
- Roe, W.D. and Meynier, L. (2012). Review of necropsy records for bycaught NZ sea lions (*Phocarctos hookeri*), 2000–2008. New Zealand Aquatic Environment and Biodiversity Report No. 98.
- Rogers, P.J. and Ward, T.M. (2007). Application of a 'case building approach' to investigate the age distributions and growth dynamics of Australian sardine (*Sardinops sagax*) off South Australia. *Marine and Freshwater Research* **58**, 461–474.
- Rogers, P. J., Earl, L. and Ivey, A. (unpublished). Review of impacts of localised depletion of small pelagic fishes on predators and ecosystems. Prepared for the Department of the Environment (on behalf of the expert panel) 16 October 2013.

- Rogers, P.J., Ward, T.M., McLeay, L.J., Lowry, M., Saunders, R.J. and Williams, D. (2009). Reproductive biology of blue mackerel, *Scomber australasicus*, off southern and eastern Australia: suitability of the daily egg production method for stock assessment. *Marine and Freshwater Research* **60**, 187–202.
- Roman, J., Altman, I., Dunphy-Daly, M.M., Campbell, C., Jasny, M. and Read, A.J. (2013). The *Marine Mammal Protection Act* at 40: status, recovery and future of U.S. marine mammals. *Year in Cognitive Neuroscience* **1296**, 154–157.
- Ross, A. and Isaac, S. (2004). 'The net effect? A review of cetacean bycatch in pelagic trawls and other fisheries in the north-east Atlantic.' A Whale and Dolphin Conservation Society report for Greenpeace.
- Ross, G.J.B. (2006). 'Review of the conservation status of Australia's smaller whales and dolphins.' (Australian Government: Canberra.)
- Ross, G.J.B. (2008). 'Striped Dolphin *Stenella coeruleoalba*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 842–843. (Reed New Holland: Chatswood.)
- Ross, P.S., Ellis, G.M., Ikonomou, M.G., Barrett-Lennard, L.G. and Addison, R.F. (2000). High PCB concentrations in free-ranging Pacific killer whales, *Orcinus orca*: effects of age, sex and dietary preference. *Marine Pollution Bulletin* **40**, 504–515.
- Salgado Kent, C., Jenner, C., Jenner, M., Bouchet, P. and Rexstad, E. (2012). Southern Hemisphere breeding stock D humpback whale population estimates from North West Cape, Western Australia. *The Journal of Cetacean Research and Management* **12**, 29–38.
- Salomon, A.K., Tanape, N.M. and Huntington, H.P. (2007). Serial depletion of marine invertebrates leads to the decline of a strongly interacting grazer. *Ecological Applications* **17**, 1752–1770.
- Samaran, F., Adam, O. and Guinet, C. (2010). Discovery of a mid-latitude sympatric area for two Southern Hemisphere blue whale subspecies. *Endangered Species Research* **12**, 157–165.
- Savina, M., Fulton, B., Condie, S., Forrest, R., Scandol, J., Astles, K. and Gibbs, P. (2008). 'Ecologically sustainable development of the regional marine and estuarine resources of NSW: Modelling of the NSW continental shelf ecosystem.' (CSIRO Wealth from Oceans Flagship and NSW Department of Primary Industries: Hobart.)
- Scheffer, M., Carpenter, S. and de Young, B. (2005). Cascading effects of overfishing marine systems. *Trends in Ecology and Evolution* **20**, 579–581.
- Schmitt, N.T., Double, M.C., Baker, C.S., Steel, D., Jenner, K.C.S., Jenner, M.-NM., Paton, D., Gales, R., Jarman, S.N., Gales, N., Marthick, J.R., Polanowski, A.M. and Peakall, R. (2014). Low levels of genetic differentiation characterize Australian humpback whale (*Megaptera novaeangliae*) populations. *Marine Mammal Science* **30**, 221–241.
- Schwartzlose, R.A., Alheit, J., Bakun, A., Baumgartner, T.R., Cloete, R., Crawford, R.J.M., Fletcher, W.J., Green-Ruiz, Y., Hagen, E., Kawasaki, T., Lluch-Belda, D., Lluch-Cota, S.E., Maccall, A.D., Matsuura, Y., Nevarez-Martinez, M.O., Parrish, R.H., Roy, C., Serra, R., Shust, K.V., Ward, M.N. and Zuzunaga, J.Z. (1999). Worldwide large-scale fluctuations of sardine and anchovy populations. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap* **21**, 289–347.
- Scoles, D.R., Collette, B.B. and Graves, J.E. (1998). Global phylogeography of mackerels of the genus *Scomber*. *Fishery Bulletin* **96**, 823–842.
- Sears, R. and Perrin, W.F. (2009). 'Blue Whale *Balaenoptera musculus*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 120–124. (Academic Press: Amsterdam.)
- Senko, J., White, E.R., Heppell, S.S. and Gerber, L.R. (2014). Comparing bycatch mitigation strategies for vulnerable marine megafauna. *Animal Conservation* **17**, 5–18.
- SEMAC (2012). 'Agenda item 4 – Management Arrangements. Item 4.5: Update on the Small Pelagic Fishery.' South East MAC 9, 24–25 May, 2012. Available at [http://www.afma.gov.au/wp-content/uploads/2012/08/Agenda\\_Items\\_4-3\\_4-4\\_4-5\\_and\\_4-6.pdf?afba77](http://www.afma.gov.au/wp-content/uploads/2012/08/Agenda_Items_4-3_4-4_4-5_and_4-6.pdf?afba77) [accessed 5 February 2014].
- SEMAC (2013). 'Agenda Item 2: Total Allowable Catches (TACs) for the Small Pelagic Fishery 2013-14.' SEMAC out-of-Session 2012/13 No. 11, March 2013. Available at [http://www.afma.gov.au/wp-content/uploads/2010/06/South\\_East\\_MAC\\_Teleconference\\_5\\_April\\_2013\\_Papers\\_Agenda\\_Items\\_1\\_to\\_3.pdf](http://www.afma.gov.au/wp-content/uploads/2010/06/South_East_MAC_Teleconference_5_April_2013_Papers_Agenda_Items_1_to_3.pdf) [accessed 10 August 2014].
- SEMAC (2014). 'Total Allowable Catches (TACs) for the small Pelagic Fishery 2014-15.' SEMAC out-of-session 31 March 2014. Available at <http://www.afma.gov.au/managing-our-fisheries/consultation/management-advisory-committees/south-east-mac/> [accessed 10 August 2014].
- SETFIA (2003). Code of Fishing Practice to Minimise Incidental By-Catch of Marine Mammals in the South East Trawl Fishery. SETFIA.
- SETFIA (2007). Industry Code of Practice to Minimise Interactions with Seals. South-East Trawl Fishing Industry Association. Available at [http://www.fishwell.com.au/app\\_cmslib/media/lib/0908/m337\\_v1\\_seal%20code%20of%20practice-%20final.pdf](http://www.fishwell.com.au/app_cmslib/media/lib/0908/m337_v1_seal%20code%20of%20practice-%20final.pdf) [accessed 15 September 2014].

- SETFIA (2009). 'Trials of seal excluder devices (SEDs) on a South East Trawl Fishery wet boat. Natural Heritage Trust National Investment Stream Project.' Sub-project of Project 44144 – National Strategies to Address Marine Wildlife Bycatch Issues in Australian Fisheries.
- Shanks, S. (2006). 'Allocation to manage spatial fishing effort across the South Australian pilchard fishery.' In 'Sharing the Fish 2006', 26 February–2 March 2006, Perth. (Western Australian Department of Fisheries: Perth)
- Shannon, L.J., Neira, S. and Taylor, M. (2008). Comparing internal and external drivers in the southern Benguela and the southern and northern Humboldt upwelling ecosystems. *African Journal of Marine Science* **30**, 63–84.
- Shaughnessy, P.D. (1999). 'The Action Plan for Australian Seals.' (Environment Australia: Canberra.)
- Shaughnessy, P.D., Gales, N.J., Dennis, T.E. and Goldsworthy, S.D. (1994). Distribution and abundance of New Zealand fur seals, *Arctocephalus forsteri*, in South Australia and Western Australia. *Wildlife Research* **21**, 667–695.
- Shaughnessy, P.D., Goldsworthy, S.D. and Mackay, A.I. (2014). 'Status and trends in abundance of New Zealand fur seal populations in South Australia.' Final report to the Australian Marine Mammal Centre. SARDI Research Report Series No. 781. SARDI Aquatic Sciences, Adelaide.
- Shaughnessy, P.D., Goldsworthy, S.D., Burch, P. and Dennis, T.E. (2013). Pup numbers of the Australian sea lion (*Neophoca cinerea*) at The Pages Islands, South Australia, over two decades. *Australian Journal of Zoology* **61**, 112–18.
- Shaughnessy, P.D., Goldsworthy, S.D., Hamer, D.J., Page, B. and McIntosh, R.R. (2011). Australian sea lions *Neophoca cinerea* at colonies in South Australia: distribution and abundance, 2004 to 2008. *Endangered Species Research* **13**, 87–98.
- Shaughnessy, P.D., Kirkwood, R., Cawthorn, M., Kemper, C. and Pemberton, D. (2003). 'Pinniped, cetacean and fisheries in Australia: a review of operational interactions.' In *Marine Mammals and Humans: Fisheries, Tourism and Management*. (Eds N.J. Gales, M. Hindell and R. Kirkwood.) pp. 136–152. (CSIRO Publications, Hobart.)
- Shaughnessy, P.D., McIntosh, R.R., Goldsworthy, S.D., Dennis, T.E. and Berris, M. (2006). 'Trends in abundance of Australian sea lions, *Neophoca cinerea*, at Seal Bay, Kangaroo Island, South Australia.' In *Sea Lions of the World*. (Eds A.W. Trites, S.K. Atkinson, D.P. DeMaster, L.W. Fritz, T.S. Gelatt, L.D. Rea and K.M. Wynne.) pp. 325–351. (Alaska Sea Grant College Program: University of Alaska, Fairbanks.)
- Shaughnessy, P.D., McKenzie, J., Lancaster, M.L., Goldsworthy, S.D. and Dennis, T.E. (2010). Australian fur seals establish haulout sites and a breeding colony in South Australia. *Australian Journal of Zoology* **58**, 94–103.
- Shuntov, V.P. (1969). Some features of the ecology of pelagic fishes in the Great Australian Bight. *Problems in Ichthyology* **9**, 801–809.
- Silber, G.K., Bettridge, S. and Cottingham, D. (2009). Report of a workshop to identify and assess technologies to reduce ship strikes of large whales, 8–10 July, 2008. US Department of Commerce, NOAA Technical Memorandum. NMFS-OPR-42.
- Simmons, M.L. and Marsh, H. (1986). Sightings of humpback whales in Great Barrier Reef waters. *Scientific Reports of the Whales Research Institute Tokyo* **37**, 31–46.
- Širović, A., Hildebrand, J.A., Wiggins, S.M. and Thiele, D. (2009). Blue and fin whale acoustic presence around Antarctica during 2003 and 2004. *Marine Mammal Science* **25**, 125–136.
- Slooten, E. (2007). Conservation management in the face of uncertainty: Effectiveness of four options for managing Hector's dolphin bycatch. *Endangered Species Research* **3**, 169–179.
- Slooten, E. (2013). Effectiveness of area-based management in reducing bycatch of the New Zealand dolphin. *Endangered Species Research* **20**, 121–130.
- Slooten, E. and Dawson, S.M. (2010). Assessing the effectiveness of conservation management decisions: likely effects of new protection measures for Hector's dolphin (*Cephalorhynchus hectori*). *Aquatic Conservation: Marine and Freshwater Ecosystems* **20**, 334–347.
- Slooten, E., Dawson, S., Rayment, W. and Childerhouse, S. (2006). A new abundance estimate for Maui's dolphin: What does it mean for managing this critically endangered species? *Biological Conservation* **128**, 576–581.
- Smith, A.D.M., Brown, C.J., Bulman, C.M., Fulton, E.A., Johnson, P., Kaplan, I.C., Lozano-Montes, H., Mackinson, S., Marzloff, M., Shannon, L.J., Shin, Y.-J. and Tam, J. (2011). Impacts of fishing low-trophic level species on marine ecosystems. *Science* **333**, 1147–1150.
- Smith, A.D.M., Smith, D.C., Haddon, M., Knuckey, I.A., Sainsbury, K.J. and Sloan, S.R. (2014). Implementing harvest strategies in Australia: 5 years on. *ICES Journal of Marine Science: Journal du Conseil* **71**, 195–203.
- Smith, H. (2012). 'Population dynamics and habitat use of bottlenose dolphins (*Tursiops aduncus*), Bunbury, Western Australia.' PhD thesis, Murdoch University, Perth.
- Smith, J.N., Grantham, H.S., Gales, N., Double, M.C., Noad, M.J. and Paton, D. (2012b). Identification of humpback whale breeding and calving habitat in the Great Barrier Reef. *Marine Ecology Progress Series* **447**, 259–272.



- Smith, P.J., Diggles, B. and Kim, S. (2005). 'Stock structure of blue mackerel *Scomber australasicus*. Fisheries Assessment Report 2005/43.' (Ministry of Fisheries: Wellington.).
- Smith, T.D., Reeves, R.R., Josephson, E.A. and Lund, J.N. (2012a). Spatial and seasonal distribution of American whaling and whales in the age of sail. *PLoS ONE* **7**, e34905.
- SPFMAC (2006). 'Agenda Item 4. Outcomes of AFMA Board meetings. SPFMAC 3.' Available at [http://www.afma.gov.au/wp-content/uploads/2010/07/SPFMAC-3-item\\_04.pdf](http://www.afma.gov.au/wp-content/uploads/2010/07/SPFMAC-3-item_04.pdf) [accessed 18 February 2014].
- SPFMAC (2007). 'Chair's Summary Meeting 6, 26 October 2007.' Available at [http://www.afma.gov.au/wp-content/uploads/2010/07/SPFMAC-6-cs\\_spfmac06\\_20071026.pdf](http://www.afma.gov.au/wp-content/uploads/2010/07/SPFMAC-6-cs_spfmac06_20071026.pdf) [accessed 23 August 2014].
- SPFRAG (2014a). 'Small Pelagic Fishery Resource Assessment Group (SPFRAG) Meeting Record 18. Teleconference Minutes.' Available at <http://www.afma.gov.au/managing-our-fisheries/consultation/resource-assessment-groups/spfrag/> [accessed 12 August 2014].
- SPFRAG (2014b). 'Small Pelagic Fishery Resource Assessment Group (SPFRAG) 17 Minutes. Available at <http://www.afma.gov.au/managing-our-fisheries/consultation/resource-assessment-groups/spfrag/> [accessed 12 August 2014].
- SPRFMO (2013). '2013 Jack Mackerel Stock Assessment.' Available at <http://www.southpacificrfmo.org/assets/Scientific-Committee-1st-2/Report/SC-01-2013-Annex-5-CJM-Assessment-Amended-16-Dec-13-a.pdf> [accessed 26 March 2014].
- SPRFMO (2014a). 'CMM 2.04 Conservation and Management Measure for minimising bycatch of seabirds in the SPRFMO Convention Area.' Available at <https://www.southpacificrfmo.org/assets/Commission-Meeting-2nd/Comm-02-report/Annex-N-CMM-2.04-Minimising-Seabird-Bycatch.pdf> [accessed 17 August 2014].
- SPRFMO (2014b). Information describing Chilean jack mackerel (*Trachurus murphyi*) fisheries relating to the South Pacific Regional Fishery Management Organisation, SC-01-23.
- Sremba, A.L., Hancock-Hanser, B., Branch, T.A., LeDuc, R.L. and Baker, C.S. (2012). Circumpolar diversity and geographic differentiation of mtDNA in the critically endangered Antarctic blue whale (*Balaenoptera musculus intermedia*). *PLoS ONE* **7**, e32579.
- Stafford, K.M., Bohnenstiehl, D.R., Tolstoy, M., Chapp, E., Mellinger, D.K. and Moore, S.E. (2004). Antarctic-type blue whale calls recorded at low latitudes in the Indian and eastern Pacific Oceans. *Deep-sea Research. Part I, Oceanographic Research Papers* **51**, 1337–1346.
- Stamaton, K.A., Croft, D.B., Shaughnessy, P.D. and Waples, K.A. (2007). Observations of humpback whales (*Megaptera novaeangliae*) feeding during their southward migration along the coast of southeastern New South Wales, Australia: identification of a possible supplemental feeding ground. *Aquatic Mammals* **33**, 165–174.
- Steckenreuter, A., Harcourt, R. and Möller, L. (2011). Distance does matter: close approaches by boats impede feeding and resting behaviour of Indo-Pacific bottlenose dolphins. *Wildlife Research* **38**, 455–463.
- Stephenson, P. C. and Chidlow, J. (2003). Bycatch in the Pilbara trawl fishery. Department of Fisheries, Western Australia. Final report to the Natural Heritage Trust. 74 pp.
- Stephenson, P. C. and Wells, S. (2006). 'Evaluation of the effectiveness of reducing dolphin catches with pingers and exclusion grids in the Pilbara trawl fishery.' Final report to Fisheries Research and Development Corporation on Project No. 2004/068, Fisheries Research Report No 173. Department of Fisheries, Western Australia.
- Stephenson, P.C., Wells, S. and King, J. A. (2008). Evaluation of exclusion grids to reduce the bycatch of dolphins, turtles, sharks and rays in the Pilbara trawl fishery. Department of Fisheries Western Australia. Fisheries Research Report No. 171.
- Stevens, J.D. and Hausfeld, H.F. (1984). 'Age determination and mortality estimates on an unexploited population of jack mackerel *Trachurus declivis* (Jenyns, 1841) from south-east Australia.' Marine Laboratories Report 148. CSIRO, Hobart.
- Stevens, J.D., Hausfeld, H.F. and Davenport, S.D. (1984). 'Observations on the biology, distribution and abundance of *Trachurus declivis* (Jenyns, 1841) in the Great Australian Bight.' Marine Laboratories Report 164. CSIRO, Hobart.
- Stewart, J. and Ferrell, D.J. (2001). Age, growth and commercial landings of yellowtail scad (*Trachurus novaezelandiae*) and blue mackerel (*Scomber australasicus*) off the coast of New South Wales, Australia. *New Zealand Journal of Marine and Freshwater Research* **35**, 541–551.
- Stewart, J., Ballinger, G. and Ferrell, D. (2010). Review of the biology and fishery for Australian sardines (*Sardinops sagax*) in New South Wales. 2010. Fisheries Research Report Series, Industry and Investment NSW: Cronulla.
- Stockin, K. and Burgess, E.A. (2005). Opportunistic feeding of an adult humpback whale (*Megaptera novaeangliae*) migrating along the coast of southeastern Queensland, Australia. *Aquatic Mammals* **31**, 120–123.
- Stone, B., Blyde, D., Saliki, J., BlasDMachado, U., Bingham, J., Hyatt, A., Wang, J., Payne, J. and Cramer, S. (2011). Fatal cetacean morbillivirus infection in an Australian offshore bottlenose dolphin (*Tursiops truncatus*). *Australian Veterinary Journal* **89**, 452–457.

- Svane, I. (2005). Occurrence of dolphins and seabirds and their consumption of bycatch during prawn trawling in Spencer Gulf, South Australia. *Fisheries Research* **76**, 317–327.
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J.K.B., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L. (2008a). '*Grampus griseus*.' In IUCN Red List of Threatened Species. Version 2012.2. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 May 2013].
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P. and Pitman, R.L. (2008b). '*Globicephala macrorhynchus*.' In IUCN Red List of Threatened Species. Version 2013.1. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 10 May 2013].
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P. and Pitman, R.L. (2008c). '*Globicephala melas*.' In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 11 November 2008].
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P. and Pitman, R.L. (2008d). '*Orcinus orca*.' In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 11 November 2008].
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P. and Pitman, R.L. (2008e). '*Physeter macrocephalus*.' In IUCN Red List of Threatened Species. Version 2008. Available at [www.iucnredlist.org](http://www.iucnredlist.org) [accessed 11 November 2008].
- Taylor, B.L., Chivers, S.J., Larese, J. and Perrin, W.F. (2007). Generation length and percent mature estimates for IUCN assessments of cetaceans. (NMFS Southwest Fisheries Science Center: La Jolla).
- Taylor, I.R. and Roe, E. (2004). Feeding ecology of little terns in south-eastern Australia and the effects of pilchard mass mortality on breeding success and population size. *Marine and Freshwater Research* **55**, 799–808.
- Thiele, D. and Gill, P.C. (1999). Cetacean observations during a winter voyage into Antarctic sea ice south of Australia. *Antarctic Science* **11**, 48–53.
- Thiele, D., Chester, E. and Gill, P.C. (2000). Cetacean distribution off Eastern Antarctica (80–150°E) during the austral summer of 1995/96. *Deep-sea Research. Part II, Topical Studies in Oceanography* **47**, 2543–2572.
- Thiele, D., Chester, E., Moore, S.E., Sirovic, A., Hildebrand, J.A. and Friedlaender, A.S. (2004). Seasonal variability in whale encounters in the Western Antarctic Peninsula. *Deep-sea Research. Part II, Topical Studies in Oceanography* **51**, 2311–2325.
- Thompson, F.N. and Abraham, E.R. (2009). 'Dolphin bycatch in New Zealand trawl fisheries, 1995–96 to 2006–07.' New Zealand Aquatic Environment and Biodiversity Report No. 36. Ministry of Fisheries.
- Thompson, F.N., Berkenbusch, K. and Abraham, E.R. (2013). 'Marine mammal bycatch in New Zealand trawl fisheries, 1995–96 to 2010–11.' New Zealand Aquatic Environment and Biodiversity Report No. 105. Ministry of Primary Industries.
- Tilzey, R.D.J., Goldsworthy, S., Cawthorn, M., Calvert, N., Hamer, D., Russell, S., Shaughnessy, P.D., Wize, B. and Stewardson, C. (2006). Assessment of seal-fishery interactions in the winter blue grenadier fishery off west Tasmania and the development of fishing practices and Seal Exclusion Devices to mitigate seal bycatch by factory trawlers.' FRDC Project No. 2001/008 Final Report. Bureau of Rural Sciences, Canberra.
- Tormosov, D.D., Mikhaliyev, Y.A., Best, P.B., Zemsky, V.A., Sekiguchi, K. and Brownell, R.L. (1998). Soviet catches of southern right whales *Eubalaena australis*, 1951–1971. Biological data and conservation implications. *Biological Conservation* **86**, 185–197.
- Torres, L.G., Smith, T.D., Sutton, P., MacDiarmid, A., Bannister, J. and Miyashita, T. (2013). From exploitation to conservation: habitat models using whaling data predict distribution patterns and threat exposure of an endangered whale. *Diversity & Distributions* **2013**, 1–15.
- Tourre, Y.M., Lluch-Cota, S.E. and White, W.B. (2007). Global multi-decadal ocean climate and small-pelagic fish population. *Environmental Research Letters* **2**, 034005.
- Townsend, C.H. (1935). The distribution of certain whales as shown by logbook records of American whaleships. *Zoologica* **19**, 1–50.
- Tracey, S.R., Lyle, J.M., Ewing, G.P., Hartmann, K. and Mapleston, A. (2013). 'Offshore Recreational Fishing in Tasmania 2011/12.' IMAS, University of Tasmania: Hobart.
- Tuck, G.N., Knuckey, I. and Klaer, N.L. (2013). 'Informing the review of the Commonwealth Policy on Fisheries Bycatch through assessing trends in bycatch of key Commonwealth fisheries.' FRDC Project No. 2012/046 Final Report. Fishwell Consulting, Queensland.
- Vanderlaan, A.S.M. and Taggart, C.T. (2007). Vessel collisions with whales: the probability of lethal injury based on vessel speed. *Marine Mammal Science* **23**, 144–156.

- Van Canneyt O., Morizur Y., Le Gall Y., Larnaud P. and Ridoux V. (2007). Report on the effect of acoustic deterrent devices on the behaviour of common dolphin groups in South-Brittany in 2005 and 2006. NECESSITY Contract 501605 Periodic Activity Report No 2 – Annex 7.5.5; IFREMER (French Research Institute for Exploitation of the Sea).
- Van Waerebeek, K. and Würsig, B. (2009). 'Dusky dolphin - *Lagenorhynchus obscurus*.' In *Encyclopedia of Marine Mammals*. Second edition. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 335–338. [Academic Press: Amsterdam.]
- Van Waerebeek, K., Leaper, R., Baker, A.N., Papastavrou, V., Thiele, D., Findlay, K., Donovan, G. and Ensor, P. (2010). Odontocetes of the Southern Ocean Sanctuary. *The Journal of Cetacean Research and Management* **11**, 315–346.
- Velarde, E., Ezcurra, E., Cisneros-Mata, M.A. and Lavin, M.F. (2004). Seabird ecology, El Nino anomalies and prediction of sardine fisheries in the Gulf of California. *Ecological Applications* **14**, 607–615.
- Vetter, W., Scholz, E., Gaus, C., Müller, J.F. and Haynes, D. (2001). Anthropogenic and natural organohalogen compounds in blubber of dolphins and dugongs (*Dugong dugon*) from northeastern Australia. *Archives of Environmental Contamination and Toxicology* **41**, 221–231.
- Wade, P.R. and Gerrodette, T. (1993). Estimates of cetacean abundance and distribution in the eastern tropical Pacific. *Report of the International Whaling Commission* **43**, 477–493.
- Wakefield, C.B., Blight, S., Dorman, S.R., Denham, A., Newman, S.J., Wakeford, J., Molony, B.W., Thomson, A.W., Syers, C. and O'Donoghue, S. (2014). Independent observations of catches and subsurface mitigation efficiencies of modified trawl nets for endangered, threatened and protected megafauna bycatch in the Pilbara Fish Trawl Fishery. Fisheries Research Report No. 244. Department of Fisheries, Western Australia.
- Walters, C.J. and Martell, S.J.D. (2004). *Fisheries Ecology and Management*. (Princeton University Press: New Jersey.)
- Wang, P.A. and Yang, S.C. (2009). 'Indo-Pacific bottlenose dolphin *Tursiops aduncus*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 602–608. [Academic Press: Amsterdam.]
- Ward, P., Marton, N., Moore, A., Patterson, H., Penney, A., Sahlqvist, P., Skirtun, M., Stephan, M., Vieira, S. and J. Woodhams (2013a) 'A technical review of the implementation of the Commonwealth Fisheries Harvest Strategy Policy.' In 'Technical Reviews of Formal Harvest Strategies (2014)'. FRDC Project No. 2012/225 Final Report. (Eds M. Haddon, C. Dichmont, N. Klaer, S. Pascoe, A. Penney, A.D.M. Smith, D.C. Smith, S. Vieira and P. Ward.) [CSIRO and ABARES, Canberra.]
- Ward, P., Timmiss, T. and Wise, B. (2001b). 'A review of biology and fisheries for mackerel.' (Bureau of Rural Resources: Canberra.)
- Ward, T. and Staunton-Smith, J. (2002). Comparison of the spawning patterns and fisheries biology of the sardine, *Sardinops sagax*, in temperate South Australia and sub-tropical southern Queensland. *Fisheries Research* **56**, 37–49.
- Ward, T., Molony, B., Stewart, J., Andrews, J. and Moore, A. (2012b). 'Australian Sardine *Sardinops sagax*.' In 'Status of key Australian fish stocks reports 2012.' (Eds M. Flood, I. Stobutzki, J. Andrews, G. Begg, W. Fletcher, C. Gardner, J. Kemp, A. Moore, A. O'Brien, R. Quinn, J. Roach, K. Rowling, K. Sainsbury, T. Saunders, T. Ward and M. Winning. FRDC, Canberra.
- Ward, T.M. and Rogers, P. (Eds) (2007). *Development and evaluation of egg-based stock assessment methods for blue mackerel *Scomber australasicus* in southern Australia*. FRDC Project No. 2002/061 Final Report. SARDI Aquatic Sciences, Adelaide.
- Ward, T.M., Burch, P. and Ivey, A.R. (2010). South Australian sardine (*Sardinops sagax*) Fishery: Stock Assessment Report 2010. SARDI Research Report Series No. 496. SARDI Aquatic Sciences, Adelaide.
- Ward, T.M., Burch, P. and Ivey, A.R. (2012a). South Australian Sardine (*Sardinops sagax*) Fishery: Stock Assessment Report 2012. SARDI Research Report Series No. 667. SARDI Aquatic Sciences, Adelaide.
- Ward, T.M., Hoedt, F., McLeay, L., Dimmlich, W.F., Jackson, G., Rogers, P.J. and Jones, K. (2001a). Have recent mass mortalities of the sardine *Sardinops sagax* facilitated an expansion in the distribution and abundance of the anchovy *Engraulis australis* in South Australia? *Marine Ecology Progress Series* **220**, 241–251.
- Ward, T.M., Ivey, A.R. and Gorman, D. (2013). Commonwealth Small Pelagic Fishery: Fishery Assessment Report 2012. SARDI Research Report Series No. 696. SARDI Aquatic Sciences, Adelaide.
- Ward, T.M., Ivey, A.R. and Earl, J. (2014). Commonwealth Small Pelagic Fishery: Fishery Assessment Report 2011–2013. Report to AFMA. SARDI Research Report Series No. 779. SARDI Aquatic Sciences, Adelaide.
- Ward, T.M., Lyle, J., Keane, J.P., Begg, G.A., Hobsbawn, P., Ivey, A.R., Sakabe, R. & Steer, M.A. (2011). Commonwealth Small Pelagic Fishery: status report 2010. SARDI Aquatic Sciences, Adelaide.
- Ward, T.M., Lyle, J., Keane, J.P., Begg, G.A., Hobsbawn, P., Ivey, A.R., Sakabe, R. & Steer, M.A. (2012a). Commonwealth Small Pelagic Fishery: Fishery Assessment Report 2011. SARDI Aquatic Sciences, Adelaide.
- Waring, G.T., Josephson, E., Maze-Foley, K. and Rosel, P.E. (2013). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2012 Volume 1. US Department of Commerce NOAA Technical Memorandum NMFS-NE-419.
- Warneke, R.M. (2008). Southern Right Whale Dolphin *Lissodelphis peronii*. In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 852–853. [Reed New Holland: Chatswood.]

- Warneke, R.M. and Donnelly, D. (2008). 'Risso's Dolphin *Grampus griseus*.' In *The Mammals of Australia*. Third edition. (Eds S. Van Dyck and R. Strahan.) pp. 854–855. (Reed New Holland: Chatswood.)
- Watson, R.A., Nowara, G.B., Tracey, S.R., Fulton, E.A., Bulman, C.M., Edgar, G.J., Barrett, N.S., Lyle, J.M., Frusher, S.D. and Buxton, C.D. (2013). Ecosystem model of Tasmanian waters explores impacts of climate-change induced changes in primary productivity. *Ecological Modelling* **264**, 115–129.
- Watson-Capps, J.J. and Mann, J. (2005). The effects of aquaculture on bottlenose dolphin (*Tursiops* sp.) ranging in Shark Bay, Western Australia. *Biological Conservation* **124**, 519–526.
- Webb, B. and Grant, C. (1979). Age and growth of jack mackerel, *Trachurus declivis* (Jenyns), from south-eastern Australian Waters. *Marine and Freshwater Research* **30**, 1–9.
- Wells, R.A. and Scott, M.D. (2009). 'Common bottlenose dolphin *Tursiops truncatus*.' In *Encyclopedia of Marine Mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 249–255. (Academic Press: Amsterdam.)
- Wells, R.S., Tornero, V., Borrell, A., Aguilar, A., Rowles, T.K., Rhinehart, H.L., Hofmann, S., Jarman, W.M., Hohn, A.A. and Sweeney, J.C. (2005). Integrating life-history and reproductive success data to examine potential relationships with organochlorine compounds for bottlenose dolphins (*Tursiops truncatus*) in Sarasota Bay, Florida. *The Science of the Total Environment* **349**, 106–119.
- Welsford, D.C. and Lyle, J.M. (2003). Redbait (*Emmelichthys nitidus*): a synopsis of fishery and biological data. Technical Report Series, TAFI, Hobart.
- Werner, T., Kraus, S., Read, A.A. and Zollett, E. (2006). Fishing techniques to reduce the bycatch of threatened marine animals. *Marine Technology Society Journal* **40**, 50–68.
- Whitehead, H. (2002). Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progress Series* **242**, 295–304.
- Whitehead, H. (2003). *Sperm whales: social evolution in the ocean*. (University of Chicago Press: Chicago.)
- Whitehead, H. (2009). 'Sperm Whale *Physeter macrocephalus*.' In *Encyclopedia of marine mammals*. (Eds W.F. Perrin, B. Würsig and J.G.M. Thewissen.) pp. 1091–1098. (Academic Press: Amsterdam.)
- Whitehead, H., Antunes, R., Gero, S., Wong, S.N., Engelhaupt, D. and Rendell, L. (2012). Multilevel societies of female Sperm Whales (*Physeter macrocephalus*) in the Atlantic and Pacific: why are they so different? *International Journal of Primatology* **33**, 1142–1164.
- Whitehead, P.J. (1985). FAO Species Catalogue. Vol. 7. Clupeoid fishes of the world (suborder Clupeoidei). Annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. FAO Fish. Synop. 125 (7/1):1–303. FAO, Rome.
- Whittington, R.J., Crockford, M., Jordan, D. and Jones, B. (2008). Herpesvirus that caused epizootic mortality in 1995 and 1998 in pilchard, *Sardinops sagax neopilchardus* (Steindachner), in Australia is now endemic. *Journal of Fish Diseases* **31**, 97–105.
- Wickens, P.A. and Sims, P. (1994). Trawling operations and South African (Cape) fur seals. *Marine Fisheries Review* **56**, 1–12.
- Wilkinson, I.S., Burgess, J. and Cawthorn, M. (2003). 'New Zealand sea lions and squid: managing fisheries impacts on a threatened marine mammal.' In *Marine Mammals and Humans: Fisheries, Tourism and Management*. (Eds N.J. Gales, M. Hindell and R. Kirkwood) pp. 192–207. (CSIRO Publications: Hobart.)
- Williams, H. and Pullen, G. (1993). Schooling behaviour of jack mackerel, *Trachurus declivis* (Jenyns), observed in the Tasmanian purse seine fishery. *Marine and Freshwater Research* **44**, 577–587.
- Williams, H., Kirkwood, R., Pullen, G. and Kucerans, G. (1986). 'The Jack Mackerel Purse Seine Fishery in Tasmania, 1985–86.' Tasmanian Department of Sea Fisheries, Taroona.
- Williams, H., Pullen, G., Kucerans, G. and Waterworth, C. (1987). 'The Jack Mackerel Purse Seine Fishery in Tasmania, 1986–87.' Tasmanian Department of Sea Fisheries: Taroona.
- Williams, K. (1981). *Aerial survey of pelagic fish resources off south east Australia 1973–1977*. (CSIRO Division of Fisheries and Oceanography: Hobart.)
- Williams, R., Lusseau, D. and Hammond, P.S. (2006). Estimating relative energetic costs of human disturbance to killer whales (*Orcinus orca*). *Biological Conservation* **133**, 301–311.
- Wisniewski, J., Beheregaray, L.B., Allen, S.J. and Möller, L.M. (2010). Environmental and social influences on the genetic structure of bottlenose dolphins (*Tursiops aduncus*) in southeastern Australia. *Conservation Genetics* **11**, 1405–1419.
- Woinarski, J.C.Z., Burbridge, A.A. and Harrison, P.L. (2014). *The Action Plan for Australian Mammals 2012*. (CSIRO Publishing: Collingwood, Victoria.)
- Wolf, N. and Mangel, M. (2008). Multiple hypothesis testing and the declining -population paradigm in Steller sea lions. *Ecological Applications* **18**, 1932–1955.

- Wolf, N., Melbourne, J. and Mangel, M. (2006). 'The method of multiple hypotheses and the decline of Steller sea lions in western Alaska.' In *Top Predators in Marine Ecosystems*. (Eds I.L. Boyd, S. Wanless and C.J. Camphuysen.) pp. 275–293. (Cambridge University Press: Cambridge.)
- Worm, B., Sandow, M., Oschlies, A., Lotze, H.K. and Myers, R.A. (2005). Global Patterns of Predator Diversity in the Open Oceans. *Science* **309**, 1365–1369.
- Wynen, L.P., Goldsworthy, S.D., Insley, S.J., Adams, M., Bickham, J.W., Francis, J., Gallo, J.P., Hoelzel, A.R., Majluf, P., White, R.W.G. and Slade, R. (2001). Phylogenetic relationships within the eared seals (Otariidae : Carnivora): Implications for the historical biogeography of the family. *Molecular Phylogenetics and Evolution* **21**, 270–284.
- Yardin, M.R., Dixon, P.I., Syahailatua, A., Avramidis, M. (1998). 'Stock discrimination of *Sardinops sagax* in south-eastern Australia.' In 'A collaborative investigation of the usage and stock assessment of baitfish in southern and eastern Australia with special reference to pilchards (*Sardinops sagax*).' (Eds T.M. Ward, M. Kinloch, G. K. Jones and F.J Neira.), FRDC Project No. 1994/024 Final Report. FRDC, Canberra.
- Yearsley, G., Last, P. and Wards, R. (Eds) (1999). *Australian Seafood Handbook*. (CSIRO: Hobart.)
- Young, J.W. and Blaber, S.J.M. (1986). Feeding ecology of three species of midwater fishes associated with the continental slope of eastern Tasmania, Australia. *Marine Biology* **93**, 147–156
- Young, J.W., Bradford, R.W., Lamb, T.D. and Lyne, V.D. (1996). Biomass of zooplankton and micronekton in the southern bluefin tuna fishing grounds off eastern Tasmania, Australia. *Marine Ecology Progress Series* **138**, 1–14.
- Young, J.W., Jordan, A.R., Bobbie, C.M., Johannes, R.M., Haskard, K. and Pullen, G. (1993). Seasonal and interannual variability in krill (*Nyctiphanes australis*) stocks and their relationships to the jack mackerel (*Trachurus declivis*) fishery off eastern Tasmania. *Marine Biology* **116**, 9–18.
- Young, J.W., Lamb, T.D., Le, D., Bradford, R.W. and Whitelaw, A.W. (1997). Feeding ecology and interannual variations in diet of southern bluefin tuna *Thunnus maccoyii*, in relation to coastal and oceanic waters off eastern Tasmania, Australia. *Environmental Biology of Fishes* **50**, 275–291.
- Zeeberg, J., Corten, A. and De Graaf, E. (2006). Bycatch and release of pelagic megafauna in industrial trawler fisheries off Northwest Africa. *Fisheries Research* **78**, 186–195.
- Zeeberg, J., Corten, A., Tjoe-Awie, P., Coca, J. and Hamady, B. (2008). Climate modulates the effects of *Sardinella aurita* fisheries off Northwest Africa. *Fisheries Research* **89**, 65–75.
- Zerbini, A.N., Clapham, P.J. and Wade, P.R. (2010). Assessing plausible rates of population growth in humpback whales from life-history data. *Marine Biology* **157**, 1225–1236.
- Zirbel, K., Balint, P. and Parsons, E.C. (2011). Navy sonar, cetaceans and the US Supreme Court: A review of cetacean mitigation and litigation in the US. *Marine Pollution Bulletin* **63**, 40–48.
- Zollett, E.A. (2009). Bycatch of protected species and other species of concern in US east coast commercial fisheries. *Endangered Species Research* **9**, 49–59.
- Zollett, E.A. and Rosenberg, A.A. (2005). 'A Review of Cetacean Bycatch in Trawl Fisheries.' Literature review prepared for the Northeast Fisheries Science Center.

