



Mung bean residue testing annual datasets 2019–20

National Residue Survey, Department of Agriculture, Water and the Environment

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum residue limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.3	54	0	0
benalaxyl	whole	0.01	not set	54	–	0
bitertanol	whole	0.01	not set	54	–	0
bixafen	whole	0.01	0.01	54	0	0
boscalid	whole	0.01	0.5	54	0	0
bupirimate	whole	0.01	not set	54	–	0
captafol	whole	0.02	not set	54	–	0
captan	whole	0.01	not set	54	–	0
carbendazim	whole	0.01	0.5	54	0	0
carboxin	whole	0.01	not set	54	–	0
chlorothalonil	whole	0.01	3	54	0	0

Mung bean residue testing annual datasets 2019–20

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
cyproconazole	whole	0.01	not set	54	–	0
cyprodinil	whole	0.01	not set	54	–	0
difenoconazole	whole	0.01	not set	54	–	0
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	54	–	0
dithianon	whole	0.01	not set	54	–	0
dodine	whole	0.01	not set	54	–	0
epoxiconazole	whole	0.01	not set	54	–	0
etridiazole	whole	0.01	0.2	54	0	0
fenarimol	whole	0.01	not set	54	–	0
fenbuconazole	whole	0.01	not set	54	–	0
fenhexamid	whole	0.01	not set	54	–	0
fluazinam	whole	0.01	not set	54	–	0
fludioxonil	whole	0.01	0.1	54	0	0
fluquinconazole	whole	0.01	not set	54	–	0
flusilazole	whole	0.01	not set	54	–	0
flutriafol	whole	0.01	0.05	54	0	0
fluxapyroxad	whole	0.01	0.1	54	0	0
hexaconazole	whole	0.01	not set	54	–	0
imazalil	whole	0.01	not set	54	–	0
ipconazole	whole	0.01	not set	54	–	0
iprodione	whole	0.01	not set	54	–	0
isoprothiolane	whole	0.01	not set	54	–	0
kresoxim-methyl	whole	0.01	not set	54	–	0
metalaxyl	whole	0.01	not set	54	–	0
myclobutanil	whole	0.01	not set	54	–	0
oxadixyl	whole	0.01	not set	54	–	0
penconazole	whole	0.01	not set	54	–	0
penflufen	whole	0.01	not set	54	–	0
prochloraz	whole	0.01	not set	54	–	0
procymidone	whole	0.01	not set	54	–	0
propiconazole	whole	0.01	0.3	54	0	0
prothioconazole	whole	0.01	0.7	54	0	0
pyraclostrobin	whole	0.01	not set	54	–	0
pyrimethanil	whole	0.01	not set	54	–	0
quinoxifen	whole	0.01	not set	54	–	0
sedaxane	whole	0.01	not set	54	–	0
spiroxamine	whole	0.01	not set	54	–	0
tebuconazole	whole	0.01	1	54	0	0
thiabendazole	whole	0.01	not set	54	–	0

Table 2 Herbicides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of sample s tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	not set	54	–	0
2,4-D	whole	0.01	0.05	54	0	0
2,4-DB	whole	0.01	not set	54	–	0
aminopyralid	whole	0.01	not set	54	–	0
amitrole	whole	0.01	0.01	8	0	0
atrazine	whole	0.01	not set	54	–	0
bentazone	whole	0.01	0.01	54	0	0
bromacil	whole	0.01	not set	54	–	0
bromoxynil	whole	0.01	not set	54	–	0
butroxydim	whole	0.01	0.01	54	0	0
carfentrazone-ethyl	whole	0.01	not set	54	–	0
chlormequat	whole	0.01	not set	8	–	0
chlorpropham	whole	0.01	not set	54	–	0
chlorsulfuron	whole	0.01	not set	54	–	0
chlorthal-dimethyl	whole	0.01	not set	54	–	0
clethodim (parent only)	whole	0.01	0.1	54	0	0
clodinafop-propargyl	whole	0.01	not set	54	–	0
clopyralid	whole	0.01	not set	54	–	0
cyanazine	whole	0.01	0.01	54	0	0
dicamba	whole	0.01	not set	54	–	0
dichlobenil	whole	0.01	not set	54	–	0
dichlorprop-P	whole	0.01	not set	8	–	0
diclofop-methyl	whole	0.01	not set	8	–	0
diflufenican	whole	0.01	0.05	54	0	0
diquat	whole	0.01	1	8	0	0
diuron	whole	0.01	0.05	54	0	0
ethofumesate	whole	0.01	not set	54	–	0
fenoxaprop-ethyl	whole	0.01	not set	54	–	0
flamprop-M-methyl	whole	0.01	not set	8	–	0
fluazifop-p-butyl	whole	0.01	0.5	8	1	0
flumetsulam	whole	0.01	0.05	54	0	0
flumioxazin	whole	0.01	0.1	54	0	0
fluroxypyr	whole	0.01	not set	54	–	0
glufosinate	whole	0.01	not set	8	–	0
glyphosate	whole	0.01	10	8	1	1
haloxyfop	whole	0.01	0.1	8	3	1
imazamox	whole	0.01	0.05	52	0	0
imazapic	whole	0.01	not set	52	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
imazapyr	whole	0.01	not set	52	–	0
imazaquin	whole	0.01	not set	52	–	0
imazethapyr	whole	0.01	0.1	52	0	0
iodosulfuron-methyl	whole	0.01	not set	54	–	0
ioxynil	whole	0.01	not set	54	–	0
isoxaben	whole	0.01	not set	54	–	0
linuron	whole	0.01	not set	54	–	0
MCPA	whole	0.01	not set	54	–	0
methabenzthiazuron	whole	0.01	not set	54	–	0
metolachlor	whole	0.01	0.01	54	0	0
metosulam	whole	0.01	not set	54	–	0
metribuzin	whole	0.01	0.01	54	0	0
metsulfuron-methyl	whole	0.01	0.2	54	0	0
napropamide	whole	0.01	not set	54	–	0
norflurazon	whole	0.01	not set	54	–	0
oryzalin	whole	0.01	not set	54	–	0
oxyfluorfen	whole	0.01	not set	54	–	0
paraquat	whole	0.01	1	8	0	0
pendimethalin	whole	0.01	0.05	54	0	0
picloram	whole	0.01	not set	54	–	0
propachlor	whole	0.01	not set	54	–	0
propaquizafop	whole	0.01	0.05	8	0	0
propyzamide	whole	0.01	0.01	54	0	0
quizalofop-ethyl	whole	0.01	0.2	8	0	0
quizalofop-P-tefuryl	whole	0.01	0.2	8	0	0
saflufenacil	whole	0.01	0.2	54	0	0
sethoxydim	whole	0.01	0.1	54	0	0
simazine	whole	0.01	not set	54	–	0
terbutryn	whole	0.01	not set	54	–	0
tralkoxydim	whole	0.01	not set	54	–	0
triallate	whole	0.01	0.1	54	0	0
triasulfuron	whole	0.01	not set	54	–	0
triclopyr	whole	0.01	not set	54	–	0

Table 3 Insecticides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	0.002	54	0	0
acephate	whole	0.01	not set	54	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
acetamiprid-P	whole	0.01	not set	54	–	0
aldicarb	whole	0.01	not set	54	–	0
amitraz	whole	0.01	not set	54	–	0
azamethiphos	whole	0.01	not set	54	–	0
azinphos-methyl	whole	0.01	not set	54	–	0
bifenazate	whole	0.01	not set	54	–	0
bifenthrin	whole	0.01	0.02	54	0	0
bioresmethrin	whole	0.01	not set	54	–	0
buprofezin	whole	0.01	not set	54	–	0
cadusafos	whole	0.01	not set	54	–	0
carbaryl	whole	0.01	0.1	54	0	0
carbofuran	whole	0.01	not set	54	0	0
chlorantraniliprole	whole	0.01	0.7	54	0	0
chlorfenapyr	whole	0.01	not set	54	–	0
chlorfenvinphos (sum of isomers)	whole	0.01	not set	54	–	0
chlorpyrifos	whole	0.01	not set	54	–	0
chlorpyrifos-methyl	whole	0.01	0.15	54	0	0
clofentezine	whole	0.01	not set	54	–	0
clothianidin	whole	0.01	0.1	54	0	0
cyfluthrin (sum of isomers)	whole	0.01	0.5	54	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.2	54	0	0
cypermethrin (sum of isomers)	whole	0.01	0.05	54	0	0
deltamethrin	whole	0.01	0.1	54	0	0
diafenthiuron	whole	0.01	not set	54	–	0
diazinon	whole	0.01	0.7	54	0	0
dichlorvos	whole	0.01	0.01	54	0	0
dicofol	whole	0.01	not set	54	–	0
diflubenzuron	whole	0.01	not set	54	–	0
dimethoate	whole	0.01	0.5	54	0	0
disulfoton	whole	0.01	not set	54	0	0
emamectin	whole	0.01	0.01	54	0	0
esfenvalerate	whole	0.01	0.5	54	0	0
ethion	whole	0.01	not set	54	–	0
ethoprophos	whole	0.005	not set	54	–	0
etoxazole	whole	0.01	not set	54	–	0
fenamiphos	whole	0.01	not set	54	–	0
fenbutatin oxide	whole	0.01	not set	54	–	0
fenitrothion	whole	0.01	0.1	54	0	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
fenoxycarb	whole	0.01	not set	54	–	0
fenpyroximate	whole	0.01	not set	54	–	0
fenthion	whole	0.01	not set	54	–	0
fenvalerate (sum of isomers)	whole	0.01	0.5	54	0	0
fipronil	whole	0.002	not set	54	–	0
hexythiazox	whole	0.01	not set	54	–	0
imidacloprid	whole	0.01	not set	54	–	0
indoxacarb	whole	0.01	0.2	54	0	0
malathion (maldison)	whole	0.01	2	54	0	0
methacrifos	whole	0.01	not set	54	–	0
methamidophos	whole	0.01	not set	54	–	0
methidathion	whole	0.01	not set	54	–	0
methiocarb	whole	0.01	not set	54	–	0
methomyl	whole	0.01	1	54	0	0
methoprene	whole	0.01	not set	54	–	0
methoxychlor	whole	0.01	not set	54	–	0
methoxyfenozide	whole	0.01	not set	54	–	0
mevinphos	whole	0.01	not set	54	–	0
monocrotophos	whole	0.01	not set	54	–	0
omethoate	whole	0.01	2	54	0	0
parathion	whole	0.01	not set	54	–	0
parathion-methyl	whole	0.01	not set	54	–	0
permethrin (sum of isomers)	whole	0.01	not set	54	–	1
phenothrin (sum of isomers)	whole	0.01	not set	54	–	0
phorate	whole	0.01	not set	54	–	0
phosmet	whole	0.01	not set	54	–	0
piperonyl butoxide	whole	0.01	8	54	0	0
pirimicarb	whole	0.01	0.02	54	0	0
pirimiphos-methyl	whole	0.01	not set	54	–	0
profenofos	whole	0.01	not set	54	–	0
propargite	whole	0.01	not set	54	–	0
prothiofos	whole	0.01	not set	54	–	0
pymetrozine	whole	0.01	not set	54	–	0
pyrethrins	whole	0.01	1	54	0	0
pyriproxyfen	whole	0.01	not set	54	–	0
spinetoram	whole	0.01	0.01	54	0	0
spinosad	whole	0.01	0.01	54	0	0
spirotetramat	whole	0.01	not set	54	–	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
sulfoxaflor	whole	0.01	not set	54	–	0
tau-fluvalinate	whole	0.01	not set	54	–	0
tebufenozide	whole	0.01	not set	54	–	0
tebufenpyrad	whole	0.01	not set	54	–	0
terbufos	whole	0.01	not set	54	–	0
tetradifon	whole	0.01	not set	54	–	0
thiacloprid	whole	0.01	not set	54	0	0
thiamethoxam	whole	0.01	0.1	54	0	0
thiodicarb	whole	0.01	0.1	54	0	0
triazofos	whole	0.01	not set	54	–	0
trichlorfon	whole	0.01	0.2	54	0	0
triflumuron	whole	0.01	not set	54	–	0

Table 4 Contaminants

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	not set	54	–	0
chlordane	whole	0.01	0.02	54	0	0
DDT	whole	0.01	1	54	0	0
endosulfan	whole	0.01	not set	54	–	0
endrin	whole	0.01	not set	54	–	0
HCB (hexachlorobenzene)	whole	0.01	not set	54	–	0
HCH (BHC)	whole	0.01	not set	54	–	0
heptachlor	whole	0.01	0.05	54	0	0
lindane (gamma-HCH)	whole	0.01	2	54	0	0
mirex	whole	0.01	not set	54	0	0