



Canola residue testing annual datasets

2021-22

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Whole	0.01	not set	752	-	-
chlordanne	Whole	0.01	not set	752	-	-
DDT	Whole	0.01	not set	752	-	-
endosulfan	Whole	0.01	not set	752	-	-
endrin	Whole	0.01	not set	752	-	-
HCB	Whole	0.01	not set	752	-	-
HCH	Whole	0.01	not set	752	-	-
heptachlor	Whole	0.01	not set	752	-	-
lindane (gamma-HCH)	Whole	0.01	0.05	752	0	0
mirex	Whole	0.01	not set	752	-	-

Table 2: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
azoxystrobin	Whole	0.01	0.01	752	0	0



benalaxyl	Whole	0.01	not set	752	-	-
bitertanol	Whole	0.01	not set	752	-	-
bixafen	Whole	0.01	0.01	752	0	0
boscalid	Whole	0.01	0.5	752	0	0
bupirimate	Whole	0.01	not set	752	-	-
captafol	Whole	0.02	not set	752	-	-
captan	Whole	0.01	not set	752	-	-
carbendazim	Whole	0.01	not set	752	-	-
carboxin	Whole	0.01	not set	752	-	-
chlorothalonil	Whole	0.01	not set	752	-	-
cyproconazole	Whole	0.01	0.02	752	0	0
cypredinil	Whole	0.01	not set	752	-	-
difenoconazole	Whole	0.01	not set	752	-	-
dimethomorph	Whole	0.01	not set	752	-	-
dithianon	Whole	0.01	not set	752	-	-
dodine	Whole	0.01	not set	752	-	-
epoxiconazole	Whole	0.01	not set	752	-	-
etridiazole	Whole	0.01	not set	752	-	-
fenarimol	Whole	0.01	not set	752	-	-
fenbuconazole	Whole	0.01	not set	752	-	-
fenhexamid	Whole	0.01	not set	752	-	-
fluazinam	Whole	0.01	not set	752	-	-
fludioxonil	Whole	0.01	0.2	752	0	0
fluquinconazole	Whole	0.01	0.01	752	0	0
flusilazole	Whole	0.01	not set	752	-	-
flutriafol	Whole	0.01	0.07	752	1	0
fluxapyroxad	Whole	0.01	0.2	752	0	0
hexaconazole	Whole	0.01	not set	752	-	-
imazalil	Whole	0.01	not set	752	-	-
ipconazole	Whole	0.01	not set	752	-	-
iprodione	Whole	0.01	0.5	752	0	0
isoprothiolane	Whole	0.01	not set	752	-	-
kresoxim-methyl	Whole	0.01	not set	752	-	-
metalaxyl	Whole	0.01	not set	752	-	-
myclobutanil	Whole	0.01	not set	752	-	-
oxadixyl	Whole	0.01	not set	752	-	-
penconazole	Whole	0.01	not set	752	-	-
penflufen	Whole	0.01	0.01	752	0	0
prochloraz	Whole	0.01	not set	752	-	-



procymidone	Whole	0.01	1	752	0	0
propiconazole	Whole	0.01	not set	752	-	-
prothioconazole	Whole	0.01	0.02	752	0	0
pyraclostrobin	Whole	0.01	not set	752	-	-
pyrimethanil	Whole	0.01	not set	752	-	-
quinoxyfen	Whole	0.01	not set	752	-	-
sedaxane	Whole	0.01	not set	752	-	-
spiroxamine	Whole	0.01	not set	752	-	-
tebuconazole	Whole	0.01	0.3	752	0	0
thiabendazole	Whole	0.01	not set	752	-	-
tolclofos methyl	Whole	0.01	not set	752	-	-
triadimefon	Whole	0.01	not set	752	-	-
triadimenol	Whole	0.01	not set	752	-	-
trifloystrobin	Whole	0.01	0.02	752	0	0
triticonazole	Whole	0.01	not set	752	-	-
vinclozolin	Whole	0.01	not set	752	-	-

Table 3: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
2,2-DPA (2,2-dichloropropionic acid)	Whole	0.01	not set	752	-	-
2,4-D	Whole	0.01	0.05	752	0	0
2,4-DB	Whole	0.01	not set	752	-	-
acifluorfen	Whole	0.01	not set	752	-	-
ametryn	Whole	0.01	not set	752	-	-
aminopyralid	Whole	0.01	not set	752	-	-
amitrole	Whole	0.01	0.01	230	0	0
atrazine	Whole	0.01	0.02	752	0	0
bentazone	Whole	0.01	not set	752	-	-
bicyclopyrone	Whole	0.01	not set	752	-	-
bromacil	Whole	0.01	not set	752	-	-
bromoxynil	Whole	0.01	not set	752	-	-
butroxydim	Whole	0.01	0.01	752	0	0
carfentrazone-ethyl	Whole	0.01	not set	752	-	-
chlormequat	Whole	0.01	not set	230	-	-
chlorpropham	Whole	0.01	not set	752	-	-
chlorsulfuron	Whole	0.01	not set	752	-	-
chlorthal-dimethyl	Whole	0.01	not set	752	-	-



Australian Government

Department of Agriculture,
Fisheries and Forestry

clethodim	Whole	0.01	0.5	752	0	0
clodinafop acid	Whole	0.01	not set	752	-	-
clodinafop-propargyl	Whole	0.01	not set	752	-	-
clomazone	Whole	0.01	0.01	752	0	0
clopyralid	Whole	0.01	0.5	752	0	0
cloquintocet-mexyl	Whole	0.01	not set	752	-	-
cyanazine	Whole	0.01	not set	752	-	-
dicamba	Whole	0.01	not set	752	-	-
dichlobenil	Whole	0.01	not set	752	-	-
dichlorprop-P	Whole	0.01	not set	230	-	-
diclofop-methyl	Whole	0.01	0.1	230	0	0
diflufenican	Whole	0.01	not set	752	-	-
dimethenamid-P	Whole	0.01	0.01	752	0	0
diquat	Whole	0.01	5	230	0	0
diuron	Whole	0.01	0.5	752	0	0
EPTC	Whole	0.01	0.1	752	0	0
ethofumesate	Whole	0.01	not set	752	-	-
fenoxaprop-ethyl	Whole	0.01	not set	752	-	-
flamprop-M-methyl	Whole	0.01	not set	230	-	-
florasulam	Whole	0.01	not set	752	-	-
fluazifop-p-butyl	Whole	0.01	0.5	230	0	0
flumetsulam	Whole	0.01	not set	752	-	-
flumioxazin	Whole	0.01	0.1	752	0	0
fluroxypyr	Whole	0.01	not set	752	-	-
glufosinate	Whole	0.01	0.5	230	0	0
glyphosate	Whole	0.01	20	230	0	0
halauxifen-methyl	Whole	0.01	0.01	752	0	0
halosulfuron-methyl	Whole	0.01	not set	752	-	-
haloxyfop	Whole	0.01	0.1	230	15	0
imazamox	Whole	0.01	0.05	70	0	0
imazapic	Whole	0.01	0.05	70	0	0
imazapyr	Whole	0.01	0.05	70	0	0
imazaquin	Whole	0.01	not set	70	-	-
imazethapyr	Whole	0.01	not set	70	-	-
iodosulfuron-methyl	Whole	0.01	not set	752	-	-
ioxynil	Whole	0.01	not set	752	-	-
isoxaben	Whole	0.01	not set	752	-	-
isoxaflutole	Whole	0.01	not set	752	-	-
linuron	Whole	0.01	not set	752	-	-



Australian Government

Department of Agriculture,
Fisheries and Forestry

MCPA	Whole	0.01	not set	752	-	-
MCPB	Whole	0.01	not set	752	-	-
mefenpyr-diethyl	Whole	0.01	not set	752	-	-
metazachlor	Whole	0.01	0.03	752	0	0
methabenzthiazuron	Whole	0.01	not set	752	-	-
metolachlor	Whole	0.01	0.02	752	0	0
metosulam	Whole	0.01	not set	752	-	-
metribuzin	Whole	0.01	0.02	752	0	0
metsulfuron-methyl	Whole	0.01	not set	752	-	-
napropamide	Whole	0.01	0.01	752	0	0
norflurazon	Whole	0.01	not set	752	-	-
oryzalin	Whole	0.01	0.05	752	0	0
oxyfluorfen	Whole	0.01	not set	752	-	-
paraquat	Whole	0.01	0.05	230	0	0
pendimethalin	Whole	0.01	0.05	752	0	0
picloram	Whole	0.01	not set	752	-	-
picolinafen	Whole	0.01	not set	752	-	-
pinoxaden (parent)	Whole	0.01	not set	752	-	-
prometryn	Whole	0.01	not set	752	-	-
propachlor	Whole	0.01	not set	752	-	-
propaquizafop	Whole	0.01	0.05	230	0	0
propyzamide	Whole	0.01	0.02	752	0	0
prosulfocarb	Whole	0.01	not set	752	-	-
pyraflufen-ethyl	Whole	0.01	not set	752	-	-
pyrasulfotole	Whole	0.01	not set	752	-	-
pyroxasulfone	Whole	0.01	not set	752	-	-
pyroxulam	Whole	0.01	not set	752	-	-
quizalofop-ethyl	Whole	0.01	0.02	230	0	0
quizalofop-P-tefuryl	Whole	0.01	0.02	230	0	0
saflufenacil	Whole	0.01	0.03	752	0	0
sethoxydim	Whole	0.01	0.5	752	0	0
simazine	Whole	0.01	0.02	752	0	0
sulfosulfuron	Whole	0.01	not set	752	-	-
terbutylazine	Whole	0.01	0.02	752	0	0
terbutryn	Whole	0.01	not set	752	-	-
tralkoxydim	Whole	0.01	not set	752	-	-
trallate	Whole	0.01	0.1	752	0	0
triasulfuron	Whole	0.01	not set	752	-	-
tribenuron-methyl	Whole	0.01	0.01	752	0	0



triclopyr	Whole	0.01	not set	752	-	-
trifluralin	Whole	0.01	0.05	752	0	0

Table 4: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
abamectin	Whole	0.01	not set	752	-	-
acephate	Whole	0.01	not set	752	-	-
acetamiprid	Whole	0.01	not set	752	-	-
aldicarb	Whole	0.01	not set	752	-	-
amitraz	Whole	0.01	not set	752	-	-
azamethiphos	Whole	0.01	not set	752	-	-
azinphos-methyl	Whole	0.01	not set	752	-	-
bifenazate	Whole	0.01	not set	752	-	-
bifenthrin	Whole	0.01	0.02	752	0	0
bioresmethrin	Whole	0.01	not set	752	-	-
buprofezin	Whole	0.01	0.01	752	0	0
cadusafos	Whole	0.01	not set	752	-	-
carbaryl	Whole	0.01	0.1	752	0	0
carbofuran	Whole	0.01	not set	752	-	-
chlorantraniliprole	Whole	0.01	0.1	752	0	0
chlorfenapyr	Whole	0.01	not set	752	-	-
chlorfenvinphos	Whole	0.01	not set	752	-	-
chlorpyrifos	Whole	0.01	0.01	752	0	0
chlorpyrifos-methyl	Whole	0.01	0.15	752	0	0
clofentezine	Whole	0.01	not set	752	-	-
clothianidin	Whole	0.01	0.01	752	0	0
cyantraniliprole	Whole	0.01	0.05	752	0	0
cyfluthrin	Whole	0.01	not set	752	-	-
cyhalothrin	Whole	0.01	0.02	752	0	0
cypermethrin	Whole	0.01	0.2	752	0	0
deltamethrin	Whole	0.01	0.1	752	0	0
diafenthuron	Whole	0.01	0.01	752	0	0
diazinon	Whole	0.01	not set	752	-	-
dichlorvos	Whole	0.01	0.01	752	0	0
dicofol	Whole	0.01	not set	752	-	-
diflubenzuron	Whole	0.01	not set	752	-	-
dimethoate	Whole	0.01	0.2	752	0	0
disulfoton	Whole	0.01	not set	752	-	-



emamectin	Whole	0.01	0.01	752	0	0
ethion	Whole	0.01	not set	752	-	-
ethoprophos	Whole	0.005	not set	752	-	-
etoxazole	Whole	0.01	not set	752	-	-
fenamiphos	Whole	0.01	not set	752	-	-
fenbutatin oxide	Whole	0.01	not set	752	-	-
fenitrothion	Whole	0.01	0.1	752	0	0
fenoxy carb	Whole	0.01	not set	752	-	-
fenpyroximate	Whole	0.01	not set	752	-	-
fenthion	Whole	0.01	not set	752	-	-
fenvaletrate	Whole	0.01	0.5	752	0	0
fipronil	Whole	0.002	0.01	752	0	0
flonicamid	Whole	0.01	0.5	752	0	0
hexythiazox	Whole	0.01	not set	752	-	-
imidacloprid	Whole	0.01	0.05	752	1	0
indoxacarb	Whole	0.01	not set	752	-	-
malathion	Whole	0.01	10	752	0	0
methacrifos	Whole	0.01	not set	752	-	-
methamidophos	Whole	0.01	not set	752	-	-
methidathion	Whole	0.01	not set	752	-	-
methiocarb	Whole	0.01	not set	752	-	-
methomyl	Whole	0.01	0.5	752	0	0
methoprene	Whole	0.01	not set	752	-	-
methoxychlor	Whole	0.01	not set	752	-	-
methoxyfenozide	Whole	0.01	not set	752	-	-
mevinphos	Whole	0.01	not set	752	-	-
monocrotophos	Whole	0.01	not set	752	-	-
omethoate	Whole	0.01	0.05	752	0	0
parathion	Whole	0.01	not set	752	-	-
parathion-methyl	Whole	0.01	not set	752	-	-
permethrin	Whole	0.01	0.2	752	0	0
phenothrin	Whole	0.01	not set	752	-	-
phorate	Whole	0.01	not set	752	-	-
phosmet	Whole	0.01	not set	752	-	-
piperonyl butoxide	Whole	0.01	8	752	0	0
pirimicarb	Whole	0.01	0.2	752	0	0
pirimiphos-methyl	Whole	0.01	not set	752	-	-
profenofos	Whole	0.01	not set	752	-	-
propargite	Whole	0.01	not set	752	-	-



prothiofos	Whole	0.01	not set	752	-	-
pymetrozine	Whole	0.01	not set	752	-	-
pyrethrins	Whole	0.01	1	752	0	0
pyriproxyfen	Whole	0.01	not set	752	-	-
spinetoram	Whole	0.01	0.01	752	0	0
spinosad	Whole	0.01	not set	752	-	-
spirotetramat	Whole	0.01	not set	752	-	-
sulfoxaflor	Whole	0.01	0.01	752	0	0
tau-fluvalinate	Whole	0.01	not set	752	-	-
tebufenozide	Whole	0.01	not set	752	-	-
tebufenpyrad	Whole	0.01	not set	752	-	-
terbufos	Whole	0.01	not set	752	-	-
tetradifon	Whole	0.01	not set	752	-	-
thiacloprid	Whole	0.01	not set	752	-	-
thiamethoxam	Whole	0.01	0.01	752	0	0
thiodicarb	Whole	0.01	not set	752	-	-
triazofos	Whole	0.01	not set	752	-	-
trichlorfon	Whole	0.01	0.1	752	0	0
triflumuron	Whole	0.01	not set	752	-	-

Table 5: PHYSIOLOGICAL MODIFIER

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>½MRL to ≤MRL	>MRL
trinexapac-ethyl	Whole	0.01	not set	752	-	-