



Spatchcock residue testing annual datasets 2018–19

National Residue Survey, Department of Agriculture

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Antibiotics

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
amoxicillin	liver	0.01	0.01	1	0	0	0
ampicillin	liver	0.01	not set	1	0	0	0
apramycin	liver	0.05	1	1	0	0	0
avilamycin	liver	0.05	0.05	1	0	0	0
benzyl G penicillin	liver	0.01	not set	1	0	0	0
ceftiofur (desfuroylceftiofur)	liver	0.1	not set	1	0	0	0
cefuroxime	liver	0.05	not set	1	0	0	0
cephalonium	liver	0.05	not set	1	0	0	0
chlortetracycline	liver	0.01	0.6	1	0	0	0
cloxacillin	liver	0.01	not set	1	0	0	0
dihydrostreptomycin	liver	0.1	not set	1	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
doxycycline	liver	0.01	not set	1	0	0	0
erythromycin	liver	0.05	0.3	1	0	0	0
gentamycin	liver	0.05	not set	1	0	0	0
lincomycin	liver	0.05	0.1	1	0	0	0
neomycin	liver	0.05	0.5	1	0	0	0
oleandomycin	liver	0.05	not set	1	0	0	0
oxytetracycline	liver	0.01	0.6	1	0	0	0
streptomycin	liver	0.1	not set	1	0	0	0
sulfachloropyridazine	liver	0.02	not set	1	0	0	0
sulfadiazine	liver	0.01	0.1	1	0	0	0
sulfadimethoxine	liver	0.02	not set	1	0	0	0
sulfadimidine (sulfamethazine)	liver	0.01	0.1	1	0	0	0
sulfadoxine	liver	0.02	not set	1	0	0	0
sulfafurazole	liver	0.02	not set	1	0	0	0
sulfamerazine	liver	0.02	not set	1	0	0	0
sulfamethoxazole	liver	0.02	not set	1	0	0	0
sulfamethoxydiazine (sulfameter)	liver	0.02	not set	1	0	0	0
sulfamethoxypyridazine	liver	0.02	not set	1	0	0	0
sulfapyridine	liver	0.02	not set	1	0	0	0
sulfaquinoxaline	liver	0.02	0.1	1	0	0	0
sulfathiazole	liver	0.02	not set	1	0	0	0
sulfatroxazole	liver	0.02	not set	1	0	0	0
tetracycline	liver	0.01	not set	1	0	0	0
tilmicosin	liver	0.05	not set	1	0	0	0
trimethoprim	liver	0.01	not set	1	0	0	0
tulathromycin	liver	0.1	not set	1	0	0	0
tylosin	liver	0.1	0.2	1	0	0	0
virginiamycin	liver	0.05	0.2	1	0	0	0

Table 2 Anticoccidials

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
amprolium	liver	0.01	1	1	0	0	0
decoquinate	liver	0.002	not set	1	0	0	1
diclazuril	liver	0.01	not set	1	0	0	0
halofuginone	liver	0.01	not set	1	0	0	0
lasalocid	liver	0.01	0.4	1	1	0	0
maduramicin	liver	0.002	1	1	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
monensin	liver	0.01	0.5	1	0	0	0
narasin	liver	0.01	0.1	1	0	0	0
nicarbazin (4,4'-dinitrocarbanilide)	liver	0.01	35	1	1	0	0
salinomycin	liver	0.002	0.5	1	0	0	0
semduramycin	liver	0.002	0.5	1	0	0	0
toltrazuril	liver	0.01	not set	1	0	0	0

Table 3 Contaminants

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	fat	0.02	not set	2	0	0	0
aroachlor 1254	fat	0.03	not set	2	0	0	0
aroachlor 1260	fat	0.03	not set	2	0	0	0
chlordane	fat	0.02	not set	2	0	0	0
DDT	fat	0.05	5	2	0	0	0
endosulfan	fat	0.02	not set	2	0	0	0
endrin	fat	0.01	not set	2	0	0	0
HCB (hexachlorobenzene)	fat	0.02	1	2	0	0	0
HCH (BHC)	fat	0.02	0.3	2	0	0	0
heptachlor	fat	0.02	not set	2	0	0	0
lindane (gamma-HCH)	fat	0.01	0.7	2	0	0	0
mirex	fat	0.02	not set	2	0	0	0
pentachlorobenzene	fat	0.02	not set	2	0	0	0

Table 4 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
amisulbrom	fat	0.01	not set	2	0	0	0
bixafen	fat	0.02	not set	2	0	0	0
boscalid	fat	0.01	0.5	2	0	0	0
carbendazim	fat	0.01	0.1	2	0	0	0
cyproconazole	fat	0.02	0.01	2	0	0	0
difenoconazole	fat	0.01	not set	2	0	0	0
fludioxonil	fat	0.01	not set	2	0	0	0
fluopicolide	fat	0.01	not set	2	0	0	0
fluopyram-A	fat	0.01	not set	2	0	0	0
fluquinconazole	fat	0.01	0.02	2	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
flutriafol	fat	0.02	0.05	2	0	0	0
fluxapyroxad	fat	0.01	0.01	2	0	0	0
imazalil	fat	0.01	not set	2	0	0	0
mandestrobin	fat	0.01	not set	2	0	0	0
procymidone	fat	0.02	0.1	2	0	0	0
propamocarb	fat	0.01	not set	2	0	0	0
propiconazole	fat	0.02	0.1	2	0	0	0
prothioconazole	fat	0.02	0.05	2	0	0	0
pyrimethanil	fat	0.01	not set	2	0	0	0
pyriofenone	fat	0.01	not set	2	0	0	0
quinoxifen	fat	0.01	not set	2	0	0	0
quintozene	fat	0.02	0.1	2	0	0	0
tebuconazole	fat	0.01	not set	2	0	0	0
trifloxystrobin	fat	0.01	not set	2	0	0	0

Table 5 Herbicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
cloquintocet	fat	0.01	not set	2	0	0	0
ethofumesate	fat	0.02	not set	2	0	0	0
indaziflam	fat	0.01	not set	2	0	0	0
metazachlor	fat	0.01	not set	2	0	0	0
metolachlor	fat	0.02	0.01	2	0	0	0
propachlor	fat	0.02	0.02	2	0	0	0
pyrasulfotole	fat	0.01	0.01	2	0	0	0
pyroxsulam	fat	0.01	not set	2	0	0	0
saflufenacil-A	fat	0.01	not set	2	0	0	0

Table 6 Insecticides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
acetamiprid-A	fat	0.01	not set	2	0	0	0
bifenthrin	fat	0.02	0.05	2	0	0	0
bioresmethrin	fat	0.02	not set	2	0	0	0
carbaryl	fat	0.01	0.02	2	0	0	0
chlorantraniliprole	fat	0.01	0.01	2	0	0	0
chlorfenapyr	fat	0.02	0.01	2	0	0	0
chlorfenvinphos	fat	0.02	not set	2	0	0	0
chlorpyrifos	fat	0.02	0.1	2	0	0	0

Spatchcock residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
chlorpyrifos-methyl	fat	0.02	0.05	2	0	0	0
clothianidin	fat	0.01	not set	2	0	0	0
coumaphos	fat	0.02	not set	2	0	0	0
cyantraniliprole	fat	0.01	not set	2	0	0	0
cyfluthrin	fat	0.02	0.01	2	0	0	0
cyhalothrin	fat	0.02	0.02	2	0	0	0
cypermethrin	fat	0.02	0.05	2	0	0	0
deltamethrin	fat	0.02	0.01	2	0	0	0
diafenthiuron	fat	0.01	not set	2	0	0	0
diazinon	fat	0.02	0.05	2	0	0	0
dichlorvos	fat	0.02	0.01	2	0	0	0
dicofol	fat	0.01	not set	2	0	0	0
dimethoate	fat	0.02	0.05	2	0	0	0
dinotefuran	fat	0.03	not set	2	0	0	0
esfenvalerate	fat	0.02	0.05	2	0	0	0
ethion	fat	0.02	not set	2	0	0	0
famphur	fat	0.02	not set	2	0	0	0
fenitrothion	fat	0.02	0.05	2	0	0	0
fenthion	fat	0.02	not set	2	0	0	0
fenvalerate	fat	0.02	0.05	2	0	0	0
fipronil	fat	0.02	0.02	2	0	0	0
flonicamid-A	fat	0.01	not set	2	0	0	0
flubendiamide	fat	0.01	0.01	2	0	0	0
flumethrin	fat	0.02	not set	2	0	0	0
imidacloprid	fat	0.01	0.02	2	0	0	0
indoxacarb	fat	0.02	0.01	2	0	0	0
malathion (maldison)	fat	0.01	1	2	0	0	0
metaflumizone	fat	0.01	not set	2	0	0	0
methidathion	fat	0.02	0.05	2	0	0	0
methoxychlor	fat	0.02	not set	2	0	0	0
mevinphos	fat	0.01	not set	2	0	0	0
omethoate	fat	0.02	not set	2	0	0	0
parathion-methyl	fat	0.02	not set	2	0	0	0
permethrin	fat	0.02	0.1	2	0	0	0
phosmet	fat	0.02	not set	2	0	0	0
pirimiphos-methyl	fat	0.02	0.05	2	0	0	0
prothiofos	fat	0.01	not set	2	0	0	0
pyraclofos	fat	0.02	not set	2	0	0	0
spirotetramat	fat	0.01	0.02	2	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
sulfoxaflor	fat	0.01	not set	2	0	0	0
tau-fluvalinate	fat	0.01	not set	2	0	0	0
temephos	fat	0.02	not set	2	0	0	0