

## References

- Abell DL 1961. The role of drainage analysis in biological work on streams. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 14, 533–37.
- Alikunhi KH & Rao SN 1951. Notes on the metamorphosis of *Elops saurus* (Linn.) and *Megalops cyprinoides* (Broussonet) with observations on their growth. *Journal of the Zoological Society of India* 3, 99–109.
- Allen GR 1973. Nature's sharpshooters. *Tropical Fish Hobbyist* 21, 18–27.
- Allen GR 1975. A biological survey of the Prince Regent River Reserve, north-west Kimberley, Western Australia. Part VIII, Freshwater fishes. *Wildlife Research Bulletin* (WA) 3, 89–96.
- Allen GR 1978a. The rainbow fishes of northwestern Australia (Family Melanotaeniidae). *Tropical Fish Hobbyist* 26, 91–102.
- Allen GR 1978b. A review of the archerfishes (Family Toxotidae). *Records of the Western Australian Museum* 6, 355–378.
- Allen GR 1980. A generic classification of the rainbowfishes (Family Melanotaeniidae). *Records of the Western Australian Museum* 8, 449–490.
- Allen GR 1991. *Field guide to the freshwater fishes of New Guinea*. Christensen Research Institute, publication 9, Madang, Papua New Guinea.
- Allen GR & Burgess WE 1990. A review of the glassfishes (Chandidae) of Australia and New Guinea. *Records of the Western Australian Museum Supplement* No. 34, 139–206.
- ANPWS 1980. Kakadu National Park plan of management. Australian National Parks and Wildlife Service, Canberra.
- Arthington AH & Pusey BJ 1994. Essential flow requirements for river fish communities. In *Proceedings of the Environmental Flows Seminar*. Australian Water and Waste Water Association Incorporated, Artarmon NSW, Australia.
- Auty EH 1978. Reproductive behaviour and early development of the empirefish *Hypseleotris compressus* (Eleotridae). *Australian Journal of Marine and Freshwater Research* 29, 585–97.
- Ball JN 1961. On the food of the brown trout of Llyn Tegid. *Proceedings of the Zoological Society of London* 137, 599–622.
- Bancroft TL 1923. Some further observations on the Dawson River barramundi, *Scleropages leichardti*. *Proceedings of the Royal Society of Queensland* 28, 46–47.
- Bangalore IS, Panchanan N & Virender J 1978. Role of the circadian and circannual rhythms in the regulation of ovarian cysts in fishes: a catfish model. In *Comparative endocrinology*, eds PJ Gaillard & HN Boer, Biomedical Press, Amsterdam.
- Barlow CG, Hogan AE & Rodgers LJ 1987. Implication of translocated fishes in the apparent extinction of the Lake Eacham rainbowfish, *Melanotaenia eachamensis*. *Australian Journal of Marine and Freshwater Research* 38, 897–902.
- Bass AJ, D'Aubrey JD & Kistnasamy N 1973. *Sharks of the east coast of southern Africa. I. The genus Carcharhinus* (Carcharhinidae). South Africa Association for Marine

Biological Research, Oceanographic Research Institute, Investigational Report Nos. 37 & 38, Durban.

- Bayly IAE & Williams WD 1973. *Inland waters and their ecology*. Longman, Melbourne.
- Berra TM, Moore R & Reynolds LF 1975. The freshwater fishes of the Laloki River system of New Guinea. *Copeia* 2, 316–26.
- Beumer JP 1976. The fishes of a tropical river with emphasis on the spangled perch, *Therapon unicolor* (Gunther 1859) and the east Queensland rainbowfish, *Nematocentris splendida* Peters, 1866. PhD thesis, James Cook University of North Queensland, Townsville.
- Beumer JP 1979a. Temperature and salinity tolerance of the spangled perch *Therapon unicolor* (Gunther 1859) and east Queensland rainbowfish *Nematocentris splendida* Peters, 1866. *Proceedings of the Royal Society of Queensland* 90, 85–91.
- Beumer JP 1979b. Reproductive cycles of two Australian freshwater fishes: the spangled perch, *Therapon unicolor* (Gunther 1859) and the east Queensland rainbow fish, *Nematocentris splendida* Peters, 1866. *Journal of Fish Biology* 15, 111–134.
- Bhiuyan AS & Haque S 1984. Cannibalistic food habit of *Glossogobius giuris* (Hamilton-Buchanan) in relation to its size and sex. *Bangladesh Journal of Zoology* 12, 111–113.
- Bigelow HG & Schroeder WD 1948. Sharks. In *Fishes of the Western North Atlantic. Memoir: Sears Foundation for Marine Research*, Yale University, New Haven, 1(1), 59–576.
- Bishop KA 1979. Fish and aquatic macroinvertebrate communities of a coastal river (Shoalhaven River, New South Wales) during the development of a water diversion scheme. MSc Thesis, Macquarie University, Sydney.
- Bishop KA 1980. Fish kills in relation to physical and chemical changes in Magela Creek (East Alligator Rivers system, Northern Territory) at the beginning of the tropical Wet season. *Australian Zoologist* 20, 484–500.
- Bishop KA 1987. Dynamics of the freshwater fish communities of the Alligator Rivers Region, tropical northern Australia. PhD Thesis, Macquarie University, Sydney, Australia.
- Bishop KA 1993. Coffs Harbour water supply augmentation EIS, aquatic studies – freshwater fishes, stage one – data collection. Study undertaken for Mitchell McCotter Associates, Sydney, on behalf of the Department of Public Works and the Coffs Harbour City Council.
- Bishop KA 1994. An investigation into likely factors contributing to the October 1994 fish kill in the Middle Fly River, Papua New Guinea. Report prepared for Ok Tedi Mining Limited, Environment Department (Contract OTML 344).
- Bishop KA 1999. Characterisation of fish communities and habitats within the upper arms of the Richmond River estuary, NSW, with emphasis on the potential effects of altered salinity structure as arising from freshwater extraction in the upper estuary. Report to the Water Research Laboratory for the NSW Department of Land and Water Conservation.
- Bishop KA & Forbes MA 1991. Freshwater fishes of northern Australia. In *Monsoonal Australia: Landscape, ecology and man in the northern lowlands*, eds Haynes C, Ridpath M & Williams M, AA Balkema, Rotterdam, 79–107.

- Bishop KA, Allen SA, Pollard DA & Cook MG 1986. *Ecological studies on the freshwater fishes of the Alligator Rivers Region, Northern Territory. Volume I Outline of the study, summary, conclusions and recommendations*. Research report 4 (i), Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Bishop KA, Allen SA, Pollard DA & Cook MG 1990. *Ecological studies on the freshwater fishes of the Alligator Rivers Region, Northern Territory. Volume II Synecology*. Research report 4 (ii), Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Bishop KA, Pidgeon RWJ & Walden DJ 1995. Studies on fish movement dynamics in a tropical floodplain river: Prerequisites for a procedure to monitor the impacts of mining. *Australian Journal of Ecology* 20, 81–107.
- Blegvad H & Loppenthin B 1944. *Fishes of the Iranian Gulf*. Danish Scientific Investigations in Iran (series editors K Jessen & S Ragnar), Part 3, E Munksgaard, Copenhagen.
- Boeseman M 1964. Notes on the fishes of Western New Guinea III. The freshwater shark of Jamoer Lake. *Zoologische Mededelingen* 40, 9–22.
- Bond CE 1979. *Biology of fishes*. Saunders College Publishing, Philadelphia.
- Branstetter S & Stiles R 1987. Age and growth estimates of the bull shark, *Carcharhinus leucas*, from the northern Gulf of Mexico. *Environmental Biology of Fishes* 20, 169–181.
- Breder CM & Rosen DE 1966. *Modes of reproduction in fishes*. Natural History Press, New York.
- Briggs IC 1980. Family Clupeidae. Herrings. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 48–50.
- Burke J 1991. Temperature tolerance in juvenile barramundi, *Lates calcarifer*, from widely separated regions in Queensland. *Australian Society for Fish Biology Newsletter*, Abstract only, December 1991.
- Cannon LRG Some larval ascaridoids from south-east Queensland marine fishes. *International Journal of Parasitology* 7, 233–43.
- Catano S & Garzon-Ferreira, J 1994. Ecologia trofica del sabalo *Megalops atlanticus* (Pisces: Megalopidae) en el area de Cienaga Grande de Santa Marta, Caribe colombiano. *Revista de Biología Tropical* 42 (3), 673–684.
- Chako PI 1949. Food and feeding habits of the fishes of the Gulf of Manaar. *Proceedings of the Indian Academy of Science* 298, 83–97.
- Chaverri DC 1994. Ecologia basica y alimentacion del sabalo *Megalops atlanticus* (Pisces: Megalopidae). *Revista de Biología Tropical* 42, 225–232.
- Christian CS & Aldrick JM 1977. *A review report of the Alligator Rivers Region environmental fact finding studies*. Australian Government Publishing Service, Canberra.
- Christidis L & Boles WE 1994. *The taxonomy and species of birds of Australia and its territories*. Royal Australasian Ornithologists Union, Monograph 2, Hawthorn, Victoria.
- Chubb CF, Hutchins JB, Lenanton RCJ & Potter IC 1979. An annotated checklist of the fishes of the Swan–Avon River system, Western Australia. *Records of the Western Australian Museum* 8, 1–55.

- Clark F & Von Schmidt K 1965. Sharks of the central Gulf coast of Florida. *Bulletin of Marine Science* 15, 13–83.
- Clark RB 1978. Sub-lethal effects of pollution. *Marine Pollution Bulletin* 9, 223–24.
- Cleary RE & Greenbank J 1954. An analysis of techniques used in estimating fish populations in streams, with particular reference to large non-trout streams. *Journal of Wildlife Management* 18, 461–77.
- Coad BW & Papahn F 1988. Shark attacks in the rivers of southern Iran. *Environmental Biology of Fishes* 23, 131–134.
- Coates D 1987. Observations on the biology of tarpon, *Megalops cyprinoides* (Broussonet) (Pisces: Megalopidae), in the Sepik River, northern Papua New Guinea. *Australian Journal of Marine and Freshwater Research* 38, 529–535.
- Coates D 1988. Length-dependent changes in egg size and fecundity in females and brooded embryo size in males, of fork-tailed catfishes (Pisces: Ariidae) from the Sepik River, Papua New Guinea, with some implications for stock assessments. *Journal of Fish Biology* 33, 455–464.
- Coates D 1990. Aspects of the biology of the perchlet *Ambassis interrupta* (Bleeker) (Pisces: Ambassidae) in the Sepik River, Papua New Guinea. *Australian Journal of Marine and Freshwater Research* 41, 267–74.
- Coates D 1991. Biology of fork-tailed catfishes from the Sepik River, Papua New Guinea. *Environmental Biology of Fishes* 31, 55–74.
- Coates D 1992. Biology of *Oxyeleotris heterodon* and its major prey, *Ophieleotris aporos*, two floodplain sleepers Pisces: Eleotrididae of the Sepik River fishery, northern Papua New Guinea. *Environmental Biology of Fishes* 34, 51–64.
- Coulter EJ 1955. Barramundi Report. *Fisheries Newsletter (Australia)* 14, 9.
- Crabtree RE 1995. Relationship between lunar phase and spawning activity of tarpon, *Megalops atlanticus*, with notes on the distribution of larvae. *Bulletin of Marine Science* 56, 895–899.
- Crabtree RE, Cyr EC & Dean JM 1995. Age and growth of tarpon, *Megalops atlanticus*, from south Florida waters. *US National Marine Fisheries Service Bulletin* 93 (4), 619–628.
- Crowley LELM & Ivantsoff W 1982. Reproduction and early stages of development of Australian rainbow fishes, *Melanotaenia nigrans* (Richardson) and *Melanotaenia splendida inornata* (Castelnau). *Australian Zoologist* 21 (1), 85–95.
- Dames & Moore International 1979. Noranda, Koongarra project, draft environmental impact statement. Noranda Australia Ltd, Melbourne.
- Darlington PJ 1957. *Zoogeography: The geographical distribution of animals*. John Wiley & Sons, New York.
- Davis CC 1972. The effects of pollutants on the reproduction of marine organisms. In *Marine pollution and sea life*. FAO Technical Conference on Marine Pollution and its Effects on Living Resources and Fisheries, Rome 1970, Fishing News (Books), Surrey, 305–11.
- Davis TLO 1977a. Age determination and growth of the freshwater catfish, *Tandanus tandanus* (Mitchell) in the Gwydir River, Australia. *Australian Journal of Marine and Freshwater Research* 28, 119–137.

- Davis TLO 1977b. Reproductive biology of the freshwater catfish, *Tandanus tandanus* (Mitchell) in the Gwydir River, Australia, II. Gonadal cycle and fecundity. *Australian Journal of Marine and Freshwater Research* 28, 159–169.
- Davis TLO 1977c. Food habits of the freshwater catfish, *Tandanus tandanus* (Mitchell) in the Gwydir River, Australia, and effects associated with impoundment of this river by the Copeton Dam. *Australian Journal of Marine and Freshwater Research* 28, 455–465.
- Davis TLO 1982. Maturity and sexuality in barramundi, *Lates calcarifer* (Bloch), in the Northern Territory and south-eastern Gulf of Carpentaria. *Australian Journal of Marine and Freshwater Research* 33, 529–45.
- Davis TLO 1985a. The food of barramundi, *Lates calcarifer* (Bloch) in coastal and inland waters of Van Diemen Gulf and Gulf of Carpentaria Australia. *Journal of Fish Biology* 26, 669–82.
- Davis TLO 1985b. Seasonal changes in gonad maturity and the abundance of larvae and early juveniles of barramundi, *Lates calcarifer* (Bloch) in Van Diemen Gulf and the Gulf of Carpentaria. *Australian Journal of Marine and Freshwater Research* 36, 177–90.
- Davis TLO & Kirkwood GP 1984. Age and growth studies on barramundi, *Lates calcarifer* (Bloch), in northern Australia. *Australian Journal of Marine and Freshwater Research* 35, 673–89.
- Davy DR 1975. *Rum Jungle environmental studies*. Report E365, Australian Atomic Energy Commission, Sydney.
- Davy DR & Conway NT 1974. Environment studies, Northern Territory uranium province, 1971–1973. Report III in PJF Newton (ed), *The Alligator Rivers area fact finding study*, Four AAEC reports, Report E305, Australian Atomic Energy Commission. AAEC, Sydney.
- Dunstan DJ 1959. *The barramundi of Queensland waters*. Technical paper 5, CSIRO Division of Fisheries and Oceanography, Cronulla.
- Dunstan DJ 1962. The barramundi in New Guinea waters. *Papua Agricultural Journal* 15, 23–31.
- Fisher GB 1955. The Australian rainbowfish – *Melanotaenia maccullochi*. *The Aquarium* (Philadelphia) 24, 75–76.
- Fox RW, Kelleher GG & Kerr CB 1977. *Ranger Uranium Environmental Inquiry, Second Report*. Australian Government Publishing Service, Canberra.
- Fryer G 1959. The trophic interrelationship and ecology of some littoral communities of Lake Nyasa with special reference to fishes, and a discussion of the evolution of a group of rock-frequenting cichlidae. *Proceedings of the Zoological Society of London* 132, 153–281.
- Fryer G & Illes TD 1972. *The Cichlid fishes of the great lakes of Africa*. Oliver & Boyd, London.
- Galloway RW 1976. Geomorphology of the Alligator Rivers area, in Lands of the Alligator Rivers area, Northern Territory. Land Research Series No. 38. CSIRO, Melbourne.
- Gee JH & Gee PA 1991. Reactions of gobioid fishes to hypoxia: buoyancy control and surface respiration. *Copeia* 1991, 17–18.

- Geevarghese C & John PA 1984. Effect of certain environmental and intrinsic factors on the oxygen uptake of a benthic gobiid fish, *Glossogobius giuris* (Hamilton-Buchanan). *GEOBios* 11, 3–7.
- Gehrke PC 1988a. Influence of gut morphology, sensory cues and hunger on feeding behaviour of spangled perch, *Leiopotherapon unicolor* (Gunther 1859), (Percoidei, Teraponidae). *Journal of Fish Biology* 33, 189–201.
- Gehrke PC 1988b. Feeding energetics and angling catches of spangled perch, *Leiopotherapon unicolor* (Gunther 1859), (Percoidei, Teraponidae). *Australian Journal of Marine and Freshwater Research* 39, 569–77.
- Gehrke PC 1988c. Response surface analysis of teleost cardio-respiratory responses to temperature and dissolved oxygen. *Comparative Biochemistry and Physiology* 89a, 587–92.
- Gehrke PC & Fielder DR 1988. Effects of temperature and dissolved oxygen on heart rate, ventilation rate and oxygen consumption of spangled perch, *Leiopotherapon unicolor* (Gunther 1859), (Percoidei, Teraponidae). *Journal of Comparative Physiology* 157, 771–82.
- Gerzeli G, Gervaso MV & De Stefano GF 1969. Aspetti della ghiandola rettale della regolazione osmotica in Selaci marine e d'acqua dolce. *Bollettino Di Zoologia* 36, 399–400.
- Ghasemzadeh J 1998. Phylogeny and systematics of Indo-Pacific mullets (Teleostei: Mugilidae) with special reference to the mullets of Australia. PhD thesis, School of Biological Sciences, Macquarie University, Sydney.
- Gill T 1909. The archer-fish and its feats. *Smithsonian Miscellaneous Collection* 52, 277–286.
- Gosh TK & Konar SK 1992. Effect of sugar mill complex effluent on fish growth and reproduction. *Environment and Ecology* 10, 794–803.
- Grant EM 1978. *Guide to fishes*. Queensland Government Printer, Brisbane.
- Grant TR & Bishop KA 1998. Instream flow requirements for the platypus *Ornithorhynchus anatinus*: A review. *Australian Mammalogy* 20, 265–278.
- Griffin RK 1987. Life history, distribution, and seasonal migration of barramundi in the Daly River, Northern Territory, Australia. In *Common strategies of anadromous and catadromous fishes: Proceedings of an international symposium*, Boston, Massachusetts, USA, 9–13 March 1986, eds MJ Dadswell, RJ Klauda, CM Moffitt, RL Saunders; RA Rulifson & JE Cooper, American Fisheries Society Symposium Series, vol 1, Bethesda, MD, 358–363.
- Griffin RK 1993. An assessment of the barramundi and saratoga population of Yellow Waters Billabong, Kakadu National Park, September 1993. Unpublished report to Australian Nature Conservation Agency, Darwin.
- Griffin RK 1994. Radiotracking studies of barramundi (sea bass), *Lates calcarifer*, in the Mary River, Northern Territory, Australia. In *The third Asian fisheries forum: Proceedings of the third Asian fisheries forum*, 26–30 October 1992, Singapore, eds Chou LM, Munro AD, Lam TJ, Chen TW, Cheong LKK, Ding JK, Hooi KK, Khoo HW, Phang VPE, Shim KF & Tan CH, Asian Fisheries Society, Manila, Philippines, 472–5.

- Griffin RK 1995. An assessment of the barramundi and saratoga population of Yellow Waters Billabong, Kakadu National Park, October 1995. Unpublished report to Australian Nature Conservation Agency, Darwin.
- Griffin RK 1997. An assessment of the barramundi and saratoga population of Yellow Waters Billabong, Kakadu National Park, September 1996. Unpublished report to Australian Nature Conservation Agency, Darwin.
- Griffin RK 1998. An assessment of the barramundi and saratoga population of Yellow Waters Billabong, Kakadu National Park, September 1997. Unpublished report to Australian Nature Conservation Agency, Darwin.
- Haines AK 1979. An ecological survey of fish of the lower Purari river system, Papua New Guinea. In *Purari River (Wabo). Hydroelectric Scheme, Environmental Studies*, Office of Environment and Conservation, Waigani and Department of Minerals and Energy, Konedobu report 6, 102pp.
- Hart BT & McGregor RJ 1978. *Limnological survey of eight billabongs in the Magela Creek catchment*. Technical report 9, Caulfield Institute of Technology, Water Studies Centre.
- Hart BT & McGregor RJ 1982. *Water quality characteristics of eight billabongs in the Magela Creek catchment*. Research report 2, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Heath AA & Partners 1978. Vegetation studies of the Ranger Uranium Project Area, Jabiru, Northern Territory. Report prepared for Ranger Uranium Mines Pty Ltd, October 1978.
- Herbert B & Peeters J 1995. *Freshwater fishes of far northern Queensland*. Queensland Department of Primary Industries; QI95018.
- Herbert BW, Peeters JA, Graham PA & Hogan AE 1995. *Freshwater fish and aquatic habitat survey of Cape York Peninsula*. Cape York Peninsula Land Use Strategy, Office of the Co-ordinator General of Queensland, Brisbane, Department of the Environment, Sport and Territories, Canberra, Queensland Department of Primary Industries, Brisbane.
- Hill BJ & Grey DL 1979. *Barramundi Lates calcarifer. Summary of the workshop convened in Darwin, 4–6 September*. Technical Report 1, Fisheries Division, NT Department of Primary Production.
- Hoese DF & Larson HK 1980. Family Gobiidae. Gobies. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 186–192.
- Hoese DF, Larson HK & Llewellyn LC 1980. Family Eleotridae. Gudgeons. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 167–185.
- Hogan AE 1994. Factors affecting sooty grunter *Hephaestus fuliginosus* (Macleay) reproduction in streams and impoundments in north-eastern Queensland. MSc qualifying project, James Cook University, Townsville, Queensland.
- Hogan A & Graham P 1994. Tully–Murray floodplain fish distributions and fish habitat. Interim report to the consultants, Tully–Murray Sugar Industry Infrastructure Package, by the Freshwater Fisheries and Aquaculture Centre, DPI, Walkamin, Queensland.
- Hogan AE & Nicholson JC 1987. Sperm motility of sooty grunter, *Hephaestus fuliginosus* (Macleay) and jungle perch, *Kuhlia rupestris* (Lacepede), in different salinities. *Australian Journal of Marine and Freshwater Research* 38, 523–528.

- Holdway DA 1991. Mining in tropical freshwater environment: laboratory studies. *Australian Biologist* 4, 228–236.
- Hopson AJ 1972. *A study of the Nile perch in Lake Chad*. Overseas Research Publication 19, HMSO, London.
- Hortle KG 1988. Sexual dimorphism in the Papuan freshwater longtom *Strongylura krefftii* (Gunther) (Pisces: Belontiidae). *Fishes of Sahul* 4, 182–187.
- Howe E 1987. Breeding behaviour, egg surface morphology and embryonic development in four Australian species of the genus *Pseudomugil* (Pisces: Melanotaeniidae). *Australian Journal of Marine and Freshwater Research* 38, 885–95.
- Hubbs CL 1943. Terminology of early stages of fishes. *Copeia* 4, 260.
- Hutchison MJ 1992. Probable spawning site of the freshwater cobbler *Tandanus bostocki* located in the Murray River Western Australia. *Western Australian Naturalist* 19 (1), 25–30.
- Hynes HBN 1970. *The ecology of running water*. University Press, Liverpool.
- Ivantsoff W 1980. Family Atherinidae. Silversides or hardyheads. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 132–137.
- Ivantsoff W, Crowley LELM, Howe E & Semple G 1988. *Biology and early development of eight fish species from the Alligator Rivers Region*. Technical memorandum 22, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Ivantsoff W & Glover LJM 1974. *Craterocephalus dalhousiensis* n. sp., a sexually dimorphic freshwater teleost (Atherinidae) from South Australia. *Australian Zoologist* 18, 88–98.
- Jackson PD 1975. Bionomics of brown trout (*Salmo trutta* Linnaeus, 1758) in a Victorian stream with notes on interactions with native fishes. PhD thesis, Monash University.
- Jadhav PG & Patil ST 1984. A study on the condition factor of a freshwater fish *Glossogobius giuris* (Hamilton-Buchanan). *Marathwada University Journal of Science, Section B Biological Sciences* 23, 85–89.
- Jeffree RA & Williams NJ 1975. Biological indications of pollution of the Finniss River system, especially fish diversity and abundance. In *Rum Jungle Environmental Studies*, ed DR Davy, Report E365, Australian Atomic Energy Commission, Sydney.
- Kailola P 1990. The catfish family Ariidae (Teleostei) in New Guinea and Australia: Relationships, systematics and zoogeography. PhD thesis, University of Adelaide, Adelaide.
- Kan TT & Taniuchi T 1991. Occurrence of the bull shark, *Carcharhinus leucas*, in the Sepik River, Papua New Guinea. *Science in New Guinea* 17, 3–6.
- Keenan CP 1994. Recent evolution of population structure in Australian barramundi, *Lates calcarifer* (Bloch): An example of isolation by distance in one dimension. *Australian Journal of Marine and Freshwater Research* 45, 1123–1145.
- Knoppel MA 1970. Food of the Central Amazonian fishes. *Amazoniana* 2, 257–352.
- Konagai M & Rimmer MA 1985. Larval ontogeny and morphology of the fire-tailed gudgeon, *Hypseleotris galii* (Eleotridae). *Journal of Fish Biology* 27, 277–283.



- Kowarsky J & Ross AH 1981. Fish movement upstream through a central Queensland (Fitzroy River) coastal fishway. *Australian Journal of Marine and Freshwater Research* 32 (1), 93–109.
- Kramer DL 1978. Reproductive seasonality in the fishes of a tropical stream. *Ecology* 59, 976–85.
- Kulkarni CV 1992. Recent observations on the longevity of *Megalops cyprinoides* (Broussonet). *Journal of the Bombay Natural History Society* 89, 384.
- Kyle JH, Tinkerame J & Haei P 1986. Concentrations of zinc, copper, lead and cadmium in three species of fish from the Ok Tedi Region. *Science in New Guinea* 12, 150–156.
- Lachner EA 1956. The changing fish fauna of the Upper Ohio Basin. In *Man and the waters of the upper Ohio basin* (symposium). Pymatuning Laboratory of Field Biology, University of Pittsburgh, special publication no 1, Pittsburgh, 64–78.
- Lake JS 1966. *Freshwater fish of the Murray-Darling system*. Research Bulletin No. 7, NSW State Fisheries, Sydney.
- Lake JS 1967. Rearing experiments with five species of Australian freshwater fishes. I. Inducement to spawning. *Australian Journal of Marine and Freshwater Research* 18, 137–153.
- Lake JS 1971. *Freshwater fishes and rivers of Australia*. Nelson, Sydney.
- Lake JS 1978. *Australian freshwater fishes. An illustrated field guide*. Nelson, Melbourne.
- Lake JS & Midgley SH 1970a. Reproduction of freshwater Ariidae in Australia. *Australian Journal of Science* 32, 441.
- Lake JS & Midgley SH 1970b. Australian Osteoglossidae (Teleostei). *Australian Journal of Science* 32, 442–443.
- Larimore RW, Childers WF & Heckrotte C 1959. Destruction and re-establishment of stream fish and invertebrates affected by drought. *Transactions of the American Fisheries Society* 88, 261–85.
- Larson HK 2000. Threatened fish profiles: Northern Speartooth Shark *Glyphis* sp C. ASFB Newsletter 30 (1), July 2000.
- Larson HK & Martin KC 1989. *Freshwater fishes of the Northern Territory*. NT Museum Handbook Series no 1, Northern Territory Museum of Arts and Sciences, Darwin.
- Last PR & Stevens JD 1994. *Sharks and rays of Australia*. CSIRO, Australia.
- Lawler KL & Hero JM 1997. Palatability of *Bufo marinus* tadpoles to a predator decreases with development. *Wildlife Research* 24, 327–334.
- Ley JA, Montague CL & McIvor CC 1994. Food habits of mangrove fishes: A comparison along estuarine gradients in northeastern Florida Bay. *Bulletin of Marine Science* 54, 881–899.
- Llewellyn LC 1971. Breeding studies on the freshwater forage fish of the Murray-Darling river system. *Fisherman (NSW)* 3 (13), 1–12.
- Llewellyn LC 1973. Spawning development and temperature tolerance of the spangled perch, *Madigania unicolor* (Gunther) from inland waters in Australia. *Australian Journal of Marine and Freshwater Research* 24, 73–94.

- Llewellyn LC 1979. Some observations on the spawning and development of the Mitchellian freshwater hardyhead *Craterocephalus fluviatilis* (McCulloch) from inland waters in NSW. *Australian Zoologist* 20, 269–288.
- Llewellyn LC 1980. Family Ambassidae. Chanda perches, etc. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 140–141.
- Lowe-McConnell RH 1963. The fishes of the Rupununi Savanna district of British Guiana. Pt 1 Groupings of fish species and effects of the seasonal cycles on fish. *Journal of the Linnaean Society of London. Zoology* 45, 103–44.
- Lowe-McConnell RH 1975. *Fish communities in tropical freshwaters*. Longman, New York.
- Marchant R 1980. The macroinvertebrates of Magela Creek, Northern Territory. Report to the Office of the Supervising Scientist, University of Adelaide.
- Marchant R 1982. *The macroinvertebrates of Magela Creek, Northern Territory*. Research report 1, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Marlier G 1967. Ecological studies on some lakes of the Amazon valley. *Amazoniana* 1, 91–115.
- Martin TJ & Blaber SJM 1983. The feeding ecology of Ambassidae (Osteichthyes: Perciformes) in Natal estuaries. *South African Journal of Zoology* 18 (4), 353–362.
- Martin TJ & Blaber SJM 1984. Morphology and histology of the alimentary tracts of Ambassidae (Cuvier) (Teleostei) in relation to feeding. *Journal of Morphology* 182, 295–305.
- Matthes H 1964. Les poissons du lac Tumba et de la region d'Ikela: Etude systematique et ecologique. *Annales de la Musée Royal de l'Afrique Centrale (Tervuren). Sciences Zoologiques* 126, 1–204.
- Mees GF & Kailola PJ 1977. The freshwater Theraponidae of New Guinea. *Zoologische Verhandlungen* 153, 1–89.
- Mehta R, Mehta HS & Devi K 1990. Structure and shape of mouth in some gobioid fishes. *Environment and Ecology* 8, 668–671.
- Merrick J 1974. Preliminary systematic studies of the fishes included in the genera *Bidyanus* and *Madigania* (Teleostei: Theraponidae). Report for Hydrobiology Course, University of Sydney.
- Merrick J 1980. Family Theraponidae. Freshwater grunters or perches. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 150–152.
- Merrick JR & Green LC 1982. Pond culture of the spotted barramundi, *Scleropages leichardti* (Pisces: Osteoglossidae). *Aquaculture* 29, 171–176.
- Merrick JR & Midgley SH 1981. Spawning behaviour of the freshwater catfish *Tandanus tandanus* (Plotosidae). *Australian Journal of Marine and Freshwater Research* 32, 1003–6.
- Merrick JR & Midgley SH 1982. Techniques for collecting and culturing eggs of two sleepy cod species in the genus *Oxyeleotris* Perciformes (Eleotridae). *Bulletin of the Australian Society of Limnology* 8, 27–30.
- Merrick JR & Schmida GE 1984. *Australian freshwater fish, biology and management*. Griffin Press, Netley, South Australia.

- Merrick JR, Midgley SH & Rimmer MA 1983. Preliminary studies on growth of two spotted barramundi species, *Scleropages leichardti* and *S. jardini* (Pisces: Osteoglossidae). *Aquaculture* 32, 195–199.
- Midgley SH 1973. *Alligator Rivers Region Environmental fact finding study: Freshwater fish inventory and associated habitat information. Project 4*, Department of the Northern Territory (Fisheries), Darwin, NT.
- Midgley SH 1980. Report on fish breedings program conducted at the Alligator Rivers Region Research Institute, Jabiru, Northern Territory, during the period 7 November 1979 to 1 March 1980. Unpublished report to the Office of the Supervising Scientist.
- Midgley SH 1983. Report on fish breeding program conducted at Alligator Rivers Region Research Institute, Jabiru NT, during the period 7 November 1979 to 1 March 1980. Open file record 9, Supervising Scientist for the Alligator Rivers Region, Canberra. Unpublished paper.
- Milton DA & Arthington AH 1983. Reproduction and growth of *Craterocephalus majoriae* and *C. stercusmuscarum* (Pisces: Atherinidae) in south-eastern Queensland, Australia. *Freshwater Biology* 13, 589–597.
- Milton DA & Arthington AH 1984. Reproductive strategy and growth of the Crimson-spotted rainbowfish, *Melanotaenia splendida fluviatilis* (Castelnau) (Pisces: Melanotaeniidae) in south-eastern Queensland. *Australian Journal of Marine and Freshwater Research* 35, 75–83.
- Milton DA & Arthington AH 1985. Reproductive strategy and growth of the Australian smelt, *Retropinna semoni* (Weber) (Pisces: Retropinnidae), and the Olive perchlet, *Ambassis nigripinnis* (De Vis) (Pisces: Ambassidae) in Brisbane, south-eastern Queensland. *Australian Journal of Marine and Freshwater Research* 36, 329–41.
- Moore R 1979. Natural sex inversion in the giant perch (*Lates calcarifer*). *Australian Journal of Marine and Freshwater Research* 30, 803–13.
- Moore R 1982. Spawning and early life history of barramundi, *Lates calcarifer* (Bloch), in Papua New Guinea. *Australian Journal of Marine and Freshwater Research* 33, 647–61.
- Moore R & Reynolds LF 1982. Migration patterns of barramundi, *Lates calcarifer* (Bloch) in Papua New Guinea. *Australian Journal of Marine and Freshwater Research* 33, 671–82.
- Morisawa M 1968. *Streams: their dynamics and morphology*. McGraw-Hill, New York.
- Morrissy NM 1971. Synopsis on the biology of *Lates calcarifer* (Bloch). Advisory Committee on Imports of Live Food and Sport Fish. Department of Fisheries and Fauna, WA.
- Morrissy NM, Reynolds LF & McCarraher DE 1973. Draft synopsis on the biology of *Lates calcarifer* (Bloch). Advisory Committee on Imports of Live Food and Sport fish. Department of Fisheries and Fauna, WA.
- Munro ISR 1980. Family Melanotaeniidae. Rainbowfishes. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 129–131.
- Nikolski GV 1963. *The ecology of fishes*. Academic Press, London.
- Northcote TG 1978. Migration strategies and production in freshwater fishes. In *Ecology of freshwater fish production*. ed SD Gerking, Blackwell Scientific, London, 326–60.

- Oguri M 1964. Rectal glands of marine and freshwater sharks: comparative history. *Science* 144, 1151–52.
- Orr TM & Milward NE 1984. Reproduction and development of *Neosilurus ater* (Perugia) and *Neosilurus hyrtlii* (Steindachner) (Teleostei: Plotosidae) in a tropical Queensland stream. *Australian Journal of Marine and Freshwater Research* 35, 187–95.
- Peet RK 1974. The measurement of species diversity. *Annual Review of Ecology and Systematics* 5, 285–307.
- Pender PJ & Griffin RK 1996. Habitat history of barramundi *Lates calcarifer* in a northern Australian river system based on barium and strontium levels in scales. *Transactions of the American Fisheries Society* 125 (5), 679–689.
- Peters RH 1983. *The ecological implications of body size*. Cambridge University Press, Cambridge.
- Petr T 1974. Distribution, abundance and food of commercial fish in the Black Volta and the Volta man-made lake in Ghana during the filling period (1964–68). II. Characidae. *Hydrobiologia* 45, 303–37.
- Petr T 1975. On some factors associated with the initial high fish catches in new African man-made lakes. *Archiv für Hydrobiologie* 75, 32–49.
- Pollard DA 1972. The biology of a landlocked form of the normally catadromous salmoniform fish *Galaxias maculatus* (Jenyns). III. Structure of the gonads. *Australian Journal of Marine and Freshwater Research* 23, 17–38.
- Pollard DA 1973. The biology of a landlocked form of the normally catadromous salmoniform fish *Galaxias maculatus* (Jenyns). V. Composition of the diet. *Australian Journal of Marine and Freshwater Research* 24, 281–95.
- Pollard DA 1974. The freshwater fishes of the Alligator Rivers ‘Uranium Province’ area (Top End, Northern Territory) with particular reference to the Magela Creek catchment (East Alligator River System), Report 1. In *Alligator Rivers area fact finding study, four AAEC Reports*, ed PJF Newtown, Report E305, Australian Atomic Energy Commission, Sydney.
- Pollard DA 1980. Family Megalopidae. Oxeye herring. In *Freshwater fishes of south-eastern Australia*, ed RM McDowall, Reed, Sydney, 53–54.
- Pollard DA & Bishop KA 1978. Alligator Rivers freshwater fish ecology study: Pilot survey report to the Office of the Supervising Scientist (unpublished).
- Pollard DA & Hannan JC 1994. The effects of structural flood mitigation works on fish habitats and fish communities in the lower Clarence River system of south-eastern Australia. *Estuaries* 17, 427–461.
- Pollard DA, Llewellyn LC & Tilzey RDJ 1980. Management of freshwater fish and fisheries. In *An ecological basis for water resources management*, ed WD Williams, Australian National University Press, Canberra, 225–67.
- Puckeridge JT & Walker KF 1990. Reproductive biology and larval development of a gizzard shad, *Nematalosa erebi* (Gunther) (Dorosomatinae: Teleostei), in the river Murray, South Australia. *Australian Journal of Marine and Freshwater Research* 41, 695–712.

- Pusey BJ & Kennard MJ 1996. Species richness and geographic variation in assemblage structure of freshwater fish fauna of the Wet Tropics Region of northern Queensland. *Marine and Freshwater Research* 47, 563–573.
- Pusey BJ, Arthington AH & Read MG 1995a. Species richness and spatial variation in fish assemblage structure in two rivers of the Wet Tropics of northern Queensland, Australia. *Environmental Biology of Fishes* 42, 181–199.
- Pusey BJ, Read MG & Arthington AH 1995b. The feeding ecology of freshwater fishes in two rivers of the Australian wet tropics. *Environmental Biology of Fishes* 43, 85–103.
- Rao NGS 1964. On the distribution of larvae, post-larvae and juveniles of fishes in the Mahanadi estuary. *Indian Journal of Fisheries* 11, 407–22.
- Reynolds LF 1978. Population dynamics of barramundi (*Lates calcarifer*) in Papua New Guinea. MSc Thesis, University of Papua New Guinea, Port Moresby.
- Reynolds LF & Moore R 1982. Growth rates of barramundi, *Lates calcarifer* (Bloch), in Papua New Guinea. *Australian Journal of Marine and Freshwater Research* 33, 663–70.
- Riek EF 1946. Studies on the freshwater fauna of Queensland. MSc thesis, University of Queensland.
- Rimmer MA 1985a. Growth, feeding and condition of fork-tailed catfish *Arius graeffei* (Kner & Steindacher) (Pisces: Ariidae) from the Clarence River, New South Wales. *Australian Journal of Marine and Freshwater Research* 36, 33–9.
- Rimmer MA 1985b. Reproductive cycle of the fork-tailed catfish *Arius graeffei* (Kner & Steindacher) (Pisces: Ariidae) from the Clarence River, New South Wales. *Australian Journal of Marine and Freshwater Research* 36, 23–32.
- Rimmer MA 1985c. Early development and buccal incubation in the fork-tailed catfish *Arius graeffei* (Kner & Steindacher) (Pisces: Ariidae) from the Clarence River, New South Wales. *Australian Journal of Marine and Freshwater Research* 36, 405–11.
- Rimmer MA & Midgley SH 1985. Techniques for hatching eggs and rearing larvae of Australian mouthbrooding catfishes, *Arius graeffei* and *Arius leptaspis* (Ariidae). *Aquaculture* 44, 333–337.
- Ringuelet RA, Atamburu RM & Alonso de Arumbura A 1967. Los peces Argentinos de agua dulce. Comision de Investigation Cientifica, BA, La Plata.
- Rippon GD, leGras CAA, Hyne RV & Cusbert PJ 1992. *Toxic effects of cyanide on aquatic animals of the Alligator Rivers Region*. Technical memorandum 39, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Roberts TR 1972. Ecology of fishes in the Amazon and Congo basins. *Bulletin of the Museum of Comparative Zoology Harvard* 143, 117–47.
- Roberts TR 1978. *An ichthyological survey of the Fly River in Papua New Guinea with descriptions of new species*. Smithsonian Contribution to Zoology, no 281.
- Robertson CH & Baidam G 1983. Fishes of the Ok Tedi area with notes on five common species. *Science in New Guinea* 10, 16–25.
- Rosen DE & Greenwood PH 1976. A fourth neotropical species of synbranchid eel and the phylogeny and systematics of synbranchiform fishes. *American Museum Journal of Natural History* 157 (1), 1–69.

- Ruello NV 1976. Observations on some massive fish kills in Lake Eyre. *Australian Journal of Marine and Freshwater Research* 27, 667–72.
- Russell DJ 1987. Review of juvenile barramundi (*Lates calcarifer*) wildstocks in Australia. *Australian Centre for International Agricultural Research Proceedings* 20, 44–49.
- Russell DJ & Garrett RN 1983. Use by barramundi, *Lates calcarifer* (Bloch), and other fishes of temporary supralittoral habitats in a tropical estuary in northern Australia. *Australian Journal of Marine Research* 34, 805–11.
- Russell DJ & Garrett RN 1985. Early life history of *L. calcarifer* (Bloch), in north-eastern Queensland, *Australian Journal of Marine Research* 36, 191–201.
- Russell DJ & Garrett RN 1988. Movements of juvenile barramundi, *Lates calcarifer* (Bloch), in north-eastern Queensland, *Australian Journal of Marine Research* 39, 117–123.
- Sanderson N 1979. Some aspects of the ecology and biology of fish species in two selected habitats in the Magela Creek catchment. Unpublished paper presented at the 6th Annual Australian Society for Fish Biology Conference, Port Stephens, 17–20 August 1979.
- Santos U De M 1973. Beobachten über Wasserbewegungen, Chemische Schichtung und Fischwanderungen in Varzea – seen am Mittleren Solimoes (Amazonas). *Oecologia (Berl.)* 13, 291–303.
- Schlaifer A 1941. Additional social and physiological aspects of the respiratory behaviour in small tarpon. *Zoologica* 26, 55–60.
- Semple GP 1985. Reproductive behaviour and development of the glassperchlet, *Ambassis agrammus* Gunther (Pisces: Ambassidae), from the Alligator Rivers system, Northern Territory. *Australian Journal of Marine and Freshwater Research* 36, 797–805.
- Semple GP 1986. Reproductive behaviour and early development of the Drysdale hardyhead, *Craterocephalus* sp. nov (Pisces: Atherinidae), from the Alligator Rivers system, Northern Territory, Australia. *Journal of Fish Biology* 29, 499–506.
- Shaklee JB & Salini JP 1985. Genetic variation and population subdivision in Australian barramundi, *Lates calcarifer* (Bloch). *Australian Journal of Marine and Freshwater Research* 36, 203–18.
- Singh ON & Datta Munshi JS 1985. Seasonal variations in the food and feeding habits of a freshwater goby, *Glossogobius giuris* (Hamilton-Buchanan). *Biological Bulletin of India* 7, 25–30.
- Smith AK & Pollard DA 1996. The best available information – some case studies from NSW, Australia, of conservation-related management responses which impact recreational fishers. *Marine Policy* 20, 261–267.
- Smith HM 1936. The archerfish. *Natural History* 38, 3–11.
- Smith HM 1945. *The freshwater fishes of Siam, or Thailand*. Bulletin of the United States National Museum, No. 188, Washington DC.
- Smith REW 1998. *Review of the biology of the Ok Tedi/Fly River system*. Report to Ok Tedi Mining Limited by R&D Environmental Pty Ltd, Indooroopilly, Australia.
- Snelson FF, Mulligan TJ & Williams SE 1984. Food habits, occurrence, and population structure of the bull shark, *Carcharhinus leucas*, in Florida coastal lagoons. *Bulletin of Marine Science* 34, 71–80.

- Springer S 1960. Natural history of the sandbar shark *Eulamia milberti*. *United States Fish and Wildlife Service, Fishery Bulletin* 178, 1–38.
- State Pollution Control Commission NSW 1981. *The ecology of fish in Botany Bay*. Technical report BBS 23, SPCC, Sydney.
- Story R, Williams MAJ, Hooper ADL, O'R Ferrall RE & McAlpine JR 1969. *Lands of the Adelaide-Alligator Area, Northern Territory*. Land Research Series, No. 25, CSIRO, Melbourne.
- Stuart IG 1997. Assessment of a modified vertical-slot fishway, Fitzroy River, Queensland. Queensland DPI, Agdex 486/75, October 1997.
- Supervising Scientist for the Alligator Rivers Region 1979. *First Annual Report, 1978–79*. Australian Government Publishing Service, Canberra.
- Tabb D & Jones A 1962. Effect of Hurricane Donna on the aquatic fauna of North Florida Bay. *Transactions of the American Fisheries Society* 91, 375–78.
- Tait RD 1979. Some aspects of the biology of the forktail catfish (*Hexanematichthys leptaspis*) in the Magela Creek, NT. Unpublished paper presented at the 6th Annual Australian Society for Fish Biology Conference, Port Stephens, 17–20 August 1979.
- Tanaka S 1991. Age estimation of freshwater sawfish and sharks in Northern Australia and Papua New Guinea. *University Museum University of Tokyo Nature and Culture* 3, 71–82.
- Taylor JA 1979. The foods and feeding of subadult *Crocodylus porosus* (Schneider) in Northern Australia. *Australian Wildlife Research* 6 (3), 347–59.
- Taylor WR 1964. Fishes of Arnhem Land. In *Records of the American-Australian Scientific Expedition to Arnhem Land, Vol. IV; Zoology*. Melbourne University Press, Melbourne, 45–308.
- Thorson TB 1971. Movement of bull sharks, *Carcharhinus leucas*, between the Caribbean Sea and Lake Nicaragua demonstrated by tagging. *Copeia* (1971), 336–38.
- Thorson TB & Gerst 1972. Comparison of some parameters of serum and uterine fluid of pregnant, viviparous sharks *Carcharhinus leucas* and serum of their near-term young. *Comparative Biochemistry & Physiology* 42, 33–40.
- Thorson TB & Lacy EJ 1982. Age, growth rate and longevity of *Carcharhinus leucas* estimated from tagging and vertebral rings. *Copeia* 1982, 110–116.
- Thorson TB, Watson DE & Cowan DM 1966. The status of the freshwater shark of Lake Nicaragua. *Copeia* (1966), 385–402.
- Townsend SA, Boland KT & Wrigley TJ 1992. Factors contributing to a fish kill in the Australian wet/dry tropics. *Water Research* 26, 1039–1044.
- Underwood AJ 1997. *Experiments in ecology, their logical design and interpretation using analysis of variance*. Cambridge University Press, Cambridge, UK.
- van Someren VD 1963. The migration of fish in a small Kenyan river. *Revue Zool. But. Afr* 66, 375–393.
- van Zweiten PA 1995. Biology of the cardinal fish *Glossamia gjellerupi* (Perciformes: Apogonodae) from the Sepik River basin, Papua New Guinea. *Environmental Biology of Fishes* 42, 161–179.

- Vari RP & Hutchins JB 1978. New species of *Terapon* perches (Percoidei, Teraponidae) from Australia. *American Museum Novitates*, 2654, 1–8.
- Vari RP 1978. The *Terapon* perches (Percoidei, Teraponidae). A cladistic analysis and taxonomic revision. *Bulletin of the American Museum of Natural History* 159, 175–340.
- Wade RA 1962. The biology of the tarpon (*Megalops atlanticus*) and the oxeve (*Megalops cyprinoides*) with emphasis on larval development. *Bulletin of Marine Science of the Gulf and Caribbean* 12, 545–672.
- Wade RA & Robbins CR 1962. *The tarpon and its sports fishery: a review of our knowledge and outline of the problem*. University of Miami, School of Marine and Atmospheric Science, Miami, Florida.
- Walker TD & Tyler PA 1979. A limnological survey of the Magela Creek system, Alligator Rivers Region, Northern Territory. Second interim report to the Supervising Scientist for the Alligator Rivers Region (unpublished).
- Walters C 1986. *Adaptive management of renewable resources*. MacMillan, New York.
- Ward PJ 1982. The causes of mortality in pool dwelling *Craterocephalus* sp. (Pisces: Atherinidae) in Magela Creek, Northern Territory during the ‘dry’ season. MSc preliminary course, University of New England, Armidale.
- Weatherley AH & Roger SC 1978. Some aspects of age and growth. In *Ecology of freshwater fish production*, ed SD Gerking, Blackwell Scientific, London, 52–74.
- Weber M & deBeaufort LF 1936. *The Fishes of the Indo-Australian Archipelago*. EJ Brill, Leiden, vol. 7.
- Weihs D 1981. Voluntary swimming speeds of two species of large carcharhinid sharks. *Copeia* 1981, 219–222.
- Welcomme RL 1969. The biology and ecology of the fishes of a small tropical stream. *Journal of Zoology London* 158, 485–529.
- Welcomme RL 1974. A brief review of the floodplain fisheries of Africa. *African Journal of Tropical Hydrobiology and Fisheries* (Special issue) 1, 67–76.
- Welcomme RL 1975. *The fisheries ecology of African floodplains*. Committee for Inland Fisheries of Africa technical paper 3, Food and Agriculture Organization, United Nations, Rome.
- Welcomme RL 1995. Relationships between fisheries and the integrity of riverine systems. *Regulated Rivers: Research and Management* 11, 121–36.
- Wells RMG, Baldwin J, Seymour RS & Weber RE 1997. Blood oxygen transport and haemoglobin function in three tropical fish species from northern Australian freshwater billabongs. *Fish Physiology and Biochemistry* 16, 247–258.
- Whitehead MD 1985. Ecology of the purple-spotted gudgeon, *Mogurnda adspersa* (Castelnau) (Pisces: Eleotridae), in a tropical upland rainforest stream. BSc Hons Thesis, James Cook University, North Queensland.
- Whitehead PJP 1979. The river fisheries of Kenya. 1. Nyanza Province. *East Africa Agriculture and Forestry Journal* 24, 274–8.
- Whitfield AK & Blaber JM 1979. Predation on striped mullet (*Mugil cephalus*) by *Crocodylus niloticus* at St Lucia, South Africa. *Copeia* 1979, 266–9.



- Whitley GP 1947. The fluvifaunulae of Australia with particular reference to freshwater fishes in Western Australia. *Western Australian Naturalist* 1, 49–53.
- Whitley GP 1959. The barramundi, north Australia's finest food fish. *Australian Museum Magazine* 13, 55–58.
- Whitton BA (ed) 1975. *River ecology*. Blackwell Scientific Publications, London.
- Williams AR 1979. Vegetation and stream pattern as indicators of water movement on the Magela floodplain, Northern Territory. *Australian Journal of Ecology* 4, 239–47.
- Williams MD & Williams WD 1991. Salinity tolerances of four species of fish from the Murray-Darling River system. *Hydrobiologia* 210, 145–160.
- Williams WD 1968. *Australian freshwater life: the invertebrates of Australian inland waters*. Sun Books, Melbourne.
- Williams WD 1971. Man-made lakes and the changing limnological environment in Australia, in *Man-made lakes: Their problems and environmental effects*. eds WC Ackermann, GF White & EB Worthington, Geophysical Monograph 17, American Geophysical Union, Washington.
- Winberg GG 1956. *Rate of metabolism and food requirements of fishes: New information on metabolic rate in fishes*. Nauchnye trudy Belorusskogo gos. universiteta. (Fisheries Research Board of Canada. Translation Series no 194, 1960, Nanaimo BC).
- Wise BS, Potter IC & Wallace JH 1994. Growth, movements and diet of the terapontid *Amniataba caudavittata* in an Australian estuary. *Journal of Fish Biology* 45, 917–931.
- Zar JH 1974. *Biostatistical analysis*. Prentice Hall, New Jersey.
- Zaret TM & Rand AS 1971. Competition in tropical stream fishes: Support for the competitive exclusion principle. *Ecology* 52, 336–42.
- Zolotnisky NF 1902. Le poisson archer (*Toxotes jaculator*) en aquarium. *Archives de Zoologie Experimentale et Generale* 10, 80–84.