

A field key to the trees and
shrubs in the Jabiru area



K Brennan



Australian Government

**Department of the Environment, Water, Heritage and the Arts
Supervising Scientist**

It is SSD policy for reports in the SSR series to be reviewed as part of the publications process.
This Supervising Scientist Report has been formally refereed by an external independent expert.

K Brennan – NT Department of Natural Resources, Environment and the Arts, PO Box 496,
Palmerston NT 0831, Australia

This report should be cited as follows:

Brennan K 2007. A field key to the trees and shrubs in the Jabiru area. Supervising Scientist
Report 187, Supervising Scientist, Darwin NT.

**The Supervising Scientist is part of the Australian Government Department of the
Environment, Water, Heritage and the Arts.**

© Commonwealth of Australia 2007

Supervising Scientist
Department of the Environment, Water, Heritage and the Arts
GPO Box 461, Darwin NT 0801 Australia

ISSN 1325-1554

ISBN-13: 978-1-921069-01-7

ISBN-10: 1-921069-01-5

This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part
may be reproduced by any process without prior written permission from the Supervising
Scientist. Requests and inquiries concerning reproduction and rights should be addressed to
Publications Inquiries, *Supervising Scientist*, GPO Box 461, Darwin NT 0801.

e-mail: publications_ssd@environment.gov.au

Internet: www.environment.gov.au/ssd (www.environment.gov.au/ssd/publications)

The views and opinions expressed in this report do not necessarily reflect those of the
Commonwealth of Australia. While reasonable efforts have been made to ensure that the
contents of this report are factually correct, some essential data rely on the references cited and
the Supervising Scientist and the Commonwealth of Australia do not accept responsibility for
the accuracy, currency or completeness of the contents of this report, and shall not be liable for
any loss or damage that may be occasioned directly or indirectly through the use of, or reliance
on, the report. Readers should exercise their own skill and judgment with respect to their use of
the material contained in this report.

Printed and bound in Darwin by uniprint NT

Contents

Acknowledgments	v
1 Introduction	1
2 The Jabiru area	1
3 Getting started	2
3.1 The equipment you'll need	2
3.2 Selecting the best plant	2
3.3 The concepts, characters and terms you'll need to know	2
3.3.1 Trees, shrubs and palms	2
3.3.2 Trunk, branches, branchlets and twigs	3
3.3.3 Plant habit: refers to the general posture of a tree or shrub	4
3.3.4 Bark: is the protective skin on the stems of trees and shrubs	4
3.3.5 Leaves: are the photosynthetic organs of a plant	4
3.3.6 Blades (of simple leaves or leaflets)	6
3.3.7 Petiole: is the stalk of a leaf	7
3.3.8 Leaf (or leaflet) arrangement: is the way leaves are located along a branchlet (or way leaflets are located along a rachis or pinna)	7
3.3.9 Leaf veins	8
3.3.10 Leaf shapes	9
3.3.11 Leaf bases	11
3.3.12 Leaf margins	11
3.3.13 Leaf smell	12
3.3.14 Leaf glands	12
3.3.15 Stipules and stipels	13
3.3.16 Hairs and scales	14
3.3.17 Spines, thorns and prickles	15
3.3.18 Sap and latex	15
3.4 Making an identification – how to negotiate the keys	15
3.5 The field notes you'll need if you're taking samples to identify later	16

KEY TO GROUPS	19
Group keys A to M	22
GROUP A Palms	23
GROUP B Tree or shrub, with prickles	25
GROUP C Tree or shrub, no prickles, leaves trifoliolate	27
GROUP D Tree or shrub, no prickles, leaves compound, > 3 leaflets	31
GROUP E Tree or shrub, no prickles, leaves absent, or simple and ≤ 2 mm wide	39
GROUP F Tree or shrub, no prickles, leaves simple, > 2 mm wide, venation parallel or obscure	41
GROUP G Tree or shrub, no prickles, leaves simple, > 2 mm wide, venation not parallel or obscure, leaves with sap exudate	49
GROUP H Tree or shrub, no prickles, leaves simple, > 2 mm wide, no sap exudate, venation not parallel, leaf shape complex	53
GROUP I Tree or shrub, no prickles, leaves simple, > 2 mm wide, no sap exudate, venation not parallel, leaf shape simple, margins scalloped or toothed	59
GROUP J Tree or shrub, no prickles, leaves simple, > 2 mm wide, no sap exudate, venation not parallel, leaf shape simple, margins entire, blades with oil glands or an intra-marginal vein	65
GROUP K Tree or shrub, no prickles, leaves simple, > 2 mm wide, no sap exudate, venation not parallel, leaf shape simple, margins entire, blades without oil glands or intra-marginal vein, with domatia or paired petiole glands or paired basal glands	75
GROUP L Tree or shrub, no prickles, leaves simple, > 2 mm wide, no sap exudate, venation not parallel, leaf shape simple, margins entire, blades without oil glands or intra-marginal vein, no domatia, no paired petiole glands, no basal glands, leaves opposite or in whorls	79
GROUP M Tree or shrub, no prickles, leaves simple, > 2 mm wide, no sap exudate, venation not parallel, leaf shape simple, margins entire, blades without oil glands or intra-marginal vein, no domatia, no paired petiole glands, no basal glands, leaves alternate	85
Index to species	94

Acknowledgments

A major feature of this key is its leaf illustrations which are contact prints of x-rays of dried leaf samples. They were prepared in Adelaide by Dr David Christophel and his technical staff in the Botany Department of the University of Adelaide. Megan Spiers redrafted many of my own artistically challenged line drawings including those of various species' woody fruits and capsules. The original version of the key was presented to the editorial staff at *eriss* as a loose assemblage of word documents and A4 sheets with photocopies of the illustrations pasted onto them. The enormous task of regenerating it as a single coherent digital document suitable for printing and publication was supervised by Ann Webb with considerable assistance from Dimity Boggs, Dave Walden and Gary Fox at *eriss*, and Greg Lawler of Copytime. For field testing early versions of the key thanks go to colleagues at *eriss* in the late 1990s, Ben Bayliss, Alison McInnes, Gary Fox and Chris Humphrey, and to various cohorts of seasonal rangers in Kakadu National Park during the same period – periodically sent out to identify plants with the key during their induction programs. I thank Ian Cowie of the Darwin Herbarium for his helpful constructive review of the manuscript.

