

Bibliography

- Alligator Rivers Region Technical Committee 2004. Uranium mining in the Alligator Rivers Region – Key Knowledge Needs 2004–2006. Alligator Rivers Region Technical Committee.
- ANZLIC 2001. ANZLIC Metadata Guidelines- Version 2, February 2001. Available from <http://www.anzlic.org.au/publications.html>
- Bamford MJ 1988. Kakadu National Park: a preliminary survey of migratory waders, October/November 1987. RAOU Report No 41.
- Bamford MJ 1990. *RAOU Survey of Migratory Waders in Kakadu National Park: Phase III*. RAOU Report 70. Royal Australasian Ornithologists Union, Melbourne.
- Bayliss B, Brennan K, Eliot I, Finlayson CM, Hall R, House T, Pidgeon R, Walden D & Waterman P 1997. Vulnerability assessment of predicted climate change and sea level rise in the Alligator Rivers Region, Northern Territory Australia. Supervising Scientist Report 123, Supervising Scientist, Canberra.
- Bayliss P & Yeomans K M 1989. Distribution and abundance of feral livestock in the 'Top End' of the Northern Territory (1985–96), and their relation to population control. *Australian Wildlife Research* 16, 651–76.
- Bayliss P & Yeomans K M 1990a. Seasonal distribution and abundance of Magpie Goose, *Anseranas semipalmata* Latham, in the Northern Territory and their relationship to habitat, 1983–1986. *Australian Wildlife Research* 17, 15–38.
- Bayliss P & Yeomans K M 1990b. The use of low level aerial photography to correct bias in aerial survey estimates of Magpie Goose and whistle duck density on Northern Territory floodplains Australia. *Australian Wildlife Research* 17, 1–10.
- Bayliss P, Finlayson M & van Dam R 2004. Progress and review of the ISP Landscape Program (2002–2004) in the Alligators Rivers Region: ARRTC Key Knowledge Need 5.1 – Landscape scale analysis of impacts. Internal Report 492, October, Supervising Scientist, Darwin. Unpublished paper.
- Bayliss P, van Dam R & Humphrey C 2006a. Ecological risk assessment of Magela floodplain, Kakadu National Park: Comparing point source risks from Ranger uranium mine to diffuse landscape-scale risks. In *Proceedings of the Society for Risk Analysis (SRA) Conference (Australian and New Zealand Chapters)*. University of Melbourne, 17–19 July 2006, Australian Centre of Excellence in Risk Assessment.
- Bayliss P, van Dam R, Boyden J & Walden D 2006b. Ecological risk assessment of Magela floodplain to differentiate mining and non-mining impacts. In Evans KG, Rovis-Hermann J, Webb A & Jones DR (eds) 2006. *eriss research summary 2004–2005*. Supervising Scientist Report 189, Supervising Scientist, Darwin NT, 172–185.
- Bellio MG, Bayliss P & Dostine P 2004a. Landscape scale analysis of the value of waterbirds in the Alligator Rivers Region, northern Australia. Internal Report 445, March, Supervising Scientist, Darwin. Unpublished paper.
- Bellio MG, Bayliss P, Finlayson M & Dostine P 2004b. Framework for assessing the values of waterbirds in the Alligator Rivers Region, northern Australia. Internal Report 479, July 2004. Supervising Scientist, Darwin. Unpublished paper.

- Boyden JM, Bayliss P, Kennett R, Christophersen P, Lawson V, McGregor S & Begg G 2003. Vegetation change analysis on Boggy Plain, South Alligator River, using remote sensing: Report on preliminary analyses. Internal Report 430, June, Supervising Scientist, Darwin. Unpublished paper.
- Boyden J, Walden D, Bartolo R & Bayliss P 2007. Utility of VHR remote sensing data for landscape scale assessment of the environmental weed Para grass [*Urochloa mutica*, (FORSSK), Nguyen] on a tropical floodplain. In *Proceedings of the 28th Asian Conference on Remote Sensing*. Kuala Lumpur, November 12–16 2007 (published on CD-ROM).
- Bunn SE, Davies PM & Kellaway DM 1997. Contributions of sugar cane and invasive pasture grass to the aquatic food web of a tropical lowland stream. *Marine and Freshwater Research* 48, 173–179.
- Bunn SE, Davies PM, Kellaway DM & Prosser IP 1998. Influence of invasive macrophytes on channel morphology and hydrology in an open tropical lowland stream, and potential control by riparian shading. *Freshwater Biology* 39, 171–178.
- Burgman MA 2005. *Risks and decisions for conservation and environmental management*. Cambridge University Press, New York.
- Chatto R 2000. *Waterbird breeding colonies in the Top End of the Northern Territory*. Technical Report No 69. Parks and Wildlife Commission of the Northern Territory, Palmerston.
- Chatto R 2001. *The distribution and status of colonial breeding seabirds in the Northern Territory*. Technical Report No 70. Parks and Wildlife Commission of the Northern Territory, Palmerston.
- Chatto R 2003. *The distribution and status of shorebirds around the coast and coastal wetlands of the Northern Territory*. Technical Report No 73. Parks and Wildlife Commission of the Northern Territory, Palmerston.
- Chatto R 2006. *The distribution and status of waterbirds around the coast and coastal wetlands of the Northern Territory*. Technical Report 76-2006. Parks and Wildlife Commission of the Northern Territory, Palmerston.
- Christian CS & Stewart GA 1953. *General report on the survey of the Katherine–Darwin Region, 1946*. Land Research Series No. 2, CSIRO, Australia.
- Christophersen P, McGregor S, Lawson V, Kennett R, Bayliss P & Boyden JM 2003. Smoke on the water: Fire management in the wetlands of Kakadu National Park. CSIRO seminar series. Darwin NT.
- Clarkson JR 1991. The spread of pondage species beyond the pasture system – the risk and associated ecological consequences. In *Probing Ponded Pastures: Workshop Proceedings*, July 1991, University of Central Queensland, Rockhampton, Department of Primary Industries & Department of Environment and Heritage.
- Colley T 1999. Spatial analysis of Magpie Goose nesting habitat in coastal wetlands of northern Australia, Honours Thesis, Northern Territory University, Darwin NT.
- Corbett L, Hertog AL & Muller WJ 1996. An experimental study of the impact of feral swamp buffalo *Bubalus bubalis* on the breeding habitat and nesting success of the magpie goose *Anseranas semipalmata* in Kakadu National Park. *Biological Conservation* 76, 227–287.

- Cowie ID & Werner PA 1987. Weeds in Kakadu National Park – A survey of alien plants. unpublished report to ANPWS, Canberra, CSIRO Division of Wildlife and Rangelands Research, Tropical Ecosystems Research Centre, Darwin.
- Csurhes S, Mackey A & Fitzsimmons L 1999. *Hymenachne (H. amplexicaulis)* in Queensland. Pest status review series – land protection. Published by the Department of Natural Resources and Mines, Queensland.
- Defence nd. Digital Terrain Elevation Data (DTED) Level 2. Defence Imagery and Geospatial Organisation.
http://www.defence.gov.au/digo/Products/Digital_Products/ProductsDTED2.htm
- Douglas MM, Bunn SE, Pidgeon RJW, Davies PE, Barrow P, O'Connor RA & Winning M 2001. *Weed management and the biodiversity and ecological processes of tropical wetlands. Final report.* National Wetlands R & D Program, Environment Australia & Land and Water Australia, Canberra.
- Field IC, Bradshaw CJA & Haynes C (eds) 2006. Feral animals in Kakadu National Park: A management strategy for the future. School for Environmental Research, Charles Darwin University. Report submitted to the Department of Environment and Heritage, Canberra, Australia.
- Finlayson CM 2005. Plant ecology of Australia's tropical floodplain wetlands: A review. *Annals of Botany* 96, 541–555.
- Finlayson CM, Bailey BJ & Cowie ID 1989. *Macrophyte vegetation of the Magela Creek flood plain, Alligator Rivers Region, Northern Territory.* Research report 5, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Finlayson CM, Storrs MJ & Lindner G 1997. Degradation and rehabilitation of wetlands in the Alligator Rivers Region of northern Australia *Wetlands Ecology and Management* 5, 19–36.
- Garnett S & Crowley G 2000. *The action plan for Australian birds 2000.* Department of Environment and Heritage, Canberra.
- Gill AM, Ryan PG, Moore PHR & Gibson M 2000. Fire regimes of world heritage Kakadu National Park, Australia. *Austral Ecology* 25(6), 616–625.
- Goodchild MF 2000. Communicating the results of accuracy assessment: metadata, digital libraries, and assessing fitness for use. Chapter 1. In *Quantifying spatial uncertainty in natural resources: Theory and applications for GIS and remote sensing*, eds HT Mowrer & RG Congalton, Ann Arbor Press, Chelsea, Michigan, 3–15.
- Hill R & Webb G 1982. Floating grass mats of the Northern Territory floodplains – an endangered habitat? *Wetlands* 2, 45–50.
- Hill R, Webb GJW & Smith AMA 1987. Floating vegetation mats on a floodplain billabong in the Northern Territory of Australia. *Hydrobiologia* 150, 153–164.
- Holm LG, Pluckett DL, Pancho JV & Herberger JP 1977. *The world's worst weeds: Distribution and biology.* East-West Centre and University Press of Hawaii, Honolulu.
- Hone J 2002. Feral pigs in Namadgi National Park, Australia: dynamics, impacts and management. *Biological Conservation* 105, 231–242.

- Knerr NJA 1998. Grassland community dynamics of a freshwater tropical floodplain: Invasion of *Brachiaria mutica* (para grass) on the Magela floodplain, Kakadu National Park. Internal report 275, Supervising Scientist, Darwin. Unpublished paper.
- Kresse W & Fadaie K 2004. Non-geometry standards. Chapter 3. In *International Standards Organisation Standards for Geographic Information*. Springer-Verlag, Berlin Heidelberg, 71–95.
- Langland KA & Burks KC 1998. *Identification and biology of non-native plants in Florida's natural areas*. University of Florida, Gainesville, Florida.
- Leuven R & Poudevigne I 2002. Riverine landscape dynamics and ecological risk assessment. *Freshwater Biology* 47, 845–865.
- Lowry J & Begg G 2001. Thoughts and comments on a landscape-wide monitoring program for KNP. Internal Report 370, Supervising Scientist, Darwin. Unpublished paper.
- Lowry JB, Boyden JM, Finlayson CM & Begg GW In prep. Biophysical mapping of the Magela floodplain. Supervising Scientist Report.
- Morley A (ed) 1981. Aquatic vascular plants of the Magela Creek. In *A review of Jabiluka environmental studies*. Pancontinental Mining Ltd, Sydney, vol 3, 272–376.
- Morton SR, Brennan KG & Armstrong MD 1990a. Distribution and abundance of Ducks in the Alligator Rivers Region, Northern Territory. *Australian Wildlife Research* 17, 573–590.
- Morton SR, Brennan KG & Armstrong MD 1990b. Distribution and abundance of Magpie Geese, *Anseranas semipalmata*, in the Alligator Rivers Region, Northern Territory. *Australian Journal of Ecology* 15, 307–320.
- Morton SR, Brennan KG & Armstrong MD 1991. Distribution and abundance of waterbirds in the Alligator Rivers Region, Northern Territory. Open file record 86, Supervising Scientist for the Alligator Rivers Region, Canberra. Unpublished paper.
- Morton, SR, Brennan KG & Armstrong MD 1993a. Distribution and abundance of Grebes, Pelicans, Darters, Cormorants, Rails and Terns in the Alligator Rivers Region, Northern Territory. *Australian Wildlife Research* 20, 203–17.
- Morton, SR, Brennan KG & Armstrong MD 1993b. Distribution and abundance of Herons, Egrets, Ibises and Spoonbills in the Alligator Rivers Region, Northern Territory. *Australian Wildlife Research* 20, 23–43.
- Mowrer HT & Congalton RG 2000. Introduction: The past, present, and future of uncertainty analysis. In *Quantifying spatial uncertainty in natural resources: Theory and applications for GIS and remote sensing*. eds Mowrer HT & Congalton RG, Ann Arbor Press, Chelsea, Michigan, xv-xxiv.
- PWCNT 2003 Management program for Magpie goose (*Anseranas semipalmata*) in the Northern Territory of Australia: 2003–2007. Parks and Wildlife Commission of the Northern Territory. Internal report accessed from http://www.nt.gov.au/ipe/pwcnt/docs/management_program_for_magpie_goose.pdf
- Riley J & Lowry J 2002. An initial assessment of changes to the *Melaleuca* distribution on a selected area of the Magela floodplain. Internal Report 394, Supervising Scientist for the Alligator Rivers Region, Darwin. Unpublished paper

- Russell-Smith J & Ryan P 1994. *Long-term monitoring of the effects of management imposed fire regimes on old growth vegetation in Kakadu National Park: Fire history 1980–1993*. Department of Sports, the Environment and Territories, Canberra.
- Russell-Smith J, Ryan P & DuRieu R 1997. A LANDSAT MSS-derived fire history of Kakadu National Park, monsoonal northern Australia. *Journal of Applied Ecology* 34, 748–766.
- Ryan P, Russell-Smith J & Durieu R 1995. Long-term satellite monitoring of fire regimes in Kakadu National Park, Northern Territory. In *NARGIS 95: 2nd North Australian Remote Sensing and Geographic Information Systems Forum*, Darwin NT, 18–20 July 1995, AURISA Monograph 11, Supervising Scientist & Australasian Urban and Regional Information Systems Association, AGPS, Canberra, 13–20.
- Saalfeld WK 1990. *Aerial survey of Magpie Goose populations and nesting in the Top End of the Northern Territory – wet Season 1990*. Technical Report Number 50, Conservation Commission of the Northern Territory, Darwin.
- Sanderson NT, Koontz DV & Morley AW 1983. The ecology of the vegetation of the Magela Creek floodplain: Upper section from Oenpelli road crossing to Nankeen Billabong. Unpublished report in: Scientific Workshop, Environmental Protection in the Alligator Rivers Region, Jabiru, 17–20 May 1983.
- Schaeffer, Laity J & Van Cuylenburg M 1969. Unpublished information within soil survey notebooks and preliminary maps related to the Cannon Hill, Munmarlary and Mt. Brockman land unit maps. Land Conservation – Department of the Northern Territory, Darwin.
- Schodde R, Headley AB, Mason IJ & Martenz PN 1987. Vegetation habitats Kakadu National Park, Alligator Rivers Region, Northern Territory, Australia. Final Report to Australian National Parks and Wildlife Service. CSIRO Division of Wildlife and Rangelands Research, Canberra.
- Staben G 2005. Mapping the spatial and temporal distribution of *Melaleuca* spp on the Magela Floodplain between 1950 and 2004 using object-based analysis and GIS. Honours Thesis, Charles Darwin University.
- Story R, Galloway RW, McAlpine JR, Aldrick JM & MAJ Williams 1976. *Lands of the Alligator Rivers Area, Northern Territory*. Land Research Series No 38, CSIRO Australia.
- Story R, Williams MAJ, Hooper ADL, O’Ferrall RE & JR McAlpine 1969. *Lands of the Adelaide–Alligator Area, Northern Territory*. Land Research Series No 25, CSIRO Australia.
- Townsend S, Douglas M & Setterfield S 2004. Catchment cover and stream water quality in an Australian tropical savanna: Rapid recovery after change to a less intense fire regime. *Ecological Management and Restoration* 5, 136–138.
- Turner A, Fordham B, Hamann S, Morrison S, Muller R, Pickworth A, Edwards A & Russell-Smith J 2002. *Kakadu National Park fire monitoring plot survey and analysis*. Kakadu National Park and Bushfires Council of the NT, Darwin.
- US EPA (US Environmental Protection Agency) 1998. *Guidelines for ecological risk assessment*. EPA/630/R-95/002F. Risk Assessment Forum, Washington DC.

- UNESCO 1972. Convention Concerning the Protection of the World Cultural and Natural Heritage: Adopted by the General Conference at its seventeenth session Paris, 16 November 1972. Source <http://whc.unesco.org/en/conventiontext/>
- van Dam RA, Finlayson CM & Humphrey CL 1999. Wetland risk assessment: A framework for predicting and assessing change in ecological character. In *Techniques for enhanced wetland inventory and monitoring*. Eds CM Finlayson & AG Spiers, Supervising Scientist Report 147, Supervising Scientist, Canberra, 85–90.
- Walden D & Bayliss P 2003. An ecological risk assessment of the major weeds on the Magela Creek floodplain, Kakadu National Park. Internal report 439, June, Supervising Scientist, Darwin. Unpublished paper.
- Walden D, van Dam R, Finlayson M, Storrs M, Lowry J & Kriticos D 2004. *A risk assessment of the tropical wetland weed Mimosa pigra in northern Australia*. Supervising Scientist Report 177, Supervising Scientist, Darwin NT.
- Walden DW Bayliss P Boyden JM & Ferdinands K (in press). *An ecological risk assessment of the major weeds on the Magela Creek floodplain, Kakadu National Park Australia*. Supervising Scientist Report 194, Supervising Scientist, Darwin NT.
- Walker TD & Tyler PA 1982. Chemical characteristics and nutrient status of billabongs of the Alligator Rivers Region, NT. Open file record 27, Supervising Scientist for the Alligator Rivers Region, Canberra. Unpublished paper.
- Wells MR 1979. Soil studies in the Magela Creek catchment, 1978. Part 1. 1979. Northern Territory. Territory Parks and Wildlife Commission. Land Conservation Unit.
- Whitehead PJ 1992. The problem with Para grass. Presentation at a meeting of the Lower Mary River Landcare Group, Opium Creek, March 1992.
- Whitehead P & Dawson T 2000. 'Let them eat grass!' *Nature Australia* Autumn, 47–55.
- Whitehead PJ & McGuffog 1997. Fire and vegetation pattern in a tropical floodplain grassland: a description from the Mary River floodplain. *Biological Conservation* 52, 58–111.
- Williams AR 1979. Vegetation and stream pattern as indicators of water movement on the Magela floodplain, Northern Territory. *Australian Journal of Ecology* 4, 239–47.
- Wilson BA, Whitehead PJ & Brocklehurst PS 1991. Classification, distribution and environmental relationships of coastal floodplain vegetation, Northern Territory, Australia, March–May 1990. Technical memorandum 91/2. Conservation Commission of the Northern Territory, Land Conservation Unit, Palmerston, NT.