



Turkey residue testing annual datasets 2023-24

National Residue Survey (NRS), Department of Agriculture, Fisheries and Forestry

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine, retina and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Commonwealth has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the department disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1: ANTIBIOTICS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
amoxicillin	Liver	0.01	0.01	15	0	0	0
ampicillin	Liver	0.01	not set	15	0	0	0
apramycin	Liver	0.05	1	15	0	0	0
avilamycin	Liver	0.05	0.05	15	0	0	0
benzyl G penicillin	Liver	0.01	not set	15	0	0	0
ceftiofur (desfuroylceftiofur)	Liver	0.1	not set	15	0	0	0
cefuroxime	Liver	0.05	not set	15	0	0	0
cephalonium	Liver	0.05	not set	15	0	0	0
chlortetracycline	Liver	0.01	0.6	15	0	0	0
cloxacillin	Liver	0.01	not set	15	0	0	0
dihydrostreptomycin	Liver	0.1	not set	15	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
doxycycline	Liver	0.01	not set	15	0	0	0
erythromycin	Liver	0.05	0.3	15	0	0	0
gentamycin	Liver	0.05	not set	15	0	0	0
lincomycin	Liver	0.05	0.1	15	0	0	0
neomycin	Liver	0.05	0.5	15	0	0	0
oleandomycin	Liver	0.05	not set	15	0	0	0
oxytetracycline	Liver	0.01	0.6	15	0	0	0
streptomycin	Liver	0.1	not set	15	0	0	0
sulfachloropyridazine	Liver	0.02	not set	15	0	0	0
sulfadiazine	Liver	0.01	0.1	15	0	0	0
sulfadimethoxine	Liver	0.02	not set	15	0	0	0
sulfadimidine (sulfamethazine)	Liver	0.01	0.2	15	0	0	0
sulfadoxine	Liver	0.02	not set	15	0	0	0
sulfafurazole	Liver	0.02	not set	15	0	0	0
sulfamerazine	Liver	0.02	not set	15	0	0	0
sulfamethoxazole	Liver	0.02	not set	15	0	0	0
sulfamethoxydiazine (sulfameter)	Liver	0.02	not set	15	0	0	0
sulfamethoxypyridazine	Liver	0.02	not set	15	0	0	0
sulfapyridine	Liver	0.02	not set	15	0	0	0
sulfaquinoxaline	Liver	0.02	0.1	15	0	0	0
sulfathiazole	Liver	0.02	not set	15	0	0	0
sulfatroxazole	Liver	0.02	not set	15	0	0	0
tetracycline	Liver	0.01	not set	15	0	0	0
tilmicosin	Liver	0.05	not set	15	0	0	0
trimethoprim	Liver	0.01	0.05	15	0	0	0
tulathromycin	Liver	0.05	not set	15	0	0	0
tylosin	Liver	0.1	0.2	15	0	0	0
virginiamycin	Liver	0.005	0.2	15	0	0	0

*In some instances, tetracycline may be present as an impurity in a chlortetracycline or oxytetracycline product and is not considered to be a violative residue.

Table 2: ANTICOCCIDIALS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
amprolium	Liver	0.01	1	5	0	0	0
decoquinate	Liver	0.002	not set	5	0	0	0
diclazuril	Liver	0.01	not set	5	0	0	0
halofuginone	Liver	0.01	not set	5	0	0	0
lasalocid	Liver	0.01	1.2	5	1	0	0
maduramicin	Liver	0.002	1	5	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	>MRL
monensin	Liver	0.005	0.5	5	0	0	0
narasin	Liver	0.01	0.1	5	0	0	0
nicarbazin (4,4'-dinitrocarbanilide)	Liver	0.01	not set	5	0	0	0
salinomycin	Liver	0.002	0.5	5	0	0	0
semduramycin	Liver	0.002	not set	5	0	0	0
toltrazuril	Liver	0.01	not set	5	0	0	0

Table 3: CONTAMINANTS

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	>MRL
aldrin and dieldrin (HHDN+HEOD)	Fat	0.02	0.2	5	0	0	0
aroachlor 1254	Fat	0.03	0.2	5	0	0	0
aroachlor 1260	Fat	0.03	0.2	5	0	0	0
chlordane	Fat	0.02	not set	5	0	0	0
DDT	Fat	0.05	5	5	0	0	0
endosulfan	Fat	0.02	not set	5	0	0	0
endrin	Fat	0.01	not set	5	0	0	0
HCB (hexachlorobenzene)	Fat	0.02	1	5	0	0	0
HCH (BHC)	Fat	0.02	0.3	5	0	0	0
heptachlor	Fat	0.02	not set	5	0	0	0
lindane (gamma-HCH)	Fat	0.01	0.7	5	0	0	0
mirex	Fat	0.02	not set	5	0	0	0
pentachlorobenzene	Fat	0.02	not set	5	0	0	0

Table 4: FUNGICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	>MRL
amisulbrom	Fat	0.01	0.01	5	0	0	0
azoxystrobin	Fat	0.01	0.01	5	0	0	0
benzovindiflupyr	Fat	0.01	0.01	5	0	0	0
bixafen	Fat	0.01	0.02	5	0	0	0
boscalid	Fat	0.01	0.5	5	0	0	0
carbendazim	Fat	0.01	0.1	5	0	0	0
cyproconazole	Fat	0.02	0.01	5	0	0	0
difenoconazole	Fat	0.01	0.05	5	0	0	0
epoxiconazole	Fat	0.01	0.01	5	0	0	0
fenhexamid	Fat	0.01	not set	5	0	0	0
fenpyrazamine	Fat	0.01	0.01	5	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
fludioxonil	Fat	0.01	0.01	5	0	0	0
fluopicolide	Fat	0.01	0.01	5	0	0	0
fluopyram	Fat	0.01	0.02	5	0	0	0
fluquinconazole	Fat	0.01	0.02	5	0	0	0
flutriafol	Fat	0.02	0.05	5	0	0	0
fluxapyroxad	Fat	0.01	0.01	5	0	0	0
imazalil	Fat	0.01	not set	5	0	0	0
isofetamid	Fat	0.01	0.02	5	0	0	0
isopyrazam	Fat	0.01	0.005	5	0	0	0
mandestrobin	Fat	0.01	not set	5	0	0	0
mefentrifluconazole	Fat	0.01	not set	5	0	0	0
procymidone	Fat	0.02	0.01	5	0	0	0
propamocarb	Fat	0.01	0.01	5	0	0	0
propiconazole	Fat	0.02	0.1	5	0	0	0
proquinazid	Fat	0.01	0.01	5	0	0	0
prothioconazole	Fat	0.01	0.05	5	0	0	0
pydiflumetofen	Fat	0.01	0.01	5	0	0	0
pyraclostrobin	Fat	0.01	0.05	5	0	0	0
pyrimethanil	Fat	0.01	not set	5	0	0	0
pyriofenone	Fat	0.01	0.01	5	0	0	0
quinoxifen	Fat	0.01	0.01	5	0	0	0
quintozene	Fat	0.02	0.1	5	0	0	0
spiroxamine	Fat	0.01	0.05	5	0	0	0
tebuconazole	Fat	0.01	0.1	5	0	0	0
trifloxystrobin	Fat	0.01	not set	5	0	0	0

Table 5: HERBICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
amicarbazone	Fat	0.01	not set	5	0	0	0
cinmethylin	Fat	0.01	0.01	5	0	0	0
cloquintocet-mexyl	Fat	0.01	0.1	5	0	0	0
ethofumesate	Fat	0.02	not set	5	0	0	0
florpyrauxifen-benzyl	Fat	0.01	0.02	5	0	0	0
indaziflam	Fat	0.01	not set	5	0	0	0
metamitron	Fat	0.01	not set	5	0	0	0
metazachlor	Fat	0.01	0.05	5	0	0	0
metolachlor	Fat	0.02	0.01	5	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
propachlor	Fat	0.02	0.02	5	0	0	0
pyrasulfotole	Fat	0.01	0.01	5	0	0	0
pyroxsulam	Fat	0.01	0.01	5	0	0	0
saflufenacil	Fat	0.01	0.01	5	0	0	0
topramezone	Fat	0.01	0.01	5	0	0	0
trifludimoxazin	Fat	0.01	0.01	5	0	0	0

Table 6: INSECTICIDES

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
acequinocyl	Fat	0.01	not set	5	0	0	0
acetamiprid	Fat	0.01	0.01	5	0	0	0
afidopyropen	Fat	0.012	0.1	5	0	0	0
bifenthrin	Fat	0.02	0.05	5	0	0	0
bioresmethrin	Fat	0.02	not set	5	0	0	0
buprofezin	Fat	0.01	0.1	5	0	0	0
carbaryl	Fat	0.01	0.02	5	0	0	0
chlorantraniliprole	Fat	0.01	0.01	5	0	0	0
chlorfenapyr	Fat	0.02	0.01	5	0	0	0
chlorfenvinphos	Fat	0.005	not set	5	0	0	0
chlorpyrifos	Fat	0.01	0.1	5	0	0	0
chlorpyrifos-methyl	Fat	0.01	0.05	5	0	0	0
clothianidin	Fat	0.01	0.02	5	0	0	0
coumaphos	Fat	0.02	not set	5	0	0	0
cyantraniliprole	Fat	0.01	0.01	5	0	0	0
cyclaniliprole	Fat	0.01	0.01	5	0	0	0
cyfluthrin	Fat	0.02	0.01	5	0	0	0
cyhalothrin	Fat	0.02	0.02	5	0	0	0
cypermethrin	Fat	0.02	0.05	5	0	0	0
deltamethrin	Fat	0.02	0.01	5	0	0	0
diafenthiuron	Fat	0.01	0.02	5	0	0	0
diazinon	Fat	0.02	0.05	5	0	0	0
dichlorvos	Fat	0.02	0.01	5	0	0	0
dicofol	Fat	0.01	not set	5	0	0	0
dimethoate	Fat	0.02	0.05	5	0	0	0
dinotefuran	Fat	0.03	0.02	5	0	0	0
ethion	Fat	0.02	not set	5	0	0	0
etofenprox	Fat	0.01	0.01	5	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	Number of samples tested	>LOR to ≤½MRL	>½MRL to ≤MRL	>MRL
famphur	Fat	0.02	not set	5	0	0	0
famphur oxygen-analogue	Fat	0.02	not set	5	0	0	0
fenitrothion	Fat	0.02	0.05	5	0	0	0
fenthion	Fat	0.02	not set	5	0	0	0
fenvalerate	Fat	0.02	0.05	5	0	0	0
fipronil	Fat	0.01	0.02	5	0	0	0
flonicamid	Fat	0.01	0.02	5	0	0	0
flubendiamide	Fat	0.01	0.01	5	0	0	0
flumethrin	Fat	0.02	not set	5	0	0	0
flupyradifurone	Fat	0.01	0.01	5	0	0	0
fluralaner	Fat	0.01	0.6	5	0	0	0
imidacloprid	Fat	0.01	0.02	5	0	0	0
indoxacarb	Fat	0.02	0.01	5	0	0	0
malathion	Fat	0.01	1	5	0	0	0
metaflumizone	Fat	0.01	not set	5	0	0	0
methidathion	Fat	0.02	not set	5	0	0	0
methoxychlor	Fat	0.02	not set	5	0	0	0
mevinphos	Fat	0.01	not set	5	0	0	0
omethoate	Fat	0.02	0.05	5	0	0	0
parathion-methyl	Fat	0.02	not set	5	0	0	0
permethrin	Fat	0.02	0.1	5	0	0	0
phosmet	Fat	0.02	not set	5	0	0	0
pirimiphos-methyl	Fat	0.02	0.05	5	0	0	0
prothiofos	Fat	0.01	not set	5	0	0	0
pyraclofos	Fat	0.02	not set	5	0	0	0
pyriproxyfen	Fat	0.01	0.01	5	0	0	0
spirotetramat	Fat	0.01	0.02	5	0	0	0
sulfoxaflor	Fat	0.01	0.01	5	0	0	0
tau-fluvalinate	Fat	0.01	not set	5	0	0	0
temephos	Fat	0.02	not set	5	0	0	0