



Wheat (bran) residue testing annual datasets 2018–19

National Residue Survey, Department of Agriculture

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum residue limit.

no limit No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine and faeces).

not set No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
azoxystrobin	whole	0.01	0.02	109	0	0
benalaxyd	whole	0.01	not set	109	–	0
bitertanol	whole	0.01	not set	109	–	0
bixafen-P	whole	0.01	0.01	65	0	0
boscalid	whole	0.01	0.5	109	0	0
bupirimate	whole	0.01	not set	109	–	0
captafol	whole	0.02	not set	109	–	0
captan	whole	0.01	not set	109	–	0
carbendazim	whole	0.01	not set	109	–	0
carboxin	whole	0.01	0.1	65	0	0
chlorothalonil	whole	0.01	not set	109	–	0
ciproconazole	whole	0.01	0.02	109	0	0

Wheat (bran) residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
cypredinil	whole	0.01	not set	109	—	0
difenconazole	whole	0.01	0.01	109	0	0
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	109	—	0
dithianon	whole	0.01	not set	109	—	0
dodine	whole	0.01	not set	109	—	0
epoxiconazole	whole	0.01	0.3	109	0	0
etridiazole	whole	0.01	not set	109	—	0
fenarimol	whole	0.01	not set	109	—	0
fenbuconazole	whole	0.01	not set	65	—	0
fenhexamid	whole	0.01	not set	109	—	0
fluazinam	whole	0.01	not set	109	—	0
fludioxonil	whole	0.01	not set	109	—	0
fluquinconazole	whole	0.01	0.02	109	0	0
flusilazole	whole	0.01	not set	109	—	0
flutriafol	whole	0.01	0.1	109	0	0
fluxapyroxad	whole	0.01	0.1	109	0	0
hexaconazole	whole	0.01	not set	109	—	0
imazalil	whole	0.01	not set	109	—	0
ipconazole	whole	0.01	0.01	109	0	0
iprodione	whole	0.01	not set	109	—	0
isoprothiolane	whole	0.01	not set	65	—	0
kresoxim-methyl	whole	0.01	not set	109	—	0
metalachyl	whole	0.01	0.01	109	0	0
myclobutanil	whole	0.01	not set	109	—	0
oxadixyl	whole	0.01	not set	109	—	0
penconazole	whole	0.01	not set	109	—	0
penflufen	whole	0.01	0.01	65	0	0
prochloraz	whole	0.01	not set	109	—	0
procymidone	whole	0.01	not set	109	—	0
propiconazole	whole	0.01	0.05	109	0	0
prothioconazole	whole	0.01	0.5	109	0	0
pyraclostrobin	whole	0.01	0.01	109	0	0
pyrimethanil	whole	0.01	not set	109	—	0
quinoxyfen	whole	0.01	not set	109	—	0
sedaxane	whole	0.01	0.01	65	0	0
spiroxamine-P	whole	0.01	not set	109	—	0
tebuconazole	whole	0.01	0.2	109	0	0
thiabendazole-P	whole	0.01	not set	109	—	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
tolclofos methyl	whole	0.01	not set	109	—	0
triadimefon	whole	0.01	0.5	109	0	0
triadimenol	whole	0.01	0.01	109	0	0
trifloxystrobin	whole	0.01	not set	109	—	0
triticonazole	whole	0.01	0.05	109	0	0
vinclozolin	whole	0.01	not set	109	—	0

Table 2 Herbicides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.01	0.1	109	0	0
2,4-D	whole	0.01	0.2	109	0	0
2,4-DB	whole	0.01	0.02	65	0	0
aminopyralid	whole	0.01	0.3	65	0	0
amitrole	whole	0.01	0.01	25	0	0
atrazine	whole	0.01	not set	109	—	0
bentazone	whole	0.01	not set	65	—	0
bromacil	whole	0.01	not set	109	—	0
bromoxynil	whole	0.01	0.2	109	0	0
butroxydim	whole	0.01	not set	65	—	0
carfentrazone-ethyl	whole	0.01	0.05	109	0	0
chlorpropham	whole	0.01	not set	109	—	0
chlorsulfuron	whole	0.01	0.05	109	0	0
chlorthal-dimethyl	whole	0.01	not set	109	—	0
clethodim (parent only)	whole	0.01	0.1	109	0	0
clodinafop-propargyl	whole	0.01	0.05	109	0	0
clopyralid	whole	0.01	2	109	0	0
cyanazine	whole	0.01	0.01	109	0	0
dicamba	whole	0.01	0.05	109	0	0
dichlobenil	whole	0.01	not set	109	—	0
dichlorprop-P	whole	0.02	not set	77	—	0
diclofop-methyl	whole	0.01	0.1	25	0	0
diflufenican	whole	0.01	0.02	109	0	0
diquat	whole	0.01	2	25	0	0
diuron	whole	0.01	0.1	109	0	0
ethofumesate	whole	0.01	not set	109	—	0
fenoxaprop-ethyl	whole	0.01	0.01	25	0	0
flamprop-M-methyl	whole	0.01	0.05	25	0	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
fluazifop-p-butyl	whole	0.01	not set	25	—	0
flumetsulam	whole	0.01	0.05	109	0	0
flumioxazin	whole	0.01	0.05	65	0	0
fluroxypyr	whole	0.01	0.2	65	0	0
glufosinate	whole	0.01	not set	25	—	0
glyphosate	whole	0.01	20	25	0	0
haloxyfop	whole	0.01	not set	25	—	0
imazamox	whole	0.01	not set	109	—	0
imazapic	whole	0.01	0.05	109	0	0
imazapyr	whole	0.01	0.05	109	0	0
imazaquin	whole	0.01	not set	109	—	0
imazethapyr	whole	0.01	not set	109	—	0
iodosulfuron-methyl	whole	0.01	0.01	109	0	0
ioxynil	whole	0.01	not set	109	—	0
isoxaben	whole	0.01	0.01	109	0	0
linuron	whole	0.01	0.05	109	0	0
MCPA	whole	0.01	0.02	109	0	0
methabenzthiazuron	whole	0.01	not set	109	—	0
metolachlor	whole	0.01	0.02	109	0	0
metosulam	whole	0.01	0.02	109	0	0
metribuzin	whole	0.01	0.05	109	0	0
metsulfuron-methyl	whole	0.01	0.02	109	0	0
napropamide	whole	0.01	not set	109	—	0
norflurazon	whole	0.01	not set	109	—	0
oryzalin	whole	0.01	0.01	109	0	0
oxyfluorfen	whole	0.01	0.05	109	0	0
paraquat	whole	0.01	0.05	25	0	0
pendimethalin	whole	0.01	0.05	109	0	0
picloram	whole	0.01	0.2	109	0	0
propachlor	whole	0.01	0.05	109	0	0
propaquizafop	whole	0.02	not set	9	—	0
propyzamide	whole	0.01	not set	109	—	0
quizalofop-ethyl	whole	0.01	not set	25	—	0
quizalofop-P-tefuryl	whole	0.01	not set	25	—	0
saflufenacil	whole	0.01	0.5	109	0	0
sethoxydim	whole	0.01	0.1	109	0	0
simazine	whole	0.01	not set	109	—	0
terbutryn	whole	0.01	0.1	65	0	0
tralkoxydim	whole	0.01	0.02	109	0	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
triallate	whole	0.01	0.05	65	0	0
triasulfuron	whole	0.01	0.02	109	0	0
triclopyr	whole	0.01	not set	109	—	0
trifluralin	whole	0.01	0.05	109	0	0

Table 3 Insecticides

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	not set	109	—	0
acephate	whole	0.01	not set	109	—	0
acetamiprid-P	whole	0.01	not set	109	—	0
aldicarb	whole	0.01	not set	109	—	0
amitraz	whole	0.01	not set	109	—	0
azamethiphos	whole	0.01	0.5	109	0	0
azinphos-methyl	whole	0.01	not set	109	—	0
bifenazate	whole	0.01	not set	109	—	0
bifenthrin	whole	0.01	0.02	109	0	0
bioresmethrin	whole	0.01	not set	109	—	0
buprofezin	whole	0.01	not set	109	—	0
cadusafos	whole	0.01	not set	109	—	0
carbaryl	whole	0.01	10	109	0	0
carbofuran	whole	0.01	0.2	109	0	0
chlorantraniliprole	whole	0.01	0.01	109	0	0
chlорfenapyr	whole	0.01	not set	109	—	0
chlорfenvinphos (sum of isomers)	whole	0.01	0.05	109	0	0
chlорpyrifos	whole	0.01	0.1	109	1	0
chlорpyrifos-methyl	whole	0.01	20	109	0	0
clofentezine	whole	0.01	not set	109	—	0
clothianidin	whole	0.01	0.02	109	0	0
cyfluthrin (sum of isomers)	whole	0.01	5	109	0	0
cyhalothrin (sum of isomers)	whole	0.01	0.05	109	0	0
cypermethrin (sum of isomers)	whole	0.01	0.2	109	0	0
deltamethrin	whole	0.01	5	109	0	0
diafenthuron	whole	0.01	not set	109	—	0
diazinon	whole	0.01	0.1	109	0	0
dichlorvos	whole	0.01	0.01	109	0	0
dicofol	whole	0.01	not set	109	—	0

Wheat (bran) residue testing annual datasets 2018–19

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
diflubenzuron	whole	0.01	not set	109	—	0
dimethoate	whole	0.01	1	109	0	0
disulfoton	whole	0.01	not set	109	—	0
emamectin	whole	0.01	not set	109	—	0
esfenvalerate	whole	0.01	5	109	0	0
ethion	whole	0.01	not set	109	—	0
ethoprophos	whole	0.005	0.005	109	0	0
etoxazole	whole	0.01	not set	109	—	0
fenamiphos	whole	0.01	not set	109	—	0
fenbutatin oxide	whole	0.01	not set	109	—	0
fenitrothion	whole	0.01	20	109	0	0
fenoxy carb	whole	0.01	not set	109	—	0
fenpyroximate	whole	0.01	not set	109	—	0
fenthion	whole	0.01	not set	109	—	0
fenvale rate (sum of isomers)	whole	0.01	5	109	0	0
fipronil	whole	0.002	not set	109	—	0
hexythiazox	whole	0.01	not set	109	—	0
imidacloprid	whole	0.01	0.05	109	0	0
indoxacarb	whole	0.01	not set	109	—	0
malathion (maldison)	whole	0.01	20	109	0	0
methacrifos	whole	0.01	not set	109	—	0
methamidophos	whole	0.01	not set	109	—	0
methidathion	whole	0.01	0.01	109	0	0
methiocarb	whole	0.01	not set	109	—	0
methomyl	whole	0.01	0.1	109	0	0
methoprene	whole	0.01	5	109	1	0
methoxychlor	whole	0.01	not set	109	—	0
methoxyfenozide	whole	0.01	not set	109	—	0
mevinphos	whole	0.01	not set	109	—	0
monocrotophos	whole	0.01	not set	109	—	0
omethoate	whole	0.01	0.05	109	0	0
parathion	whole	0.01	not set	109	—	0
parathion-methyl	whole	0.01	not set	109	—	0
permethrin (sum of isomers)	whole	0.01	5	109	0	0
phenothrin (sum of isomers)	whole	0.01	5	109	0	0
phorate	whole	0.01	not set	109	—	0
phosmet	whole	0.01	0.05	109	0	0

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
piperonyl butoxide	whole	0.01	40	109	0	0
pirimicarb	whole	0.01	0.02	109	0	0
pirimiphos-methyl	whole	0.01	20	109	0	0
profenofos	whole	0.01	not set	109	–	0
propargite	whole	0.01	not set	109	–	0
prothiofos	whole	0.01	not set	109	–	0
pymetrozine	whole	0.01	not set	109	–	0
pyrethrins	whole	0.01	3	109	0	0
pyriproxyfen	whole	0.01	not set	109	–	0
spinetoram	whole	0.01	not set	109	–	0
spinosad	whole	0.01	2	109	1	0
spirotetramat	whole	0.01	not set	109	–	0
sulfoxaflor	whole	0.01	0.01	109	0	0
tau-fluvalinate	whole	0.01	not set	109	–	0
tebufenozide	whole	0.01	not set	109	–	0
tebufenpyrad	whole	0.01	not set	109	–	0
terbufos	whole	0.01	0.01	109	0	0
tetradifon	whole	0.01	not set	109	–	0
thiacloprid	whole	0.01	not set	109	–	0
thiamethoxam	whole	0.01	0.01	109	0	0
thiodicarb	whole	0.01	not set	109	–	0
triazofos	whole	0.01	not set	109	–	0
trichlorfon	whole	0.01	0.1	109	0	0
triflumuron	whole	0.01	0.05	109	0	0

Table 4 Contaminants

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	0.02	109	0	0
chlordan	whole	0.01	0.02	109	0	0
DDT	whole	0.01	0.1	109	0	0
endosulfan	whole	0.01	not set	109	–	0
endrin	whole	0.01	not set	109	–	0
HCB (hexachlorobenzene)	whole	0.01	0.05	109	0	0
HCH (BHC)	whole	0.01	0.1	109	0	0
heptachlor	whole	0.01	0.02	109	0	0
lindane (gamma-HCH)	whole	0.01	0.5	109	0	0
mirex	whole	0.01	not set	109	–	0

