



Aquaculture Annual Report 2013-2014

Aquaculture Crocodile

Table 1 VETERINARY DRUGS AND ANIMAL TREATMENTS, Anthelmintics, Macrocytic Lactones

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
abamectin	Flesh	0.005	Not Set	1	0	0
doramectin	Flesh	0.005	Not Set	1	0	0
emamectin	Flesh	0.005	Not Set	1	0	0
eprinomectin	Flesh	0.005	Not Set	1	0	0
ivermectin	Flesh	0.005	Not Set	1	0	0
moxidectin	Flesh	0.005	Not Set	1	0	0

Table 2 VETERINARY DRUGS AND ANIMAL TREATMENTS, Anthelmintics, Other

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
monepantel sulphone	Flesh	0.005	Not Set	1	0	0
praziquantel	Flesh	0.005	Not Set	1	0	0

Table 3 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Aminoglycosides

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
apramycin	Flesh	0.25	Not Set	1	0	0
dihydrostreptomycin	Flesh	0.1	Not Set	1	0	0
gentamycin	Flesh	0.1	Not Set	1	0	0
neomycin	Flesh	0.1	Not Set	1	0	0
streptomycin	Flesh	0.1	Not Set	1	0	0

Table 4 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Beta Lactams

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
amoxicillin	Flesh	0.01	Not Set	1	0	0
ampicillin	Flesh	0.01	Not Set	1	0	0
benzyl G penicillin	Flesh	0.01	Not Set	1	0	0
cloxacillin	Flesh	0.05	Not Set	1	0	0

Table 5 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Cephalosporins

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
ceftiofur	Flesh	0.2	Not Set	1	0	0
cefuroxime	Flesh	0.05	Not Set	1	0	0
cephalonium	Flesh	0.05	Not Set	1	0	0

Table 6 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Macrolides

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
erythromycin	Flesh	0.1	Not Set	1	0	0
lincomycin	Flesh	0.1	Not Set	1	0	0
oleandomycin	Flesh	0.2	Not Set	1	0	0
tilmicosin	Flesh	0.2	Not Set	1	0	0
tulathromycin	Flesh	0.3	Not Set	1	0	0
tylosin	Flesh	0.1	Not Set	1	0	0

Table 7 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Nitrofurans

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
AHD	Flesh	0.0004	Not Set	1	0	0
AMAZ	Flesh	0.000077	Not Set	1	0	0
AOZ	Flesh	0.000072	Not Set	1	0	0
SEM	Flesh	0.00041	Not Set	1	0	0

Table 8 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Phenicol

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
chloramphenicol	Flesh	0.00027	Not Set	1	0	0
florfenicol	Flesh	0.003	Not Set	1	0	0
thiamphenicol	Flesh	0.0029	Not Set	1	0	0

Table 9 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Sulfonamides

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
sulfachloropyridazine	Flesh	0.05	Not Set	1	0	0
sulfadiazine	Flesh	0.05	Not Set	1	0	0
sulfadimethoxine	Flesh	0.05	Not Set	1	0	0
sulfadimidine	Flesh	0.05	Not Set	1	0	0
sulfadoxine	Flesh	0.05	Not Set	1	0	0
sulfafurazole	Flesh	0.05	Not Set	1	0	0
sulfamerazine	Flesh	0.05	Not Set	1	0	0
sulfamethoxazole	Flesh	0.05	Not Set	1	0	0
sulfamethoxydiazine	Flesh	0.05	Not Set	1	0	0
sulfamethoxypyridazine	Flesh	0.05	Not Set	1	0	0
sulfapyridine	Flesh	0.05	Not Set	1	0	0
sulfaquinoxaline	Flesh	0.05	Not Set	1	0	0
sulfathiazole	Flesh	0.05	Not Set	1	0	0
sulfatroxazole	Flesh	0.05	Not Set	1	0	0

Table 10 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Tetracyclines

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
chlortetracycline	Flesh	0.05	Not Set	1	0	0
doxycycline	Flesh	0.05	Not Set	1	0	0
oxytetracycline	Flesh	0.1	Not Set	1	0	0
tetracycline	Flesh	0.1	Not Set	1	0	0

Table 11 VETERINARY DRUGS AND ANIMAL TREATMENTS, Antibiotics, Other

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
avilamycin	Flesh	0.1	Not Set	1	0	0
trimethoprim	Flesh	0.05	Not Set	1	0	0
virginiamycin	Flesh	0.2	Not Set	1	0	0

Table 12 AGRICULTURE CHEMICALS AND ANIMAL TREATMENTS, Dyes, Triphenylmethane dyes

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
crystal violet	Flesh	0.0011	Not Set	1	0	0
leucocrystal violet	Flesh	0.0013	Not Set	1	0	0
leucomalachite green	Flesh	0.0007	Not Set	1	0	0
malachite green	Flesh	0.0008	Not Set	1	0	0

Table 13 AGRICULTURE CHEMICALS AND ANIMAL TREATMENTS, Insecticides, Other

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
spinetoram	Flesh	0.005	Not Set	1	0	0
spinosad	Flesh	0.005	Not Set	1	0	0

Table 14 AGRICULTURE CHEMICALS AND ANIMAL TREATMENTS, Environmental contaminants, Persistent Organic Pollutants

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
aldrin and dieldrin	Flesh	0.016	Not Set	1	0	0
aroachlor 1254	Flesh	0.017	Not Set	1	0	0
aroachlor 1260	Flesh	0.017	Not Set	1	0	0
chlordane	Flesh	0.012	Not Set	1	0	0
DDT	Flesh	0.0047	Not Set	1	0	0
endrin	Flesh	0.0092	Not Set	1	0	0
HCB	Flesh	0.0087	Not Set	1	0	0
HCH	Flesh	0.0085	Not Set	1	0	0
heptachlor	Flesh	0.015	Not Set	1	0	0
lindane	Flesh	0.0044	Not Set	1	0	0
mirex	Flesh	0.034	Not Set	1	0	0

toxaphene	Flesh	0.03	Not Set	1	0	0
-----------	-------	------	---------	---	---	---

Table 15 AGRICULTURE CHEMICALS AND ANIMAL TREATMENTS, Environmental contaminants, Metals

Chemical	Matrix	LOR (mg/kg)	Aust. Std (mg/kg)	Number of samples tested	Analytical findings (no. of detections)	
					> LOR ≤ Aust. Std	> Aust. Std
antimony	Flesh	0.01	No Limit	1	0	N/A
arsenic (total)	Flesh	0.05	No Limit	1	0	N/A
cadmium	Flesh	0.01	No Limit	1	0	N/A
chromium	Flesh	0.05	No Limit	1	0	N/A
lead	Flesh	0.01	No Limit	1	0	N/A
mercury (methyl)	Flesh	0.01	No Limit	1	0	N/A
mercury (total)	Flesh	0.01	No Limit	1	0	N/A

LOR = Limit of reporting; Aust. Std = Australian Standard

Not set - No Australian Standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

No Limit - No Australian Standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies.

Detections at low levels are allowable.

Not defined - Standards are not defined in urine and faeces.

n/a - Australian Standard does not apply. No limit set or defined.

Disclaimer: Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying upon any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.