



# Aquaculture Eel residue testing annual datasets 2016–17

National Residue Survey, Department of Agriculture and Water Resources

## Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum Residue Limit.

**no limit** No Australian Standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**not set** No Australian Standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Additives**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
brilliant green	Flesh	0.00022	not set	1	0	0	0
crystal violet	Flesh	0.00014	not set	1	0	0	0
leucocrystal violet	Flesh	0.00058	not set	1	0	0	0
leucomalachite green	Flesh	0.00044	not set	1	0	0	0
malachite green	Flesh	0.00025	not set	1	0	0	0
methylene blue	Flesh	0.0011	not set	1	0	0	0
victoria blue B	Flesh	0.00066	not set	1	0	0	0
victoria blue R	Flesh	0.00025	not set	1	0	0	0
victoria pure blue BO	Flesh	0.0011	not set	1	0	0	0

**Table 2 Antibiotics**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
chloramphenicol	Flesh	0.00027	not set	1	0	0	0
florfenicol	Flesh	0.0043	not set	1	0	0	0
thiamphenicol	Flesh	0.0029	not set	1	0	0	0