



# Cherry residue testing annual datasets 2017–18

National Residue Survey, Department of Agriculture and Water Resources

## Dataset abbreviations

**LOR** Limit of reporting.

**MRL** Maximum residue limit.

**no limit** No Australian standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

**not defined** Standards are not defined in inedible matrixes (urine and faeces).

**not set** No Australian standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

**Table 1 Fungicides**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2-phenylphenol	whole	0.05	not set	45	–	0
azoxystrobin	whole	0.01	not set	45	–	0
benalaxyl	whole	0.01	not set	45	–	0
bitertanol	whole	0.01	not set	45	–	0
boscalid	whole	0.01	3	45	0	0
bupirimate	whole	0.01	not set	45	–	0
captafol	whole	0.05	not set	45	–	0
captan	whole	0.05	15	45	0	0
carbendazim	whole	0.01	not set	45	–	0
chlorothalonil	whole	0.01	10	45	0	0
cyproconazole	whole	0.01	not set	45	–	0
cyprodinil	whole	0.01	0.01	45	0	0

## Cherry residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
difenoconazole	whole	0.01	not set	45	–	0
dimethomorph (sum of E and Z isomers)	whole	0.01	not set	45	–	0
dithianon	whole	0.01	2	45	0	0
dithiocarbamates	whole	0.2	3	45	0	0
dodine	whole	0.01	0.05	45	0	0
epoxiconazole	whole	0.01	not set	45	–	0
etridiazole	whole	0.01	not set	45	–	0
fenarimol	whole	0.01	not set	45	–	0
fenhexamid	whole	0.01	not set	45	–	0
fluazinam	whole	0.01	not set	45	–	0
fludioxonil	whole	0.01	5	45	0	0
fluquinconazole	whole	0.01	not set	45	–	0
flusilazole	whole	0.01	not set	45	–	0
flutriafol	whole	0.01	not set	45	–	0
hexaconazole	whole	0.01	not set	45	–	0
imazalil	whole	0.01	not set	45	–	0
iprodione	whole	0.05	10	45	0	0
kresoxim-methyl	whole	0.01	not set	45	–	0
metalaxyl	whole	0.01	0.2	45	0	0
metrafenone	whole	0.01	not set	45	–	0
myclobutanil	whole	0.01	not set	45	–	0
oxadixyl	whole	0.01	not set	45	–	0
paclobutrazol	whole	0.01	0.01	45	0	0
penconazole	whole	0.01	not set	45	–	0
penthiopyrad	whole	0.01	5	45	0	0
prochloraz	whole	0.01	not set	45	–	0
procymidone	whole	0.01	10	45	0	0
propiconazole	whole	0.01	2	45	0	0
prothioconazole	whole	0.05	not set	45	–	0
pyraclostrobin	whole	0.01	1	45	0	0
pyrimethanil	whole	0.01	not set	45	–	0
tebuconazole	whole	0.01	0.01	45	0	0
thiabendazole-P	whole	0.01	not set	45	–	0
tolclofos methyl	whole	0.01	not set	45	–	0
triadimefon	whole	0.01	not set	45	–	0
triadimenol	whole	0.01	not set	45	–	0
trifloxystrobin	whole	0.01	5	45	0	0
triticonazole	whole	0.01	not set	45	–	0
vinclozolin	whole	0.01	not set	45	–	0

**Table 2 Herbicides**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
2,2-DPA (2,2-dichloropropionic acid)	whole	0.05	1	45	0	0
2,4-D	whole	0.01	not set	45	-	0
atrazine	whole	0.01	not set	45	-	0
bromacil	whole	0.01	not set	45	-	0
bromoxynil	whole	0.01	not set	45	-	0
carfentrazone-ethyl	whole	0.01	0.05	45	0	0
chlorpropham	whole	0.05	not set	45	-	0
chlorsulfuron	whole	0.01	not set	45	-	0
chlorthal-dimethyl	whole	0.01	not set	45	-	0
clethodim (parent only)	whole	0.01	not set	45	-	0
clodinafop-propargyl	whole	0.01	not set	45	-	0
clopyralid	whole	0.05	not set	45	-	0
cyanazine	whole	0.01	not set	45	-	0
dicamba	whole	0.01	not set	45	-	0
dichlobenil	whole	0.01	0.1	45	0	0
dichlorprop-P	whole	0.01	not set	45	-	0
diflufenican	whole	0.01	not set	45	-	0
diuron	whole	0.01	not set	45	-	0
ethofumesate	whole	0.01	not set	45	-	0
iodosulfuron-methyl	whole	0.01	not set	45	-	0
ioxynil	whole	0.01	not set	45	-	0
isoxaben	whole	0.01	0.01	45	0	0
linuron	whole	0.05	not set	45	-	0
MCPA	whole	0.01	not set	45	-	0
methabenzthiazuron	whole	0.01	not set	45	-	0
metolachlor	whole	0.01	not set	45	-	0
metosulam	whole	0.01	not set	45	-	0
metribuzin	whole	0.01	not set	45	-	0
metsulfuron-methyl	whole	0.01	not set	45	-	0
napropamide	whole	0.01	0.1	45	0	0
norflurazon	whole	0.01	0.2	45	0	0
oryzalin	whole	0.01	0.1	45	0	0
oxyfluorfen	whole	0.01	0.05	45	0	0
pendimethalin	whole	0.01	0.05	45	0	0
picloram	whole	0.01	not set	45	-	0
propachlor	whole	0.01	not set	45	-	0
propyzamide	whole	0.01	not set	45	-	0
quizalofop-ethyl	whole	0.01	not set	45	-	0

## Cherry residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
quizalofop-P-tefuryl	whole	0.01	not set	45	–	0
saflufenacil	whole	0.01	0.03	45	0	0
sethoxydim	whole	0.01	not set	45	–	0
simazine	whole	0.01	0.1	45	0	0
tralkoxydim	whole	0.01	not set	45	–	0
triasulfuron	whole	0.01	not set	45	–	0
triclopyr	whole	0.01	not set	45	–	0
trifluralin	whole	0.01	0.05	45	0	0

**Table 3 Insecticides**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
abamectin	whole	0.01	not set	45	–	0
acephate	whole	0.05	not set	45	–	0
acetamiprid-P	whole	0.01	2	45	0	0
aldicarb	whole	0.01	not set	45	–	0
amitraz	whole	0.01	not set	45	–	0
azamethiphos	whole	0.01	not set	45	–	0
azinphos-methyl	whole	0.01	2	45	0	0
bifenazate	whole	0.01	not set	45	–	0
bifenthrin	whole	0.01	1	45	0	0
bioresmethrin	whole	0.01	not set	45	–	0
buprofezin	whole	0.01	not set	45	–	0
cadusafos	whole	0.01	not set	45	–	0
carbaryl	whole	0.01	not set	45	–	0
carbofuran	whole	0.01	not set	45	–	0
chlorantraniliprole	whole	0.01	1	45	0	0
chlorfenapyr	whole	0.01	not set	45	–	0
chlorfenvinphos (sum of isomers)	whole	0.01	not set	45	–	0
chlorpyrifos	whole	0.01	1	45	0	0
chlorpyrifos-methyl	whole	0.01	not set	45	–	0
clofentezine	whole	0.01	0.1	45	0	0
clothianidin	whole	0.01	3	45	0	0
cyfluthrin (sum of isomers)	whole	0.01	not set	45	–	0
cyhalothrin (sum of isomers)	whole	0.01	not set	45	–	0
cypermethrin (sum of isomers)	whole	0.01	not set	45	–	0
deltamethrin	whole	0.01	not set	45	–	0

## Cherry residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
diazinon	whole	0.01	0.5	45	0	0
dichlorvos	whole	0.01	not set	45	-	0
dicofol	whole	0.01	5	45	0	0
diflubenzuron	whole	0.01	not set	45	-	0
dimethoate	whole	0.01	0.02	45	0	0
disulfoton	whole	0.01	not set	45	-	0
emamectin	whole	0.01	not set	45	-	0
esfenvalerate	whole	0.01	not set	45	-	0
ethion	whole	0.01	1	45	0	0
ethoprophos	whole	0.005	not set	45	-	0
etoxazole	whole	0.01	not set	45	-	0
fenamiphos	whole	0.01	not set	45	-	0
fenbutatin oxide	whole	0.01	not set	45	-	0
fenitrothion	whole	0.01	1	45	0	0
fenoxycarb	whole	0.01	not set	45	-	0
fenpyroximate	whole	0.01	not set	45	-	0
fenthion	whole	0.01	not set	45	-	0
fenvalerate (sum of isomers)	whole	0.01	not set	45	-	0
fipronil	whole	0.01	0.01	45	0	0
flonicamid	whole	0.01	not set	45	-	0
hexythiazox	whole	0.01	1	45	0	0
imidacloprid	whole	0.01	0.5	45	0	0
indoxacarb	whole	0.01	2	45	0	0
malathion (maldison)	whole	0.01	5	45	0	0
metaldehyde	whole	0.05	1	45	0	0
methacrifos	whole	0.01	not set	45	-	0
methamidophos	whole	0.01	not set	45	-	0
methidathion	whole	0.01	0.01	45	0	0
methiocarb	whole	0.01	0.1	45	0	0
methomyl	whole	0.01	2	45	0	0
methoprene	whole	0.01	not set	45	-	0
methoxychlor	whole	0.01	not set	45	-	0
methoxyfenozide	whole	0.01	not set	45	-	0
mevinphos	whole	0.01	not set	45	-	0
monocrotophos	whole	0.01	not set	45	-	0
omethoate	whole	0.01	2	45	0	0
parathion	whole	0.01	not set	45	-	0
parathion-methyl	whole	0.01	not set	45	-	0

## Cherry residue testing annual datasets 2017–18

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
permethrin (sum of isomers)	whole	0.01	not set	45	–	0
phenothrin (sum of isomers)	whole	0.01	not set	45	–	0
phorate	whole	0.01	not set	45	–	0
phosmet	whole	0.01	1	45	0	0
piperonyl butoxide	whole	0.01	8	45	0	0
pirimicarb	whole	0.01	0.5	45	0	0
pirimiphos-methyl	whole	0.01	not set	45	–	0
profenofos	whole	0.01	not set	45	–	0
propargite	whole	0.01	3	45	0	0
prothiofos	whole	0.01	not set	45	–	0
pymetrozine	whole	0.01	0.05	45	0	0
pyrethrins	whole	0.05	1	45	0	0
pyridaben	whole	0.02	0.5	45	0	0
pyriproxyfen	whole	0.01	not set	45	–	0
spinetoram	whole	0.01	0.2	45	0	0
spinosad	whole	0.01	1	45	0	0
spirotetramat	whole	0.01	1	45	0	0
sulfoxaflor	whole	0.01	3	45	0	0
tau-fluvalinate	whole	0.01	0.05	45	0	0
tebufenozide	whole	0.01	not set	45	–	0
tebufenpyrad	whole	0.01	not set	45	–	0
terbufos	whole	0.01	not set	45	–	0
tetradifon	whole	0.01	5	45	0	0
thiacloprid	whole	0.01	2	45	0	0
thiamethoxam	whole	0.01	not set	45	–	0
thiodicarb	whole	0.01	2	45	0	0
triazofos	whole	0.01	not set	45	–	0
trichlorfon	whole	0.01	3	45	0	0
triflumuron	whole	0.01	not set	45	–	0

**Table 4 Contaminants**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
aldrin and dieldrin (HHDN+HEOD)	whole	0.01	0.05	45	0	0
chlordane	whole	0.01	0.02	45	0	0
DDT	whole	0.01	1	45	0	0
endosulfan	whole	0.01	not set	45	–	0
endrin	whole	0.01	not set	45	–	0
HCB (hexachlorobenzene)	whole	0.01	not set	45	–	0
HCH (BHC)	whole	0.01	not set	45	–	0
heptachlor	whole	0.01	not set	45	–	0
lindane (gamma-HCH)	whole	0.01	0.5	45	0	0
mirex	whole	0.01	not set	45	–	0

**Table 4 - Physiological Modifier**

Chemical	Matrix	LOR (mg/kg)	Australian standard (mg/kg)	No. of samples tested	> ½ MRL to ≤ MRL	> MRL
diphenylamine	whole	0.01	not set	45	–	0