

## Chicken residue testing annual datasets 2017–18

National Residue Survey, Department of Agriculture and Water Resources

## **Dataset abbreviations**

LOR Limit of reporting.

MRL Maximum Residue Limit.

**no limit** No Australian Standard applicable for the contaminant. The 'as low as reasonably achievable' principle applies. Detections at low levels are allowable. **not defined** Standards are not defined in inedible matrixes (urine, retina and faeces). **not set** No Australian Standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

## Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
amoxicillin	liver	0.01	0.01	300	0	0	0
ampicillin	liver	0.01	not set	300	0	0	0
apramycin	liver	0.1	1	300	0	0	0
avilamycin	liver	0.05	0.05	300	0	0	0
benzyl G penicillin	liver	0.01	not set	300	0	0	0
ceftiofur (desfuroylceftiofur)	liver	0.1	not set	300	0	0	0
cefuroxime	liver	0.05	not set	300	0	0	0
cephalonium	liver	0.05	not set	300	0	0	0
chlortetracycline	liver	0.01	0.6	300	0	0	0
cloxacillin	liver	0.01	not set	300	0	0	0
dihydrostreptomycin	liver	0.1	not set	300	0	0	0

## **Table 1 Antibiotics**

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
doxycycline	liver	0.01	not set	300	0	0	0
erythromycin	liver	0.1	0.3	300	0	0	0
gentamycin	liver	0.1	not set	300	0	0	0
lincomycin	liver	0.1	0.1	300	0	0	0
neomycin	liver	0.1	0.5	300	0	0	0
oleandomycin	liver	0.1	not set	300	0	0	0
oxytetracycline	liver	0.01	0.6	300	1	0	0
streptomycin	liver	0.1	not set	300	0	0	0
sulfachloropyridazine	liver	0.05	not set	300	0	0	0
sulfadiazine	liver	0.05	0.1	300	0	0	0
sulfadimethoxine	liver	0.05	not set	300	0	0	0
sulfadimidine (sulfamethazine)	liver	0.05	0.1	300	0	0	0
sulfadoxine	liver	0.05	not set	300	0	0	0
sulfafurazole	liver	0.05	not set	300	0	0	0
sulfamerazine	liver	0.05	not set	300	0	0	0
sulfamethoxazole	liver	0.05	not set	300	0	0	0
sulfamethoxydiazine (sulfameter)	liver	0.05	not set	300	0	0	0
sulfamethoxypyridazine	liver	0.05	not set	300	0	0	0
sulfapyridine	liver	0.05	not set	300	0	0	0
sulfaquinoxaline	liver	0.05	0.1	300	0	0	0
sulfathiazole	liver	0.05	not set	300	0	0	0
sulfatroxazole	liver	0.05	not set	300	0	0	0
tetracycline	liver	0.01	not set	300	0	0	0
tilmicosin	liver	0.1	not set	300	0	0	0
trimethoprim	liver	0.01	not set	300	0	0	0
tulathromycin	liver	0.1	not set	300	0	0	0
tylosin	liver	0.1	0.2	300	0	0	0
virginiamycin	liver	0.1	0.2	300	0	0	0