



Horse residue testing annual datasets 2014–15

National Residue Survey, Department of Agriculture and Water Resources

Dataset abbreviations

LOR Limit of reporting.

MRL Maximum Residue Limit.

no limit No Australian Standard applicable for the contaminant. The ‘as low as reasonably achievable’ principle applies. Detections at low levels are allowable.

not defined Standards are not defined in inedible matrixes (urine and faeces).

not set No Australian Standard has been set for the chemical in the edible matrix and any detection is a contravention of the Australia New Zealand Food Standards Code.

Disclaimer

Although the Australian Government has exercised due care and skill in the preparation and compilation of this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the Australian Government disclaims all liability, including liability in negligence for any loss, damage, cost or expense incurred by persons as a result of accessing, using or relying on any of the information or data set out in this publication. Before relying on the material in any matters, users should carefully evaluate its accuracy, currency, completeness and relevance for the purposes intended, and should obtain any appropriate professional advice relevant to their particular circumstances.

Table 1 Anthelmintics

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
abamectin	fat	0.005	not set	10	0	0	0
derquantel	fat	0.005	not set	10	0	0	0
doramectin	fat	0.005	not set	10	0	0	0
emamectin	fat	0.002	0.01	10	0	0	0
eprinomectin	fat	0.005	not set	10	0	0	0
ivermectin	fat	0.005	0.01	10	0	0	0
milbemectin	fat	0.05	0.002	5	0	0	0
monepantel sulphone	fat	0.005	not set	10	0	0	0
moxidectin	fat	0.005	not set	10	0	0	1
praziquantel	fat	0.005	not set	10	0	0	0

Table 2 Antibiotics

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
4-epichlortetracycline	kidney	0.01	not set	40	0	0	0
4-epioxytetracycline	kidney	0.01	not set	40	0	0	0
4-epitetracycline	kidney	0.01	not set	40	0	0	0
amoxicillin	kidney	0.01	0.01	40	0	0	0
ampicillin	kidney	0.01	0.01	40	0	0	0
apramycin	kidney	0.1	2	40	0	0	0
avilamycin	kidney	0.05	not set	40	0	0	0
benzyl G penicillin	kidney	0.01	0.06	40	0	0	0
ceftiofur	kidney	0.1	not set	40	0	0	0
cefuroxime	kidney	0.05	not set	40	0	0	0
cephalonium	kidney	0.05	not set	40	0	0	0
chloramphenicol	muscle	0.00027	not set	11	0	0	0
chlortetracycline	kidney	0.01	not set	40	0	0	0
cloxacillin	kidney	0.01	not set	40	0	0	0
dihydrostreptomycin	kidney	0.1	0.3	40	0	0	0
dimetridazole	muscle	0.000035	not set	11	0	0	0
doxycycline	kidney	0.01	not set	40	0	0	0
erythromycin	kidney	0.1	0.3	40	0	0	0
florfenicol	muscle	0.0043	not set	11	0	0	0
gentamycin	kidney	0.1	not set	40	0	0	0
HMMNI	muscle	0.000035	not set	11	0	0	0
lincomycin	kidney	0.1	0.2	40	0	0	0
metronidazole	muscle	0.000046	not set	11	0	0	0
neomycin	kidney	0.1	not set	40	0	0	0
oleandomycin	kidney	0.1	0.1	40	0	0	0
oxytetracycline	kidney	0.01	not set	40	0	0	0
ronidazole	muscle	0.000055	not set	11	0	0	0
streptomycin	kidney	0.1	0.3	40	0	0	0
sulfachloropyridazine	kidney	0.05	not set	40	0	0	0
sulfadiazine	kidney	0.05	0.1	40	0	0	0
sulfadimethoxine	kidney	0.05	not set	40	0	0	0
sulfadimidine	kidney	0.05	0.1	40	0	0	0
sulfadoxine	kidney	0.05	0.1	40	0	0	0
sulfafurazole	kidney	0.05	not set	40	0	0	0
sulfamerazine	kidney	0.05	not set	40	0	0	0
sulfamethoxazole	kidney	0.05	not set	40	0	0	0
sulfamethoxydiazine	kidney	0.05	not set	40	0	0	0
sulfamethoxypyridazine	kidney	0.05	not set	40	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
sulfapyridine	kidney	0.05	not set	40	0	0	0
sulfaquinoxaline	kidney	0.05	not set	40	0	0	0
sulfathiazole	kidney	0.05	not set	40	0	0	0
sulfatroxazole	kidney	0.05	0.1	40	0	0	0
tetracycline	kidney	0.01	not set	40	0	0	0
thiamphenicol	muscle	0.0029	not set	11	0	0	0
tilmicosin	kidney	0.1	not set	40	0	0	0
trimethoprim	kidney	0.01	not set	24	0	0	0
tulathromycin	kidney	0.1	not set	40	0	0	0
tylosin	kidney	0.1	not set	40	0	0	0
virginiamycin	kidney	0.1	not set	40	0	0	0

Table 3 Contaminants

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
aldrin and dieldrin	fat	0.02	0.2	20	0	0	0
aroachlor 1254	fat	0.03	not set	20	0	0	0
aroachlor 1260	fat	0.03	not set	20	0	0	0
chlordane	fat	0.02	0.2	20	0	0	0
DDT	fat	0.05	5	20	0	0	0
endrin	fat	0.01	not set	20	0	0	0
HCB	fat	0.02	1	20	0	0	0
HCH	fat	0.02	0.3	20	0	0	0
heptachlor	fat	0.02	0.2	20	0	0	0
lindane	fat	0.01	2	20	0	0	0
mirex	fat	0.02	not set	20	0	0	0
pentachlorobenzene	fat	0.02	not set	20	0	0	0

Table 4 Fluoroquinolones

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
norfloxacin	kidney	0.01	not set	24	0	0	0

Table 5 Fungicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
boscalid	fat	0.01	0.3	20	0	0	0
carbendazim	fat	0.01	0.2	20	0	0	0
cyproconazole	fat	0.02	0.03	20	0	0	0
fluquinconazole	fat	0.01	0.5	20	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
flutriafol	fat	0.02	0.05	20	0	0	0
fluxapyroxad	fat	0.01	0.05	20	0	0	0
procymidone	fat	0.02	0.2	20	0	0	0
propiconazole	fat	0.05	0.1	20	0	0	0
prothioconazole	fat	0.02	0.02	20	0	0	0
quintozene	fat	0.02	not set	20	0	0	0

Table 6 Herbicides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
pyrasulfotole	fat	0.01	0.01	20	0	0	0
ethofumesate	fat	0.02	0.5	20	0	0	0
metolachlor	fat	0.02	0.05	20	0	0	0
propachlor	fat	0.02	0.02	20	0	0	0

Table 7 Hormones

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
16-hydroxystanozolol	urine	0.001	not defined	10	0	–	–
boldenone 17 α	urine	0.001	not defined	10	0	–	–
boldenone 17 β	urine	0.001	not defined	10	0	–	–
dienoestrol	liver	0.0002	not set	10	0	0	0
diethylstilboestrol	liver	0.0002	not set	10	0	0	0
hexoestrol	liver	0.0002	not set	10	0	0	0
methandriol	urine	0.005	not defined	10	0	–	–
nortestosterone-17 alpha	urine	0.001	not defined	10	0	–	–
nortestosterone-17 beta	urine	0.001	not defined	10	0	–	–
stanozolol	urine	0.001	not defined	10	0	–	–
trenbolone	liver	0.0005	not set	10	0	0	0
zeranol	liver	0.002	not set	10	0	0	0

Table 8 Insecticides

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
bifenthrin	fat	0.02	2	20	0	0	0
bioresmethrin	fat	0.02	not set	20	0	0	0
carbaryl	fat	0.01	0.2	20	0	0	0
chlorantraniliprole	fat	0.01	0.02	20	0	0	0
chlorfenapyr	fat	0.02	0.05	20	0	0	0

Horse residue testing annual datasets 2014-15

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to ≤ ½ MRL	> ½ MRL to ≤ MRL	> MRL
chlorfenvinphos	fat	0.02	not set	20	0	0	0
chlorpyrifos	fat	0.02	0.5	20	0	0	0
chlorpyrifos-methyl	fat	0.02	0.05	20	0	0	0
coumaphos	fat	0.02	not set	20	0	0	0
cyfluthrin	fat	0.02	0.5	20	0	0	0
cyhalothrin	fat	0.02	0.5	20	0	0	0
cypermethrin	fat	0.02	0.05	20	0	0	0
deltamethrin	fat	0.02	not set	20	0	0	0
diafenthiuron	fat	0.02	not set	12	0	0	0
diazinon	fat	0.02	0.7	20	0	0	0
dichlorvos	fat	0.02	0.05	20	0	0	0
dicofol	fat	0.01	not set	20	0	0	0
dimethoate	fat	0.02	0.05	20	0	0	0
endosulfan	fat	0.02	not set	20	0	0	0
esfenvalerate	fat	0.02	1	14	0	0	0
ethion	fat	0.02	not set	20	0	0	0
famphur	fat	0.02	not set	20	0	0	0
famphur oxygen- analogue	fat	0.05	not set	19	0	0	0
fenitrothion	fat	0.02	0.05	20	0	0	0
fenthion	fat	0.02	not set	20	0	0	0
fenvalerate	fat	0.02	1	20	0	0	0
fipronil	fat	0.02	0.1	20	0	0	0
flubendiamide	fat	0.01	0.05	20	0	0	0
flumethrin	fat	0.05	0.1	20	0	0	0
imidacloprid	fat	0.01	0.05	20	0	0	0
indoxacarb	fat	0.02	1	20	0	0	0
malathion	fat	0.02	1	20	0	0	0
methidathion	fat	0.02	0.5	20	0	0	0
methoxychlor	fat	0.02	not set	20	0	0	0
omethoate	fat	0.02	not set	20	0	0	0
parathion-methyl	fat	0.02	not set	20	0	0	0
permethrin	fat	0.02	1	20	0	0	0
phosmet	fat	0.02	not set	20	0	0	0
pirimiphos-methyl	fat	0.02	0.05	20	0	0	0
prothiofos	fat	0.01	not set	20	0	0	0
pyraclofos	fat	0.02	not set	20	0	0	0
spinetoram	fat	0.005	2	10	0	0	0
spinosad	fat	0.005	2	10	0	0	0
spirotetramat	fat	0.01	0.02	20	0	0	0

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
sulfoxaflo	fat	0.01	not set	4	0	0	0
tau-fluvalinate	fat	0.01	not set	20	0	0	0
temephos	fat	0.02	not set	20	0	0	0

Table 9 Metals

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
antimony	liver	0.01	no limit	20	0	0	0
arsenic	liver	0.05	no limit	20	0	0	0
cadmium	liver	0.01	no limit	20	0	0	0
lead	liver	0.01	no limit	20	0	0	0
mercury	liver	0.01	no limit	20	0	0	0

Table 10 Mycotoxins

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
talernanol	liver	0.002	no limit	10	0	0	0
zearalanone	liver	0.002	no limit	10	0	0	0
zearalenol, alpha-	liver	0.002	no limit	10	0	0	0
zearalenol, beta-	liver	0.002	no limit	10	0	0	0
zearalenone	liver	0.002	no limit	10	0	0	0

Table 11 Other veterinary drugs

Chemical	Matrix	LOR (mg/kg)	MRL (mg/kg)	No. of samples tested	> LOR to $\leq \frac{1}{2}$ MRL	> $\frac{1}{2}$ MRL to $\leq$ MRL	> MRL
cimaterol	liver	0.0003	not set	5	0	0	0
clenbuterol	liver	0.0003	not set	5	0	0	0
flunixin	kidney	0.01	not set	10	0	0	0
ketoprofen	kidney	0.01	not set	10	0	0	0
mabuterol	liver	0.0003	not set	5	0	0	0
oxyphenbutazone	kidney	0.01	not set	10	0	0	0
phenylbutazone	kidney	0.01	not set	10	0	0	0
ractopamine	liver	0.0003	not set	5	0	0	0
salbutamol	liver	0.001	not set	5	0	0	0
tolfenamic acid	kidney	0.005	not set	10	0	0	0
zilpaterol	liver	0.0003	not set	5	0	0	0