Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded leafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
Sheet 2: Importation Scenario	<u>></u>							
Trade Volume								
Minimum	100,000,000	100,000,000	100,000,000	100,000,000	100,000,000	100,000,000	10,000,000	10,000,000
Most Likely	200,000,000	200,000,000	200,000,000	200,000,000	200,000,000	200,000,000	20,000,000	20,000,000
Maximum	400,000,000	400,000,000	400,000,000	400,000,000	400,000,000	400,000,000	40,000,000	40,000,000
Importation Step Likelihoods								
Imp 1	High	Very low	Low	High	Very low	High	High	High
Imp 2	Low	Extremely low	Very low	Very low	Very low	Negligible	Low	Low
Imp 3	Very low	Very low	Extremely low	Very low	Extremely low	Very low	Negligible	Very low
Imp 4	Moderate	Very low	Very low	High	High	Extremely low	High	Low
Imp 5	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible	Negligible
Imp 6	High	High	High	High	High	High	High	High
Imp 7	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible
Imp 8	High	High	High	High	High	High	High	High
Sheet 3: Utilisation								
P1	Very low	Very low	Very low	Very low	Very low	Very low	Very low	Very low
P3	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
P6	Very low	Very low	Very low	Very low	Very low	Very low	Very low	Very low
P7	Very low	Very low	Very low	Very low	Very low	Very low	Very low	Very low

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded leafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
P9	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible
P10	Low	Low	Low	Low	Low	Low	Low	Low
P12	High	High	High	High	High	High	High	High
Sheet 4: Distribution and Exp	<u>osure</u>							
1. Commercial Fruit Crops								
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
Proximity (orchard wholesalers)	Certain	Certain	Certain	Certain	Certain	Certain	Certain	Certain
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (retailers)	Very low	Very low	Very low	Very low	Very low	Very low	Very low	Very low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (consumers)	Very low	Very low	Very low	Very low	Very low	Very low	Very low	Very low
2. Nursery Plants								
EXP (orchard wholesaler	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded leafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
waste)								
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
Proximity (orchard wholesalers)	Very low	Extremely low	Very low	Very low	Very low	Very low	Very low	Very low
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (retailers)	Very low	Very low	Low	Low	Very low	Low	Very low	Low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (consumers)	Very low	Very low	Very low	Very low	Very low	Very low	Very low	Very low
3. Household and Garden Pla	nts							
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded Ieafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
Proximity (orchard wholesalers)	Very low	Extremely low	Very low	Very low	Very low	Very low	Very low	Very low
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (retailers)	Extremely low	Extremely low	Very low	Very low	Extremely low	Very low	Extremely low	Very low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (consumers)	Low	Low	Moderate	Moderate	Low	Moderate	Low	Moderate
4. Wild and Amenity Plants								
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible
Proximity (orchard wholesalers)	Very low	Extremely low	Very low	Very low	Very low	Very low	Very low	Very low
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (retailers)	Extremely low	Extremely low	Very low	Very low	Extremely low	Very low	Extremely low	Extremely low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (consumers)	Very low	Very low	Low	Moderate	Very low	Moderate	Low	Low

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded leafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
Sheet 5: Establishment or Sp	read Consequence	e Assessment						
Partial Probabilities of Establ	ishment or Spread	l					_	_
Susceptible commercial fruit	Moderate	High	High	High	High	Moderate	High	Moderate
Susceptible nursery plants	Moderate	High	Moderate	High	High	Moderate	Low	Moderate
Susceptible household and garden plants	Moderate	High	High	High	High	Moderate	High	Moderate
Susceptible wild and amenity plants	Low	High	Moderate	High	High	Moderate	High	Moderate
Consequences scores								
(a) <u>Direct criteria</u>								
Plant life, health or welfare	D	D	D	D	С	С	D	D
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Minor	Minor	Minor	Minor	Unlikely to be discernible	Unlikely to be discernible	Minor	Minor
District	Significant	Significant	Significant	Significant	Minor	Minor	Significant	Significant
Local	Highly significant	Highly significant	Highly significant	Highly significant	Significant	Significant	Highly significant	Highly significant
Human life, health or welfare	А	А	А	А	А	А	А	А
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded Ieafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Local	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Any other aspects of the environment	A	A	А	A	А	А	А	A
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Local	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
(b) Indirect criteria								
New or modified eradication, control, surveillance, monitoring and compensation strategies	D	D	D	D	D	D	E	D
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Minor	Unlikely to be discernible

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded Ieafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
Regional	Minor	Minor	Minor	Minor	Minor	Minor	Significant	Minor
District	Significant	Significant	Significant	Significant	Significant	Significant	Highly significant	Significant
Local	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant
Domestic trade or industry effects	D	D	D	D	D	D	в	с
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Minor	Minor	Minor	Minor	Minor	Minor	Unlikely to be discernible	Unlikely to be discernible
District	Significant	Significant	Significant	Significant	Significant	Significant	Unlikely to be discernible	Minor
Local	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Minor	Significant
International trade effects	D	D	D	D	D	D	D	D
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Minor	Minor	Minor	Minor	Minor	Minor	Minor	Minor
District	Significant	Significant	Significant	Significant	Significant	Significant	Significant	Significant
Local	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant	Highly significant

Unrestricted Risk Table Inputs	Apple leafcurling midge	Garden featherfoot	Grey-brown cutworm	Brownheaded and Greenheaded Ieafrollers	Native leafroller	New Zealand flower thrips	Codling moth	European red mite
Indirect effects on the environment	в	В	В	В	В	В	В	В
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Local	Minor	Minor	Minor	Minor	Minor	Minor	Minor	Minor
Indirect effects on communities	A	A	A	A	A	A	A	A
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Local	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
Sheet 2: Importation Scenar	io						
Trade Volume							
Minimum	10,000,000	10,000,000	10,000,000	100,000,000	100,000,000	100,000,000	10,000,000
Most Likely	20,000,000	20,000,000	20,000,000	200,000,000	200,000,000	200,000,000	20,000,000
Maximum	40,000,000	40,000,000	40,000,000	400,000,000	400,000,000	400,000,000	40,000,000
Importation Step Likelihood	6						
Imp 1	High	Low	Very low	Very low	High	Low	High
Imp 2	Low	Very low	Very low	Extremely low	Very low	Very low	Very low
Imp 3	Very low	Negligible	Extremely low	Low	Very low	Negligible	Extremely low
Imp 4	Low	High	Moderate	Very low	Moderate	Very low	Very low
Imp 5	Extremely low	Negligible	Negligible	Negligible	Very low	Extremely low	Extremely low
Imp 6	High	High	High	High	High	Moderate	Moderate
Imp 7	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible
Imp 8	High	High	High	High	High	High	High
Sheet 3: Utilisation							
P1	Very low	Very low	Very low	Very low	Very low	Very low	Very low
P3	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
P6	Very low	Very low	Very low	Very low	Very low	Very low	Very low

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
P7	Very low	Very low	Very low	Very low	Very low	Very low	Very low
P9	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible	Negligible
P10	Low	Low	Low	Low	Low	Low	Low
P12	High	High	High	High	High	High	High
Sheet 4: Distribution and Ex	<u>posure</u>						
1. Commercial Fruit Crops							
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Extremely low
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
Proximity (orchard wholesalers)	Certain	Certain	Certain	Very low	Certain	Certain	Certain
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (retailers)	Very low	Very low	Very low	Extremely low	Very low	Very low	Very low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (consumers)	Very low	Very low	Very low	Extremely low	Very low	Very low	Very low

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
2. Nursery Plants							
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
Proximity (orchard wholesalers)	Very low	Very low	Very low	Extremely low	Very low	Very low	Very low
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Very low	Very low	Extremely low
Proximity (retailers)	Low	Very low	Low	Very low	Low	Low	Very low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low	Extremely low
Proximity (consumers)	Very low	Very low	Very low	Extremely low	Very low	Very low	Very low
3. Household and Garden Pl	ants						
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (retailer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
EXP (food service waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Extremely low
Proximity (orchard wholesalers)	Very low	Very low	Very low	Extremely low	Low	Low	Very low
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Very low	Very low	Extremely low
Proximity (retailers)	Very low	Very low	Very low	Extremely low	Very low	Very low	Extremely low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Very low	Very low	Extremely low
Proximity (consumers)	Moderate	Moderate	Moderate	Very low	Low	Low	Low
4. Wild and Amenity Plants							
EXP (orchard wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Negligible	Negligible
EXP (urban wholesaler waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Negligible
EXP (retailers waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Negligible
EXP (food service waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Negligible
EXP (consumer waste)	Negligible	Negligible	Negligible	Extremely low	Negligible	Extremely low	Negligible
Proximity (orchard wholesalers)	Very low	Very low	Very low	Extremely low	Low	Very low	Very low
Proximity (urban wholesalers)	Extremely low	Extremely low	Extremely low	Extremely low	Very low	Very low	Extremely low

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
Proximity (retailers)	Very low	Extremely low	Extremely low	Extremely low	Very low	Very low	Extremely low
Proximity (food services)	Extremely low	Extremely low	Extremely low	Extremely low	Very low	Very low	Extremely low
Proximity (consumers)	Moderate	Low	Low	Very low	Low	Low	Very low
Sheet 5: Establishment or Sp	pread Consequence	Assessment					
Probabilities of Establishme	nt or Spread						
Susceptible commercial fruit	Moderate	High	Moderate	High	High	Moderate	High
Susceptible nursery plants	Moderate	High	Moderate	Moderate	High	High	High
Susceptible household plants	Moderate	High	Moderate	High	Low	Very low	Moderate
Susceptible wild) and amenity plants	Moderate	High	Moderate	High	Low	Low	Low
Consequence score							
(a) <u>Direct criteria</u>							
Plant life, health or welfare	D	D	С	E	F	E	E
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Minor	Significant	Minor	Minor
Regional	Minor	Minor	Unlikely to be discernible	Significant	Highly significant	Significant	Significant
District	Significant	Significant	Minor	Highly significant	Highly significant	Highly significant	Highly significant
Local	Highly significant	Highly significant	Significant	Highly significant	Highly significant	Highly significant	Highly significant

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
Human life, health or welfare	А	А	А	А	А	А	А
National	Unlikely to be discernible	Unlikely to be discernible					
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Local	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Any other aspects of the environment	А	A	А	А	A	E	A
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Minor	Unlikely to be discernible
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Significant	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Highly significant	Unlikely to be discernible
Local	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Highly significant	Unlikely to be discernible
(b) Indirect criteria							
New or modified eradication, control, surveillance / monitoring and	D	D	D	D	E	D	E

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
compensation strategies							
National	Unlikely to be discernible	Minor	Unlikely to be discernible	Minor			
Regional	Minor	Minor	Minor	Minor	Significant	Minor	Significant
District	Significant	Significant	Significant	Significant	Highly significant	Significant	Highly significant
Local	Highly significant						
Domestic trade or industry effects	с	с	с	D	E	D	D
National	Unlikely to be discernible	Minor	Unlikely to be discernible	Unlikely to be discernible			
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Minor	Significant	Minor	Minor
District	Minor	Minor	Minor	Significant	Highly significant	Significant	Significant
Local	Significant	Significant	Significant	Highly significant	Highly significant	Highly significant	Highly significant
International trade effects	D	D	D	D	D	В	D
National	Unlikely to be discernible						
Regional	Minor	Minor	Minor	Minor	Minor	Unlikely to be discernible	Minor
District	Significant	Significant	Significant	Significant	Significant	Unlikely to be discernible	Significant
Local	Highly significant	Minor	Highly significant				

Unrestricted Input Risk Table	Mealybugs	Oriental fruit moth	Oystershell scale	Wheat bug	E. amylovora	N. galligena	V. inaequalis
Indirect effects on the environment	В	В	В	В	A	с	В
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Minor	Unlikely to be discernible
Local	Minor	Minor	Minor	Minor	Unlikely to be discernible	Significant	Minor
Indirect effects on communities	А	A	A	A	с	с	с
National	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
Regional	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible
District	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Minor	Minor	Minor
Local	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Unlikely to be discernible	Significant	Significant	Significant