

Percentage reservation status of forest and non-forest ecosystems in the current dedicated reserve system in the South Coast subdivision of the Southern region based on pre-1750 vegetation mapping.#

ID	Forest Ecosystem Description	Pre1750 area (ha)	Current area (ha)	Percent remaining	Area in existing dedicated reserves (ha)	Area on available public land (ha)	Area on private and non-available public lands (ha)	Percent of forest ecosystem (pre 1750 extent) in the current dedicated reserve system *
1	Southern Coastal Hinterland Intermediate Altitude Shrub Dry Forest - <i>E. sieberi</i>	50619	50479	99.7	20871	26851	2757	41
2	Hinterland Heath Shrub Dry Forest - <i>Corymbia gummifera</i> / <i>Syncarpia glomulifera</i>	103462	85679	82.8	24133	32494	29052	23
3	Northern Hinterland Shrub Dry Forest - <i>Syncarpia glomulifera</i> / <i>E. scias</i>	16228	16149	99.5	12188	3174	788	75
4	Northern Gorge Heath Shrub Dry Forest - <i>E. punctata</i> / <i>E. agglomerata</i>	17817	17688	99.3	12598	983	4106	71
5	Northern Coastal Lowlands Shrub/Grass Dry Forest - mixed tree species	16382	8857	54.1	1001	3244	4612	6
7	Southern Coastal Hinterland Shrub/Tussock Grass Dry Forest - <i>E. sieberi</i>	20358	20344	99.9	1247	16208	2889	6
8	Far Southern Coastal Shrub Dry Forest - <i>E. sieberi</i>	480	478	99.6	157	52	269	33
9	Coastal Lowlands Cycad/Shrub Dry Forest - <i>Corymbia maculata</i>	64512	55090	85.4	1951	35373	17766	3
10	Southern Coastal Lowlands Shrub/Grass Dry Forest - <i>E. globoidea</i> / <i>E. longifolia</i>	19440	17471	89.9	199	13602	3670	1
11	Coastal Shrub/Grass Dry Forest - <i>E. botryoides</i> / <i>E. globoidea</i> / <i>Imperata cylindrica</i>	556	393	70.7	164	7	222	29
12	Coastal Hinterland (Buckenboura) Shrub/Cycad Dry Forest - <i>Corymbia gummifera</i>	1005	1004	99.9	0	998	6	0
13	Southern Escarpment Foothills Rainshadow Dry Grass Forest - <i>E. agglomerata</i>	4194	4190	99.9	3221	9	960	77
14	Northern Coastal Hinterland Shrub/Grass Dry Forest - <i>E. fibrosa</i> / <i>Corymbia maculata</i>	6690	5721	85.5	1077	1544	3101	16
15	Central and North East Tableland Dry Shrub Forest - <i>E. sieberi</i>	88192	56190	63.7	15335	7486	33369	17
16	North East Tableland Dry Shrub/Tussock Grass Forest - <i>E. agglomerata</i>	21769	15391	70.7	7479	1935	5977	34
17	Northern Sandstone Dry Shrub Forest - <i>E. punctata</i>	92	92	100.0	0	0	92	0
18	Southern Coastal Hinterland Shrub/Vine/Grass Moist Forest - <i>E. cypellocarpa</i> / <i>E. muelleriana</i>	51031	50280	98.5	16368	28463	5449	32
19	Coastal Escarpment and Hinterland Shrub/Fern Dry Forest - <i>E. muelleriana</i>	69517	68596	98.7	22915	37752	7930	33
20	Coastal Hinterland Gully Rainforest	2976	2975	100.0	369	1920	686	12
21	Northern Coastal Hinterland Moist Shrub Forest - <i>C. maculata</i> / <i>E. pilularis</i>	90372	69383	76.8	10692	31807	26884	12
2223	Southern Coastal Hind Dune/Headland Scrub & Southern Coastal Dune Scrub	2801	1897	67.7	583	87	1226	20
24	Coastal Tall Wet Heath Swamp Forest - <i>Casuarina glauca</i> / <i>Melaleuca ericifolia</i>	13294	6213	46.7	800	852	4561	6
25	South Coast Swamp Forest - <i>Casuarina glauca</i>	18194	3774	20.7	653	352	2769	4
2326	Coastal Dune Herb/Grassland &	3178	2145	67.5	711	124	1310	22

ID	Forest Ecosystem Description	Pre1750 area (ha)	Current area (ha)	Percent remaining	Area in existing dedicated reserves (ha)	Area on available public land (ha)	Area on private and non-available public lands (ha)	Percent of forest ecosystem (pre 1750 extent) in the current dedicated reserve system *
	Southern Coastal Dune Scrub							
27	Ecotonal Coastal Swamp Forest - <i>Casuarina glauca</i> / <i>E. botryoides</i>	9841	284	2.9	20	14	250	0
28	Coastal Sands Shrub/Fern Forest - <i>E. botryoides</i> / <i>Banksia serrata</i>	3620	3111	85.9	244	1403	1464	7
29	Northern Coastal Sands Shrub/Fern Forest - <i>E. pilularis</i> / <i>Banksia serrata</i>	17108	13209	77.2	2920	1864	8425	17
32	Coastal Escarpment Rocky Shrub Dry Forest	44	44	100.0	44	0	0	100
34	Deua Ecotonal Shrub Forest - <i>E. smithii</i> / <i>E. cypellocarpa</i> / <i>Astrotricha latifolia</i> / <i>Notelaea venosa</i>	123	123	100.0	123	0	0	100
35	South Coast Acacia Scrubs - <i>Acacia sylvestris</i>	2727	2722	99.8	797	1822	103	29
40	Coastal Hinterland (Deua NP) Dry Shrub Forest (rhyolite) - <i>E. stenostoma</i>	2413	2413	100.0	2384	32	-2	99
47	Far Southern Hinterland Herb/Grass Moist Forest - <i>E. maidenii</i> / <i>E. globoidea</i>	496	84	16.9	51	0	33	10
48	Coastal Lowlands Riparian Herb/Grass Forest - various eucs	6118	3447	56.3	275	1686	1486	4
49	Southern Hinterland Shrub/Herb/Grass Riparian Forest - <i>Angophora floribunda</i> / <i>E. elata</i> / <i>Acacia mearnsii</i>	19321	14441	74.7	6860	3406	4175	36
50	Southern Escarpment Foothills Herb/Grass Dry Forest- <i>Angophora floribunda</i> / <i>E. globoidea</i>	28599	18879	66.0	5709	2291	10880	20
51	Araluen Acacia Herb/Grass Dry Forest - <i>E. melliodora</i> / <i>E. maidenii</i>	5502	4818	87.6	58	1177	3583	1
53	Riparian Acacia Shrub/Grass/Herb Forest - <i>Casuarina cunninghamiana</i>	4297	3302	76.8	729	249	2324	17
55	Eastern Tableland Fern/Herb/Grass Moist Forest - <i>E. fastigata</i>	39921	36622	91.7	4849	27217	4556	12
56	Tableland and Escarpment Moist Herb/Fern Grass Forest - <i>E. radiata</i> / <i>E. viminalis</i> / <i>Viola</i> spp	45215	30327	67.1	3108	12090	15129	7
57	Southern Escarpment Shrub/Fern/Herb Moist Forest - <i>E. cypellocarpa</i> incl. <i>E. fastigata</i> & <i>E. obliqua</i>	44208	36835	83.3	20859	10190	5786	47
58	Tableland and Escarpment Wet Layered Shrub Forest - <i>E. fastigata</i> / <i>Olearia argophylla</i> / <i>Dicksonia antarctica</i>	14612	14574	99.7	7900	6083	591	54
59	Eastern Tableland and Escarpment Shrub/Fern Dry Forest - <i>E. radiata</i> / <i>E. sieberi</i> / <i>Leucopogon lanceolatus</i>	15620	13505	86.5	1957	7479	4069	13
61	Southern Escarpment Edge Moist Shrub Forest - <i>E. fraxinoides</i>	3264	3242	99.3	2448	783	11	75
62	Southern Escarpment Edge Moist Shrub/Fern Forest - <i>E. fraxinoides</i> / <i>E. cypellocarpa</i>	7636	7623	99.8	3598	3980	45	47
64	Southern East Tableland Edge Shrub/Grass Dry Forest - <i>E. dalrympeana</i> / <i>E. radiata</i>	1592	1098	69.0	0	1097	2	0
65	Southern Escarpment Edge Moist Heath - <i>Oxylobium ellipticum</i>	30	30	100.0	29	2	0	97
66	Eastern Tablelands Shrub/Grass Moist Forest - <i>E. dalrympeana</i> / <i>E. radiata</i> / <i>Poa sieberiana</i>	22133	5556	25.1	1237	3120	1199	6
68	North East Tablelands Shrub/Herb/Grass Dry Forest - <i>E. pauciflora</i> / <i>E. viminalis</i> / <i>Lomandra longifolia</i>	9908	8570	86.5	301	348	7921	3
69	Eastern Tablelands Damp Heath -	66	63	95.5	8	41	15	12

ID	Forest Ecosystem Description	Pre1750 area (ha)	Current area (ha)	Percent remain-ing	Area in existing dedicated reserves (ha)	Area on available public land (ha)	Area on private and non-available public lands (ha)	Percent of forest ecosystem (pre 1750 extent) in the current dedicated reserve system *
	<i>Epacris microphylla</i> / <i>Schoenus apogon</i>							
72	Tablelands Dry Shrub Forest - <i>E. dives</i> / <i>E. radiata</i> / <i>Bursaria lasiophylla</i>	1276	1210	94.8	106	226	877	8
73	Tableland Dry Shrub/Grass Forest - <i>E. pauciflora</i> / <i>E. viminalis</i> / <i>Acacia dealbata</i> / <i>Themeda australis</i>	140300	39401	28.1	2138	4558	32706	2
74	South Eastern Tablelands Dry Shrub/Grass/Herb Forest - <i>E. bridgesiana</i> / <i>E. pauciflora</i> / <i>E. rubida</i> / <i>Acaena novae-zealandiae</i>	100569	34200	34.0	2447	3849	27904	2
75	Tablelands Shrub/Tussock Grass Forest - <i>E. dives</i> / <i>Chionochloa pallida</i>	8560	6523	76.2	3130	245	3148	37
79	Montane Dry Shrub/Tussock Grass Forest - <i>E. nortonii</i> / <i>Cassinia longifolia</i> / <i>Chionochloa pallida</i>	606	604	99.7	227	0	377	37
89	Widespread Tablelands Acacia/Herb/Grass Forest - <i>E. dalrympleana</i> / <i>E. viminalis</i> / <i>Acacia melanoxylon</i> / <i>Stellaria pungens</i>	32056	28775	89.8	604	13550	14621	2
90	Northern Tablelands Acacia Herb/Grass Dry Forest - <i>E. bridgesiana</i> / <i>Acacia dealbata</i> / <i>Hydrocotyle laxiflora</i>	7170	1325	18.5	171	0	1154	2
92	Tablelands Acacia/Grass/Herb Dry Forest - <i>E. bridgesiana</i> / <i>E. melliodora</i> / <i>Acacia mearnsii</i> / <i>Microlaena stipoides</i>	464	454	97.8	62	6	385	13
95	Tableland Acacia Moist Herb Forest - <i>E. pauciflora</i> / <i>E. dalrympleana</i> / <i>Acacia dealbata</i> / <i>Helichrysum scorpioides</i>	25859	18138	70.1	3537	4792	9809	14
96	Tableland Tussock Grass/Herb Forest - <i>E. pauciflora</i> / <i>E. dalrympleana</i> / <i>Poa sieberiana</i>	319	314	98.4	314	0	0	98
104	Tableland Acacia/Herb/Grass Forest - <i>E. robertsonii</i> / <i>E. dalrympleana</i> / <i>Acacia dealbata</i> / <i>Platylobium formosum</i> / <i>Senecio sp.E</i>	1428	1428	100.0	0	1259	169	0
107	Tableland Montane Dry Shrub Forest - <i>E. dalrympleana</i> / <i>E. dives</i> / <i>Hibbertia obtusifolia</i>	236	236	100.0	0	61	175	0
109	Tablelands Dry Shrub/Tussock Grass Forest - <i>E. dives</i> / <i>E. mannifera</i> / <i>E. macrorhyncha</i> / <i>Hibbertia obtusifolia</i> / <i>Chionochloa pallida</i>	37333	16104	43.1	1617	4296	10190	4
110	Tablelands Dry Shrub/Grass Forest - <i>E. dives</i> / <i>E. mannifera</i> / <i>E. macrorhyncha</i> / <i>Poa sieberiana</i>	5421	5270	97.2	0	801	4469	0
112	Eastern Tablelands Dry Shrub Forest - <i>E. sieberi</i> / <i>E. dives</i> / <i>Brachyloma daphnoides</i> / <i>Poa sieberiana</i>	19774	6774	34.3	0	1738	5036	0
113	North East Tablelands Dry Shrub/Grass Forest - <i>E. mannifera</i> / <i>E. dives</i> / <i>Brachyloma daphnoides</i> / <i>Dianella revoluta</i>	102568	49201	48.0	4837	1227	43137	5
114	Tablelands Dry Shrub/Tussock Grass Forest - <i>E. macrorhyncha</i> / <i>E. rossii</i> / <i>E. gonicalyx</i> / <i>Chionochloa pallida</i>	7169	7050	98.3	450	936	5664	6
115	South East Tablelands Dry Shrub/Tussock Grass Forest - <i>E. rossii</i> / <i>E. mannifera</i> / <i>Pultenaea procumbens</i> / <i>Chionochloa pallida</i>	40799	39794	97.5	2	5041	34751	0
123126	Montane Wet Heath/Bog - <i>Baeckea utilis</i> & Montane Wet Sedgeland - <i>Carex gaudichaudiana</i>	2484	2280	91.8	572	944	765	23
134	Eastern Tablelands Dry Heath - <i>Allocasuarina nana</i>	3633	3632	100.0	1173	140	2319	32
135	Southern Escarpment (<i>Wadbilliga</i>)	155	155	100.0	50	84	21	32

ID	Forest Ecosystem Description	Pre1750 area (ha)	Current area (ha)	Percent remaining	Area in existing dedicated reserves (ha)	Area on available public land (ha)	Area on private and non-available public lands (ha)	Percent of forest ecosystem (pre 1750 extent) in the current dedicated reserve system *
	Moist Heath							
136	Northern Coastal Heath Shrub/Sedge Forest - <i>C. gummifera</i> / <i>Banksia serrata</i>	84	71	84.5	0	0	71	0
137	Coastal Escarpment Moist Shrub/Fern Forest - <i>E. sieberi</i> / <i>E. piperita</i> / <i>Gleichenia dicarpa</i>	15345	14460	94.2	8996	3697	1767	59
138	Northern Plateau and Escarpment Heath Shrub Dry Forest - <i>E. sieberi</i> / <i>E. considiniana</i>	30812	30781	99.9	17304	10284	3193	56
139	Northern Coastal Hinterland Heath Shrub Dry Forest - <i>C. gummifera</i> / <i>E. sclerophylla</i>	50547	48387	95.7	15421	15987	16979	31
140	Northern Coastal Tall Wet Heath	6270	6128	97.7	333	425	5370	5
141	Northern Coast (and Escarpment) Wet Heath/Sedge	3499	3445	98.5	2640	281	524	75
144	Northern Coast and Hinterland Moist Heath	1041	1041	100.0	607	187	247	58
146	Tableland Dry Herb/Grass Woodland - <i>E. pauciflora</i> / <i>E. stellulata</i> / <i>Asperula scoparia</i>	1671	768	46.0	0	55	713	0
148	Tableland Tussock Grassland /Sedgeland/ Woodland - <i>Poa labillardieri</i>	11115	1197	10.8	0	34	1163	0
151	Tableland Sedge/Grass Herbland - <i>Themeda australis</i> / <i>Carex appressa</i>	15	0	0.0	0	0	0	0
152	Tableland Herb/Grassland - <i>Themeda australis</i>	484	0	0.0	0	0	0	0
153	Tablelands and Slopes Herb/Grassland/ Woodland - <i>Themeda australis</i> plus <i>E. pauciflora</i> / <i>E. rubida</i>	17947	0	0.0	0	0	0	0
157	ACT/Monaro Dry Grassland - <i>Bothriochloa macra</i> / <i>Chrysocephalum apiculatum</i>	25361	0	0.0	0	0	0	0
160	Western Slopes Dry Grass Woodland - <i>E. blakelyi</i> / <i>E. melliodora</i> / <i>Danthonia racemosa</i>	2	0	0.0	0	0	0	0
162	Western Slopes Moist Herb/Sedge/Grass Woodland - <i>E. blakelyi</i> / <i>Carex appressa</i>	138	0	0.0	0	0	0	0
164	Coastal Escarpment Cool Temperate Rainforest	1049	1048	99.9	738	226	84	70
165	Southern Escarpment Cool/Warm Temperate Rainforest	3718	3711	99.8	1231	2404	76	33
166	Central Coastal Hinterland and Lowland Warm Temperate Rainforest	7938	7916	99.7	4542	2712	662	57
167	Coastal Lowland Sub Tropical/Littoral Rainforest	666	606	91.0	150	115	342	23
168	Ecotonal Granite Dry Rainforest - <i>Backhousia myrtifolia</i> / <i>Acmena smithii</i> / <i>Angophora floribunda</i> / <i>Pittosporum undulatum</i> / <i>Doodia aspera</i>	316	314	99.4	32	243	39	10
169	Coastal Hinterland Sub Tropical Warm Temperate Rainforest	10472	7787	74.4	2264	497	5025	22
170	Southern Coastal Hinterland Dry Gully Rainforest - <i>Backhousia myrtifolia</i>	7249	7233	99.8	979	5565	690	14
171	Northern Coastal Shrub/Grass Forest - <i>E. tereticornis</i>	23011	3189	13.9	1684	72	1434	7
173	Northern Grass Herb Forest on Basalt	5271	158	3.0	0	0	158	0
174	Shoalhaven Gorge Forest - <i>E. tereticornis</i> / <i>E.melliodora</i>	13525	13431	99.3	6676	1327	5427	49
175	Northern Coastal Lowlands Swamp Forest - <i>E. robusta</i>	465	447	96.1	65	50	333	14
176	Morton Plateau Mallee Swamp Low Forest	40114	40062	99.9	35817	1227	3019	89

ID	Forest Ecosystem Description	Pre1750 area (ha)	Current area (ha)	Percent remaining	Area in existing dedicated reserves (ha)	Area on available public land (ha)	Area on private and non-available public lands (ha)	Percent of forest ecosystem (pre 1750 extent) in the current dedicated reserve system *
177	Illawarra Lowland Sub-Tropical Rainforest	9138	1672	18.3	0	0	1672	0
178	Robertson Warm Temperate Rainforest	300	215	71.7	1	0	214	0
179	Eastern Deua dry shrub Forest - <i>Angophora costata</i>	2715	2712	99.9	607	1993	112	22
181	North-eastern Tablelands Gully Fern Forest - <i>E.elata</i> / <i>Calochlaena dubia</i>	3433	3098	90.2	0	964	2134	0
185	Mangrove Estuarine Low Forest	1685	1404	83.3	287	169	948	17
186	Mudflats/Saltmarshes	1131	890	78.7	347	48	495	30
187	Coastal Headland Heathlands	998	446	44.7	109	21	316	11
188	Sand-dune Wetlands	604	372	61.6	110	56	206	18
189	Coastal Alluvial Valley Floor Wetlands	195	142	72.8	0	0	142	0
190	Rock	1726	1675	97.0	1186	107	382	69

The figures shown in this table may be subject to minor changes prior to the RFA being finalised.

* Forest ecosystem targets under the JANIS criteria are:

- 100% of current area for ecosystems which are rare or endangered
- 60% of current area for ecosystems which are vulnerable
- 15% of pre-1750 area for all other ecosystems

Ecosystem status (rare, endangered or vulnerable) and targets have not yet been determined for ecosystems in the Southern region.